

PPG Machine Colorant Z

INGREDIENTS	CAS NO	%	8HR OEL
ethylene glycol	107-21-1	10-30	10 mg/m3
talc	14807-96-6	10-30	3 mg/m3

UN No: Not Applicable Hazchem Code: Not Applicable DG Class: Not Applicable Subsidiary Risk: Not Applicable Packing Group: Not Applicable Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ **3**: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION









Acute Health Effects: Harmful by inhalation and if swallowed. Irritating to eyes and respiratory system.

PRECAUTIONS FOR USE





Hazard:







Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	1.NATURALRUBBER 2.NEOPRENE
Respirator:	Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Keep out of reach of children. Keep away from food, drink and animal feeding stuffs.
Fire/Explosion	Vapours/gas heavier than air.

Toxic smoke/fumes in a fire.

PROPERTIES



Liquid.Combustible.

EMERGENCY







FIRST AID

Give water (if conscious). Seek medical advice.

Swallowed: Do NOT give milk or oil.

Do NOT give alcohol.

Eye: Wash with running water.

Remove contaminated clothing. Wash with soap & Skin:

water.

Fresh air. Rest, keep warm. If breath shallow, give Inhaled:

oxygen. Medical attention.

Advice To Emesis - test for acidosis/hypocalcaemia. Consider

ethanol therapy. Doctor:

Fire Fighting: Foam.

> Eliminate ignition sources. Absorb with dry agent.

Stop leak if safe to do so.

Spills and

This material and its container must be disposed of Disposal:

in a safe way.

To clean the floor and all objects contaminated by

this material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS







Explosive Radioactive Oxidizing x x x

- Must not be stored together