```
00400000 default file=/root/target mapped=1 N0=1
00600000 default file=/root/target anon=1 dirty=1 N0=1
00601000 default file=/root/target anon=1 dirty=1 N0=1
7fbb52687000 default file=/lib/x86_64-linux-gnu/libc-2.19.so mapped=215 mapmax=2 N0=215
7fbb52845000 default file=/lib/x86_64-linux-gnu/libc-2.19.so
7fbb52a45000 default file=/lib/x86_64-linux-gnu/libc-2.19.so anon=4 dirty=4 N0=4
7fbb52a49000 default file=/lib/x86_64-linux-gnu/libc-2.19.so anon=2 dirty=2 N0=2
7fbb52a4b000 anon=3 dirty=3 N0=3
7fbb52a50000 default file=/root/ libexample.so mapped=1 N0=1
7fbb52a51000 default file=/root/ libexample.so
7fbb52c50000 default file=/root/ libexample.so anon=1 dirty=1 N0=1
7fbb52c51000 default file=/root/ libexample.so anon=1 dirty=1 N0=1
7fbb52c52000 default file=/lib/x86_64-linux-gnu/ld-2.19.so mapped=35 mapmax=2 N0=35
7fbb52e6c000 default anon=3 dirty=3 N0=3
7fbb52e72000 default anon=1 dirty=1 N0=1
7fbb52e74000 default file=/lib/x86_64-linux-gnu/ld-2.19.so anon=1 dirty=1 N0=1
7fbb52e75000 default file=/lib/x86_64-linux-gnu/ld-2.19.so anon=1 dirty=1 N0=1
7fbb52e76000 default anon=1 dirty=1 N0=1
7ffe5507b000 default stack anon=3 dirty=3 N0=3
7ffe550bf000 default
7ffe550c1000 default
Ôi1<9e>>>~,Á<82><86>1pÔF<9b>Hx"""x^D7 ^BBe'v<8b>^U<8c>
```