## HiDimKDE

#### HiDimKDE


 Question: what is a good bandwidth for highdimensional kernel density estimation?


#### Protein KDE

#### Procedure:


- Compute all pairwise Wasserstein distances
- Project into R<sup>25</sup> via MDS
- Compute ICA directions for embedded data, sort by Anderson-Darling numbers
- Look at KDEs using various bandwidths:
  - Visualize slices on ICA directions plus 4 special directions
  - Compute heights of KDEs at each data point, and then compute the Coefficient of Variation for each collection of heights

## MDS projection






#### Distance summaries




### Anderson-Darling numbers


Projections of PCA coords onto ICA directions, sorted by A-D numbers




#### Coefficient of Variation Curve




#### Bandwidth: 0.159




#### Bandwidth: 0.159, KDE heights




#### Bandwidth: 0.159, ICA projections




#### Bandwidth: 0.159, ICA projections




#### Bandwidth: 0.159, directional proj.




### Bandwidth: 0.225




#### Bandwidth: 0.225, KDE heights




#### Bandwidth: 0.225, ICA projections




#### Bandwidth: 0.225, directional proj.




### Bandwidth: 0.319




#### Bandwidth: 0.319, KDE heights




#### Bandwidth: 0.319, ICA projections




#### Bandwidth: 0.319, directional proj.




### Bandwidth: 0.451




#### Bandwidth: 0.451, KDE heights




#### Bandwidth: 0.451, ICA projections




#### Bandwidth: 0.451, directional proj.




### Bandwidth: 0.638




#### Bandwidth: 0.638, KDE heights




#### Bandwidth: 0.638, directional proj.




#### Bandwidth: 0.638, directional proj.




# Bandwidth: 0.638, directional proj. deriv




### Bandwidth: 0.903




#### Bandwidth: 0.903 KDE heights




#### Bandwidth: 0.903 directional proj.




#### Bandwidth: 0.903 directional proj.




#### Bandwidth: 0.903 directional proj.




## Bandwidth: 0.903, directional proj. deriv





#### Bandwidth: 1.277




## Bandwidth: 1.277, KDE heights









# Bandwidth: 1.277, directional proj. deriv





# Bandwidth: 1.806




## Bandwidth: 1.806, KDE heights












# Bandwidth: 1.806



### Bandwidth: 1.806, KDE heights



## Bandwidth: 1.806, ICA projections



## Bandwidth: 1.806, ICA projections

