

Swagger Editor has evolved! Codegen, save, and export features are now part of Swagger Pro.

[Learn More](#) [Try Swagger Pro](#)



File ▾

Edit ▾

Insert ▾

Generate  
Server ▾Generate  
Client ▾

About ▾

Sign  
in  
to  
API  
HubTry  
API  
Hub

# Research Data Insights

1.0.0 OAS 3.0

This API intended to deploy on aws API Gateway

Authorize



## Researcher endpoints accessible by researchers



POST

/agenda Create a new research agenda



### Parameters

Try it out

No parameters

### Request body required

application/json

### Example Value Schema

```
{
  "agenda_name": "string",
  "metric_name": "string",
  "metric_description": "string",
  "context_documents": [
    {
      "document_name": "string",
      "file_path": "string",
      "description": "string"
    }
  ],
  "research_observations": [
```

```
{
  "document_name": "string",
  "file_path": "string"
}
]
```

Responses

| Code                                                                                                                                        | Description             | Links    |      |             |      |                             |  |        |
|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------|------|-------------|------|-----------------------------|--|--------|
| 200                                                                                                                                         | Research Agenda Created | No links |      |             |      |                             |  |        |
| Headers:                                                                                                                                    |                         |          |      |             |      |                             |  |        |
| <table><tr><th>Name</th><th>Description</th><th>Type</th></tr><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr></table> |                         |          | Name | Description | Type | Access-Control-Allow-Origin |  | string |
| Name                                                                                                                                        | Description             | Type     |      |             |      |                             |  |        |
| Access-Control-Allow-Origin                                                                                                                 |                         | string   |      |             |      |                             |  |        |
| 400                                                                                                                                         | Bad Request             | No links |      |             |      |                             |  |        |
| 401                                                                                                                                         | Unauthorized            | No links |      |             |      |                             |  |        |
| 429                                                                                                                                         | Too Many Requests       | No links |      |             |      |                             |  |        |
| 500                                                                                                                                         | Internal Server Error   | No links |      |             |      |                             |  |        |

Extensions

| Field                           | Value                                                                                                                                                                                              |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway-integration | {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${agendaFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av"} |

DELETE /agenda/{agenda\_id} Delete research agenda



Parameters

Try it out

NameDescription

**agenda\_id** \* required

string  
(path)

agenda\_id

Responses

| Code                        | Description                                                                                                                                                                             | Links    |             |      |                             |  |        |          |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------|------|-----------------------------|--|--------|----------|
| 200                         | Agenda deleted successfully<br><br>Headers: <table><tr><th>Name</th><th>Description</th><th>Type</th></tr><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr></table> | Name     | Description | Type | Access-Control-Allow-Origin |  | string | No links |
| Name                        | Description                                                                                                                                                                             | Type     |             |      |                             |  |        |          |
| Access-Control-Allow-Origin |                                                                                                                                                                                         | string   |             |      |                             |  |        |          |
| 401                         | Unauthorized                                                                                                                                                                            | No links |             |      |                             |  |        |          |
| 403                         | Access denied - not agenda owner                                                                                                                                                        | No links |             |      |                             |  |        |          |
| 404                         | Agenda not found                                                                                                                                                                        | No links |             |      |                             |  |        |          |
| 500                         | Internal Server Error                                                                                                                                                                   | No links |             |      |                             |  |        |          |

Extensions

| Field                           | Value                                                                                                                                                                                              |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway-integration | {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${agendaFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av"} |

GET /agenda/{agenda\_id}/prompts Get prompts for agenda



Parameters

Try it out

NameDescription

agenda\_id \* required

string  
(path)

agenda\_id

Responses

| Code | Description     | Links    |
|------|-----------------|----------|
| 200  | List of prompts | No links |
| 401  | Unauthorized    | No links |

Extensions

| Field                           | Value                                                                                                                                                                                            |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway-integration | {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${promptFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aw |

POST /agenda/{agenda\_id}/prompts Create new prompt



Parameters

Try it out

NameDescription

agenda\_id \* required

string  
(path)

agenda\_id

Request body required

application/json

Example Value Schema

```
{
  "prompt_type": "self_aggregation",
  "prompt_text": "string",
  "is_default": true
}
```

Responses

| Code | Description    | Links    |
|------|----------------|----------|
| 200  | Prompt created | No links |
| 400  | Bad Request    | No links |

Extensions

| Field                           | Value                                                                                                                                                                                                                  |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway-integration | {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${promptFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws_lambda_integration"} |

PUT /agenda/{agenda\_id}/prompts/{prompt\_id} Update prompt



Parameters

Try it out

| Name                                     | Description |
|------------------------------------------|-------------|
| agenda_id * required<br>string<br>(path) | agenda_id   |
| prompt_id * required<br>string<br>(path) | prompt_id   |

Request body required

application/json

Example Value Schema

```
{
  "prompt_text": "string",
  "is_default": true
}
```

Responses

| Code | Description    | Links    |
|------|----------------|----------|
| 200  | Prompt updated | No links |

Extensions

| Field                           | Value                                                                                                                                                                                                     |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway-integration | { "uri": { "Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${promptFunction.Arn}/invocations", "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "aw |

DELETE /agenda/{agenda\_id}/prompts/{prompt\_id} Delete prompt



Parameters

Try it out

| Name                                     | Description                            |
|------------------------------------------|----------------------------------------|
| agenda_id * required<br>string<br>(path) | <input type="text" value="agenda_id"/> |
| prompt_id * required<br>string<br>(path) | <input type="text" value="prompt_id"/> |

Responses

| Code | Description    | Links    |
|------|----------------|----------|
| 200  | Prompt deleted | No links |

Extensions

| Field                           | Value                                                                                                                                                                                                                  |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway-integration | {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${promptFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws_lambda_integration"} |

GET /upload-url Generate presigned URL for file upload



Parameters

Try it out

| Name                                                 | Description                                                                     |
|------------------------------------------------------|---------------------------------------------------------------------------------|
| <b>file_name</b> * required<br>string<br>(query)     | <input type="text" value="file_name"/>                                          |
| <b>file_type</b> * required<br>string<br>(query)     | <input type="text" value="file_type"/>                                          |
| <b>agenda_id</b> * required<br>string<br>(query)     | <input type="text" value="agenda_id"/>                                          |
| <b>document_type</b> * required<br>string<br>(query) | Available values : context, observation<br><input type="text" value="context"/> |

Responses

| Code                        | Description                                                                                                                                 | Links    |             |      |                             |  |        |  |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------|------|-----------------------------|--|--------|--|
| 200                         | Presigned URL generated                                                                                                                     | No links |             |      |                             |  |        |  |
| Headers:                    |                                                                                                                                             |          |             |      |                             |  |        |  |
|                             | <table><tr><th>Name</th><th>Description</th><th>Type</th></tr><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr></table> | Name     | Description | Type | Access-Control-Allow-Origin |  | string |  |
| Name                        | Description                                                                                                                                 | Type     |             |      |                             |  |        |  |
| Access-Control-Allow-Origin |                                                                                                                                             | string   |             |      |                             |  |        |  |
| 400                         | Bad Request                                                                                                                                 | No links |             |      |                             |  |        |  |
| 500                         | Internal Server Error                                                                                                                       | No links |             |      |                             |  |        |  |

Extensions

| Field                           | Value                                                                                                                                                                                            |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway-integration | {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${GeneratePreSignedURLFunc.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST"} |

GET /agenda/{agenda\_id}/collaborators Get agenda collaborators



Parameters

Try it out

| Name                                     | Description          |
|------------------------------------------|----------------------|
| agenda_id * required<br>string<br>(path) | <div>agenda_id</div> |

Responses

| Code | Description           | Links    |
|------|-----------------------|----------|
| 200  | List of collaborators | No links |

| Code | Description  | Links    |
|------|--------------|----------|
| 401  | Unauthorized | No links |

Extensions

| Field                           | Value                                                                                                                                                                                                        |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway-integration | { "uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${agendaFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "av" } |

POST

/agenda/{agenda\_id}/collaborators

Add collaborator



Parameters

Try it out

| Name                                                                         | Description          |
|------------------------------------------------------------------------------|----------------------|
| <div><div>agenda_id * required</div><div>string</div><div>(path)</div></div> | <div>agenda_id</div> |

Request body required

application/json

Example Value

Schema

```
{  "user_email": "string"}
```

Responses

| Code | Description        | Links    |
|------|--------------------|----------|
| 200  | Collaborator added | No links |

| Code                            | Description                                                                                                                                                                                                  | Links    |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 400                             | Bad Request                                                                                                                                                                                                  | No links |
| Extensions                      |                                                                                                                                                                                                              |          |
| Field                           | Value                                                                                                                                                                                                        |          |
| x-amazon-apigateway-integration | { "uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${agendaFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "av" } |          |

GET

/agenda/{agenda\_id}/ai-settings

Get agenda hyperparameters



Parameters

Try it out

| Name                                                                         | Description          |
|------------------------------------------------------------------------------|----------------------|
| <div><div>agenda_id * required</div><div>string</div><div>(path)</div></div> | <div>agenda_id</div> |

Responses

| Code | Description             | Links    |
|------|-------------------------|----------|
| 200  | List of hyperparameters | No links |
| 401  | Unauthorized            | No links |

Extensions

FieldValue

x-amazon-  
apigateway-  
integration

{  
 "uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${agendaFunction.Arn}/invocations"},  
 "passthroughBehavior": "when\_no\_match",  
 "httpMethod": "POST",  
 "type": "av  
integration"

PATCH

/agenda/{agenda\_id}/ai-settings

Update agenda hyperparameters



Parameters

Try it out

NameDescription

agenda\_id \* required

string

(path)

agenda\_id

Request body required

application/json

Example ValueSchema

{  
 "hyperparameter\_settings": {}  
}

Responses

| Code | Description         | Links    |
|------|---------------------|----------|
| 200  | AI settings updated | No links |
| 401  | Unauthorized        | No links |

Extensions

FieldValue

x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-  
apigateway- 31/functions/\${agendaFunction.Arn}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"av  
integration

DELETE /agenda/{agenda\_id}/collaborators/{collaborator\_id} Remove collaborator



Parameters

Try it out

NameDescription

agenda\_id \* required

string  
(path)

agenda\_id

collaborator\_id \* required

string  
(path)

collaborator\_id

Responses

CodeDescriptionLinks

200 Collaborator removed No links

Extensions

FieldValue

x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-  
apigateway- 31/functions/\${agendaFunction.Arn}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"av  
integration

Member endpoints accessible by members



POST

/user

Create a member



Parameters

Try it out

No parameters

Request body required

application/json

Example Value   Schema

```
{
  "user_email": "string",
  "username": "string",
  "first_name": "string",
  "last_name": "string"
}
```

Responses

| Code                                                                                                                                        | Description           | Links    |      |             |      |                             |  |        |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------|------|-------------|------|-----------------------------|--|--------|
| 200                                                                                                                                         | Member User Created   | No links |      |             |      |                             |  |        |
| Headers:                                                                                                                                    |                       |          |      |             |      |                             |  |        |
| <table><tr><th>Name</th><th>Description</th><th>Type</th></tr><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr></table> |                       |          | Name | Description | Type | Access-Control-Allow-Origin |  | string |
| Name                                                                                                                                        | Description           | Type     |      |             |      |                             |  |        |
| Access-Control-Allow-Origin                                                                                                                 |                       | string   |      |             |      |                             |  |        |
| 400                                                                                                                                         | Bad Request           | No links |      |             |      |                             |  |        |
| 401                                                                                                                                         | Unauthorized          | No links |      |             |      |                             |  |        |
| 429                                                                                                                                         | Too Many Requests     | No links |      |             |      |                             |  |        |
| 500                                                                                                                                         | Internal Server Error | No links |      |             |      |                             |  |        |

Extensions

FieldValue

x-amazon-apigateway-integration {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${userFunction.Arn}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"aws\_

GET /agendas Get user's research agendas



Parameters

Try it out

No parameters

Responses

| Code     | Description                     | Links    |
|----------|---------------------------------|----------|
| 200      | List of user's research agendas | No links |
| Headers: |                                 |          |
|          | NameDescriptionType             |          |
|          | Access-Control-Allow-Origin     | string   |
| 401      | Unauthorized                    | No links |
| 500      | Internal Server Error           | No links |

Extensions

FieldValue

x-amazon-apigateway-integration {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${agendaFunction.Arn}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"av

POST /agenda/{agenda\_id}/context-document Save context document metadata



Parameters

Try it out

| Name                        | Description          |
|-----------------------------|----------------------|
| <b>agenda_id</b> * required | <div>agenda_id</div> |
| string                      |                      |
| (path)                      |                      |

|                              |                             |
|------------------------------|-----------------------------|
| <b>Request body</b> required | <div>application/json</div> |
|------------------------------|-----------------------------|

Example Value Schema

```
{
  "document_name": "string",
  "file_path": "string",
  "description": "string",
  "upload_status": "string"
}
```

Responses

| Code                                                                                                                                        | Description             | Links    |      |             |      |                             |  |        |
|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------|------|-------------|------|-----------------------------|--|--------|
| 200                                                                                                                                         | Document metadata saved | No links |      |             |      |                             |  |        |
| Headers:                                                                                                                                    |                         |          |      |             |      |                             |  |        |
| <table><tr><th>Name</th><th>Description</th><th>Type</th></tr><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr></table> |                         |          | Name | Description | Type | Access-Control-Allow-Origin |  | string |
| Name                                                                                                                                        | Description             | Type     |      |             |      |                             |  |        |
| Access-Control-Allow-Origin                                                                                                                 |                         | string   |      |             |      |                             |  |        |
| 400                                                                                                                                         | Bad Request             | No links |      |             |      |                             |  |        |
| 401                                                                                                                                         | Unauthorized            | No links |      |             |      |                             |  |        |
| 500                                                                                                                                         | Internal Server Error   | No links |      |             |      |                             |  |        |

Extensions

FieldValue

x-amazon-apigateway-integration {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${agendaFunction.Arn}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"av

POST /agenda/{agenda\_id}/research-observation Save context document metadata



GET /agenda/{agenda\_id} Get specific agenda with documents



Parameters

Try it out

NameDescription

agenda\_id \* required

string  
(path)

agenda\_id

Responses

| Code                        | Description                                                                                                                                                                                  | Links    |             |      |                             |  |        |          |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------|------|-----------------------------|--|--------|----------|
| 200                         | Agenda details with documents<br><b>Headers:</b> <table><tr><th>Name</th><th>Description</th><th>Type</th></tr><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr></table> | Name     | Description | Type | Access-Control-Allow-Origin |  | string | No links |
| Name                        | Description                                                                                                                                                                                  | Type     |             |      |                             |  |        |          |
| Access-Control-Allow-Origin |                                                                                                                                                                                              | string   |             |      |                             |  |        |          |
| 401                         | Unauthorized                                                                                                                                                                                 | No links |             |      |                             |  |        |          |
| 404                         | Agenda not found                                                                                                                                                                             | No links |             |      |                             |  |        |          |
| 500                         | Internal Server Error                                                                                                                                                                        | No links |             |      |                             |  |        |          |

Extensions

FieldValue

x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-  
apigateway- 31/functions/\${agendaFunction.Arn}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"av  
integration

POST /agenda/{agenda\_id}/text\_generation Query agenda documents with RAG



Parameters

Try it out

NameDescription

session\_id \* required  
string  
(query)

session\_id

document\_type  
string  
(query)  
Available values : context, observation  
Default value : context

context

agenda\_id \* required  
string  
(path)

agenda\_id

Request body required

application/json

Example ValueSchema

```
{  
  "message_content": "string"  
}
```

Responses

CodeDescriptionLinks

200 RAG response with AI-generated insights No links

Headers:

| Code                                                                                                                                        | Description           | Links    |      |             |      |                             |  |        |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------|------|-------------|------|-----------------------------|--|--------|
| <table><tr><th>Name</th><th>Description</th><th>Type</th></tr><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr></table> |                       |          | Name | Description | Type | Access-Control-Allow-Origin |  | string |
| Name                                                                                                                                        | Description           | Type     |      |             |      |                             |  |        |
| Access-Control-Allow-Origin                                                                                                                 |                       | string   |      |             |      |                             |  |        |
| 400                                                                                                                                         | Bad Request           | No links |      |             |      |                             |  |        |
| 401                                                                                                                                         | Unauthorized          | No links |      |             |      |                             |  |        |
| 500                                                                                                                                         | Internal Server Error | No links |      |             |      |                             |  |        |

Extensions

| Field                           | Value                                                                                                                                                                                           |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway-integration | {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${TextGenLambdaDockerFunc.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST"} |

GET

/agenda/{agenda\_id}/sessions

Get chat sessions



Parameters

Try it out

| Name                 | Description          |
|----------------------|----------------------|
| agenda_id * required | <div>agenda_id</div> |
| string (path)        |                      |

Responses

| Code | Description           | Links    |
|------|-----------------------|----------|
| 200  | List of chat sessions | No links |
| 401  | Unauthorized          | No links |

Extensions

| Field                           | Value                                                                                                                                                                                              |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway-integration | {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${agendaFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av"} |

POST /agenda/{agenda\_id}/sessions Create chat session



Parameters

Try it out

| Name                                     | Description          |
|------------------------------------------|----------------------|
| agenda_id * required<br>string<br>(path) | <div>agenda_id</div> |

Request body required

application/json

Example Value Schema

```
{
  "session_name": "string"
}
```

Responses

| Code | Description     | Links    |
|------|-----------------|----------|
| 201  | Session created | No links |
| 400  | Bad Request     | No links |

Extensions

FieldValue

x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-  
apigateway- 31/functions/\${agendaFunction.Arn}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"av  
integration

GET /agenda/{agenda\_id}/sessions/{session\_id}/messages Get session messages



Parameters

Try it out

NameDescription

agenda\_id \* required

string  
(path)

agenda\_id

session\_id \* required

string  
(path)

session\_id

Responses

| Code | Description      | Links    |
|------|------------------|----------|
| 200  | Session messages | No links |
| 401  | Unauthorized     | No links |

Extensions

FieldValue

x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-  
apigateway- 31/functions/\${agendaFunction.Arn}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"av  
integration

Admin

endpoints accessible by admins

^

GET

/users

Get all users



Parameters

Try it out

No parameters

Responses

| Code                        | Description                                                                                                                                                                                             | Links    |             |      |                             |  |        |          |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------|------|-----------------------------|--|--------|----------|
| 200                         | Success<br><div>Headers:<table><thead><tr><th>Name</th><th>Description</th><th>Type</th></tr></thead><tbody><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr></tbody></table></div> | Name     | Description | Type | Access-Control-Allow-Origin |  | string | No links |
| Name                        | Description                                                                                                                                                                                             | Type     |             |      |                             |  |        |          |
| Access-Control-Allow-Origin |                                                                                                                                                                                                         | string   |             |      |                             |  |        |          |
| 401                         | Unauthorized                                                                                                                                                                                            | No links |             |      |                             |  |        |          |
| 500                         | Internal Server Error                                                                                                                                                                                   | No links |             |      |                             |  |        |          |

Extensions

| Field                           | Value                                                                                                                                                                                            |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway-integration | {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${userFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws_ |

PATCH

/user/{cognito\_id}

Modify user roles



Parameters

Try it out

NameDescription

cognito\_id \* required

string  
(path)

cognito\_id

Request body required

application/json

Example ValueSchema

```
{
  "action": "add"
}
```

Responses

| Code                        | Description                                                                                                                                                                                   | Links    |             |      |                             |  |        |          |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------|------|-----------------------------|--|--------|----------|
| 200                         | User role updated successfully<br><br>Headers:<br><table><tr><th>Name</th><th>Description</th><th>Type</th></tr><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr></table> | Name     | Description | Type | Access-Control-Allow-Origin |  | string | No links |
| Name                        | Description                                                                                                                                                                                   | Type     |             |      |                             |  |        |          |
| Access-Control-Allow-Origin |                                                                                                                                                                                               | string   |             |      |                             |  |        |          |
| 400                         | Bad Request                                                                                                                                                                                   | No links |             |      |                             |  |        |          |
| 401                         | Unauthorized                                                                                                                                                                                  | No links |             |      |                             |  |        |          |
| 404                         | User not found                                                                                                                                                                                | No links |             |      |                             |  |        |          |
| 500                         | Internal Server Error                                                                                                                                                                         | No links |             |      |                             |  |        |          |

Extensions

| Field                | Value                                                                                                                                                                                                      |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway- | { "uri": { "Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${userFunction.Arn}/invocations", "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "aws_" |

FieldValue

integration

GET/admin/message\_limitGet message limits

Try it out

No parameters

Responses

| Code | Description    | Links    |
|------|----------------|----------|
| 200  | Message limits | No links |
| 401  | Unauthorized   | No links |

Extensions

FieldValue

x-amazon-apigateway-integration{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"aws"

POST/admin/message\_limitSet message limits

Try it out

No parameters

Request body required

application/json

Example ValueSchema

```
{
  "value": "string"
}
```

Responses

| Code | Description            | Links    |
|------|------------------------|----------|
| 200  | Message limits updated | No links |
| 401  | Unauthorized           | No links |

Extensions

| Field                           | Value                                                                                                                                                                                             |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x-amazon-apigateway-integration | {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws" |

default



- OPTIONS

/user CORS support

▼
- OPTIONS

/users CORS support

▼
- OPTIONS

/user/{cognito\_id} CORS support

▼
- OPTIONS

/agenda CORS support

▼
- OPTIONS

/agendas CORS support

▼
- OPTIONS

/agenda/{agenda\_id}/context-document CORS support

▼
- OPTIONS

/agenda/{agenda\_id}/research-observation CORS support

▼

|         |                                                     |              |   |
|---------|-----------------------------------------------------|--------------|---|
| OPTIONS | /agenda/{agenda_id}                                 | CORS support | ▼ |
| OPTIONS | /agenda/{agenda_id}/prompts                         | CORS support | ▼ |
| OPTIONS | /agenda/{agenda_id}/prompts/{prompt_id}             | CORS support | ▼ |
| OPTIONS | /upload-url                                         | CORS support | ▼ |
| OPTIONS | /agenda/{agenda_id}/collaborators                   | CORS support | ▼ |
| OPTIONS | /agenda/{agenda_id}/ai-settings                     | CORS support | ▼ |
| OPTIONS | /agenda/{agenda_id}/collaborators/{collaborator_id} | CORS support | ▼ |
| OPTIONS | /agenda/{agenda_id}/text_generation                 | CORS support | ▼ |
| OPTIONS | /agenda/{agenda_id}/sessions                        | CORS support | ▼ |
| OPTIONS | /agenda/{agenda_id}/sessions/{session_id}/messages  | CORS support | ▼ |
| OPTIONS | /admin/message_limit                                | CORS support | ▼ |