

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)

Dot .Net Core and Progressive Web Application Practical

Practical – VIII

Roll No.: T026	Name: Hamiza Mujawar
Class: TYIT	Batch: 1
Date of Assignment: 06-08-2026	Date/Time of Submission: 06-08-2026

a. Create an HTML page that would be the starting point of the application. This HTML will contain a link to the file named manifest.json. This is an important file that would be created in the next step.


Code:

I index.cshtml

```
<h2>Student Record</h2>
<button onclick="loadStudent()">Load Student</button>

<p id="data"></p>
<script>
    function loadStudent() {
        fetch("/api/student ")
            .then(response => response.json())
            .then(student => {
                document.getElementById("data").innerHTML=
                    "Roll No : "+student.rollNo+
                    "<br>Name : "+student.name;
            });
    }
</script>
```

Output:



StudentPWA Home Privacy

Student Record

Load Student

Roll No : 26

Name :Hamiza

II manifest.json

```
{  
  "name": "student PWA",  
  "short_name": "student",  
  "start_url": "/",  
  "display": "standalone"  
}
```

III _layout.cshtml

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
  <meta charset="utf-8" />  
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />  
  <title>@ViewData["Title"] - StudentPWA</title>  
  <script type="importmap"></script>  
  <link rel="stylesheet" href="~/lib/bootstrap/dist/css/bootstrap.min.css" />  
  <link rel="stylesheet" href="~/css/site.css" asp-append-version="true" />  
  <link rel="stylesheet" href="~/StudentPWA.styles.css" asp-append-version="true" />  
  <link rel="manifest" href="/manifest.json">  
</head>  
<body>  
  <header>  
    <nav class="navbar navbar-expand-sm navbar-toggleable-sm navbar-light bg-white border-bottom box-shadow mb-3">  
      <div class="container-fluid">  
        <a class="navbar-brand" asp-area="" asp-controller="Home" asp-action="Index">StudentPWA</a>  
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target=".navbar-collapse" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">  
          <span class="navbar-toggler-icon"></span>  
        </button>  
        <div class="navbar-collapse collapse d-sm-inline-flex justify-content-between">  
          <ul class="navbar-nav flex-grow-1">  
            <li class="nav-item">  
              <a class="nav-link text-dark" asp-area="" asp-controller="Home" asp-action="Index">Home</a>  
            </li>  
            <li class="nav-item">  
              <a class="nav-link text-dark" asp-area="" asp-controller="Home" asp-action="Privacy">Privacy</a>  
            </li>  
          </ul>  
        </div>  
      </div>  
    </nav>  
  </header>  
  <div class="container">  
    <main role="main" class="pb-3">  
      @RenderBody()  
    </main>  
  </div>  
  
  <footer class="border-top footer text-muted">
```

```

<div class="container">
    &copy; 2026 - StudentPWA - <a asp-area="" asp-controller="Home" asp-action="Privacy">Privacy</a>
</div>
</footer>
<script src="~/lib/jquery/dist/jquery.min.js"></script>
<script src="~/lib/bootstrap/dist/js/bootstrap.bundle.min.js"></script>
<script src="~/js/site.js" asp-append-version="true"></script>
@await RenderSectionAsync("Scripts", required: false)
</body>
</html>

```

b. Create a simple Web API that returns Student data in JSON format.

Code:

I [student.cs](#)

```

namespace StudentPWA.Models
{
    public class Student
    {
        public int RollNo { get; set; }
        public string Name { get; set; }
    }
}

```

II [studentcontroller.cs](#)

```

using Microsoft.AspNetCore.Mvc;
namespace StudentPWA.Controllers
{
    [ApiController]
    [Route("api/[controller]")]
    public class StudentController : ControllerBase
    {
        [HttpGet]
        public IActionResult Get()
        {
            return Ok(new
            {
                RollNo = 26,
                Name = "Hamiza"
            });
        }
    }
}

```

Output:

