

MediLab Diagnostics

Pathology & Diagnostic Laboratory Services
45-C Khayaban-e-Iqbal, DHA Phase 6, Karachi, Pakistan | Tel: (021) 3589-4471 | CAP-Accredited Laboratory

COMPREHENSIVE HEALTH PANEL — LABORATORY REPORT (FOLLOW-UP)

Patient Name: Hammad Asher

Age / Sex: 25 Yrs / Male

Date of Birth: 15-Mar-2001

Referring Physician: Self

Lab ID: MLD-2026-04972

Collection Date: 20-Jun-2026

Report Date: 20-Jun-2026

Report Status: Final

Complete Blood Count (CBC)

Test Name	Result	Unit	Reference Range	Status
Hemoglobin	14.1	g/dL	13.5 - 17.5	Normal
White Blood Cell Count (WBC)	9,800	/cumm	4,000 - 11,000	Normal
Red Blood Cell Count (RBC)	5.1	million/cumm	4.5 - 5.9	Normal
Platelet Count	230,000	/cumm	150,000 - 450,000	Normal

Metabolic Panel

Test Name	Result	Unit	Reference Range	Status
Blood Sugar (Fasting)	118	mg/dL	70 - 100	High
HbA1c	6.2	%	< 5.7	High
Creatinine	1.3	mg/dL	0.6 - 1.2	High
Blood Urea	42	mg/dL	15 - 40	High

Lipid Profile

Test Name	Result	Unit	Reference Range	Status
Total Cholesterol	198	mg/dL	< 200	Normal
HDL Cholesterol	44	mg/dL	> 40	Normal
LDL Cholesterol	122	mg/dL	< 100	High
Triglycerides	165	mg/dL	< 150	High

Thyroid & Vitamin Panel

Test Name	Result	Unit	Reference Range	Status
TSH	3.2	mIU/L	0.4 - 4.0	Normal
Vitamin D (25-OH)	35	ng/mL	30 - 100	Normal
Vitamin B12	310	pg/mL	200 - 900	Normal

Interpretive Notes

- Fasting glucose and HbA1c have improved from the previous diabetes-range result (Jan 2026) and now fall in the prediabetes range (FBS 100–125 mg/dL, HbA1c 5.7–6.4%). Continue lifestyle management; repeat testing in 3–6 months advised.
- LDL and triglycerides have decreased but remain above optimal levels; continue dietary modification and reassess lipid-lowering therapy with treating physician.
- Creatinine and blood urea are mildly elevated compared to the January 2026 baseline. Recommend hydration review and repeat renal panel; refer if trend continues.
- CBC, thyroid function, and vitamin D have normalized compared to the January 2026 baseline.

This report reflects the sample as received and tested. Results should be interpreted by a qualified physician in conjunction with clinical findings. Not valid without laboratory seal and authorized signatory. Prior report on file: 15-Jan-2026 (Lab ID MLD-2026-01458).

Verified by: Dr. Ayesha Khalid, MBBS, FCPS (Chemical Pathology)