NAME: HAMMAD ABID

ID: 9134

ASSIGNMENT-2

Q1

PART-A and B

NAME :- HAMMAD ABID
ID :- 9134

Assignment # 02

Q#1

(a) Decision tree regression model is NON Linear and a Non continous model



- To Solve this problem we use decision tree Algorithm. We have to spilit this data in to segments each spilit is called leaf this spilit based on principle of Information entropy.



* Spilit then g

* Just If X else

* Spilit $X_1 < 20$ into 2 segments if $X_1 < 20$ then go to yes else No.



* Just like one Spilit 2 will Spilit $X_2 = 170$ if $X1 > 20$ and then $X_2 < 170$ go to yes else No.



Q * Spilit 3 happens at $X_2 = 200$ but if $X1 < 20$.



A Spilit 4 happens at $X1 = 40$ but but it point where $X1 > 20$ and $X2 < 170$

(b) So our final diagram of Decision tree is :-



- for new point ? how we determine it's value?
  Simple we can take the avg of our terminal leaves
  Avg = Total no of points values / No of Total Point's



- So IF New data point Come whose X1 = 30 and X2 = 50 it will. Fall's in the leaf whose Avg is -64.1 so Decision tree will Predict the value of Y as -64.1



PART-C

Dataset

It has 3 columns — “Position”, “Level” and “Salary” and describes the approximate salary range for an employee based on what level he falls under.

Dataset file uploaded with this assignment on class room.

OUTPUT OF DATASET:

```
In [33]: data = pd.read_csv('C:/Users/hamma/Downloads/Position_Salaries.csv')
         data.head(10)
```

Out[33]:

	Position	Level	Salary
0	Business Analyst	1	45000
1	Junior Consultant	2	50000
2	Senior Consultant	3	60000
3	Manager	4	80000
4	Country Manager	5	110000
5	Region Manager	6	150000
6	Partner	7	200000
7	Senior Partner	8	300000
8	C-level	9	500000
9	CEO	10	1000000

IMPLEMENTATION OF DECISCION TREE REGGRESSION:

In [32]:
```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
from sklearn.tree import DecisionTreeRegressor
```

In [33]:
```
data = pd.read_csv('C:/Users/hamma/Downloads/Position_Salaries.csv')
data.head(10)
```

Out[33]:

	Position	Level	Salary
0	Business Analyst	1	45000
1	Junior Consultant	2	50000
2	Senior Consultant	3	60000
3	Manager	4	80000
4	Country Manager	5	110000
5	Region Manager	6	150000
6	Partner	7	200000
7	Senior Partner	8	300000
8	C-level	9	500000
9	CEO	10	1000000

In [45]:
```
X = data.iloc[:,1:2].values
y = data.iloc[:, 2].values
```

```
In [46]: regressor = DecisionTreeRegressor(criterion="mse")
         regressor.fit(X, y)
```

```
Out[46]: DecisionTreeRegressor(criterion='mse', max_depth=None, max_features=None,
                               max_leaf_nodes=None, min_impurity_decrease=0.0,
                               min_impurity_split=None, min_samples_leaf=1,
                               min_samples_split=2, min_weight_fraction_leaf=0.0,
                               presort=False, random_state=None, splitter='best')
```

```
In [47]: X_grid = np.arange(min(X), max(X), 0.01)
         X_grid = X_grid.reshape((len(X_grid),1))

         plt.scatter(X, y, color="red")
         plt.plot(X_grid, regressor.predict(X_grid), color="blue")
         plt.title("Decision Tree Regressor")
         plt.xlabel("Position")
         plt.ylabel("Salary")
         plt.show()
```




```
In [49]: y_pred = regressor.predict([[6.5]])
         print('The predicted salary of a person at 7.5 Level is ',y_pred)
```

```
The predicted salary of a person at 7.5 Level is  [150000.]
```

PART -D:

DECISION TREE	SENSITIVITY	SPECIFICITY	ACCURACY	PRECISION	AUC
IG	0.7810	0.9452	0.7810	0.7810	0.902
GINI INDEX	0.7153	0.9288	0.7153	0.7153	0.833

CODE:

INFORMATION GAIN METHOD:

In [1]:
```
import numpy as np
import pandas as pd
from sklearn.tree import DecisionTreeClassifier
from sklearn.model_selection import train_test_split
from sklearn import metrics
```

In [3]:
```
dataset=pd.read_csv("C:/Users/hamma/Downloads/Cancer_dataset.csv")
```

In [4]:
```
X=dataset.drop("Class",axis=1)
y=dataset["Class"]
```

In [8]:
```
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.35, random_state=0)
```

In [9]:
```
classifer = DecisionTreeClassifier()
classifer = classifer.fit(X_train,y_train)
y_pred = classifer.predict(X_test)
```

In [10]:
```
print("Accuracy:",metrics.accuracy_score(y_test, y_pred))
```

```
Accuracy: 0.781021897810219
```

In [11]:
```
CM=metrics.confusion_matrix(y_test, y_pred)
```

In [9]:
```
classifer = DecisionTreeClassifier()
classifer = classifer.fit(X_train,y_train)
y_pred = classifer.predict(X_test)
```

In [10]:
```
print("Accuracy:",metrics.accuracy_score(y_test, y_pred))
```

```
Accuracy: 0.781021897810219
```

In [11]:
```
CM=metrics.confusion_matrix(y_test, y_pred)
```

In [12]:
```
FP = CM.sum(axis=0) - np.diag(CM)
FN = CM.sum(axis=1) - np.diag(CM)
TP = np.diag(CM)
TN = CM.sum() - (FP + FN + TP)
FP=sum(FP)
FN=sum(FN)
TP=sum(TP)
TN=sum(TN)
```

In [13]:
```
TPR = TP/(TP+FN)
print('Sensitivity',TPR)
TNR = TN/(TN+FP)
print('\nSpecificity',TNR)
PPV = TP/(TP+FP)
print("\nPrecision",PPV)
```

```
Sensitivity 0.781021897810219

Specificity 0.9452554744525548

Precision 0.781021897810219
```

```
In [14]: fpr, tpr, thresholds = metrics.roc_curve(y_test, y_pred, pos_label=5)
         metrics.auc(fpr, tpr)
```

```
Out[14]: 0.9021739130434783
```

GINI INDEX METHOD:

In [15]:
```
import numpy as np
import pandas as pd
from sklearn.tree import DecisionTreeClassifier
from sklearn.model_selection import train_test_split
from sklearn import metrics
```

In [17]:
```
dataset=pd.read_csv("C:/Users/hamma/Downloads/Cancer_dataset.csv")
```

In [16]:
```
X=dataset.drop("Class",axis=1)
y=dataset["Class"]
```

In [18]:
```
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.35, random_state=0)
```

In [19]:
```
clf = DecisionTreeClassifier(criterion="gini", max_depth=3)
clf = clf.fit(X_train,y_train)
y_pred = clf.predict(X_test)
```

In [20]:
```
print("Accuracy:",metrics.accuracy_score(y_test, y_pred))
```

```
Accuracy: 0.7153284671532847
```

In [21]:
```
CM=metrics.confusion_matrix(y_test, y_pred)
```

In [22]:
```
FP = CM.sum(axis=0) - np.diag(CM)
FN = CM.sum(axis=1) - np.diag(CM)
TP = np.diag(CM)
TN = CM.sum() - (FP + FN + TP)
FP=sum(FP)
FN=sum(FN)
TP=sum(TP)
TN=sum(TN)
```

In [23]:
```
TPR = TP/(TP+FN)
print('Sensitivity',TPR)
TNR = TN/(TN+FP)
print('\nSpecificity',TNR)
PPV = TP/(TP+FP)
print("\nPrecision",PPV)
```

```
Sensitivity 0.7153284671532847

Specificity 0.9288321167883211

Precision 0.7153284671532847
```

In [24]:
```
fpr, tpr, thresholds = metrics.roc_curve(y_test, y_pred, pos_label=5)
metrics.auc(fpr, tpr)
```

Out[24]:
```
0.8339920948616601
```