Nested Lists ★

5 more points to get your next star!

Rank: **598033** | Points: **105/110**

Your Nested Lists submission got 10.00 points.

You are now 5 points away from the 3rd star for your python badge.

Try the next challenge | **Try a Random Challenge**

Problem　　　Submissions　　　Leaderboard　　　Editorial 🔒　　　Tutorial

Given the names and grades for each student in a class of N students, store them in a nested list and print the name(s) of any student(s) having the second lowest grade.

Note: If there are multiple students with the second lowest grade, order their names alphabetically and print each name on a new line.

Example

$records = [["chi", 20.0], ["beta", 50.0], ["alpha", 50.0]]$

The ordered list of scores is $[20.0, 50.0]$, so the second lowest score is 50.0. There are two students with that score: $["beta", "alpha"]$. Ordered alphabetically, the names are printed as:

```
alpha
beta
```

Input Format

The first line contains an integer, N, the number of students.
The $2N$ subsequent lines describe each student over 2 lines.
- The first line contains a student's name.
- The second line contains their grade.

Constraints

- $2 \le N \le 5$
- There will always be one or more students having the second lowest grade.

Output Format

Print the name(s) of any student(s) having the second lowest grade in. If there are multiple students, order their names alphabetically and print each one on a new line.

Sample Input 0

```
5
Harry
37.21
Berry
37.21
Tina
```

```
37.2
Akriti
41
Harsh
39
```

Sample Output 0

```
Berry
Harry
```

**Explanation 0**

There are **5** students in this class whose names and grades are assembled to build the following list:

python students = [['Harry', 37.21], ['Berry', 37.21], ['Tina', 37.2], ['Akriti', 41], ['Harsh', 39]]

The lowest grade of **37.2** belongs to Tina. The second lowest grade of **37.21** belongs to both Harry and Berry, so we order their names alphabetically and print each name on a new line.

Change Theme   Language   Python 3

```python
1    if __name__ == '__main__':
2        students_grade=[]
3        for _ in range(int(input())):
4            name = input()
5            score = float(input())
6            students_grade.append([name, score])
7        sorted_scores = sorted(list(set([x[1] for x in students_grade])))
8
9        #fetching 2nd_lowest_score from unique_sorted_scores
10       second_lowest = sorted_scores[1]
11
12       low_final_list=[]
13       for student in students_grade:
14           # checking 2nd_lowest_score to each student[score]
15           if second_lowest == student[1]:
16               low_final_list.append(student[0])
17
18       for student in sorted(low_final_list):
19           print(student)
20
```

Line: 15 Col: 36

⬆ Upload Code as File   ☐ Test against custom input   Run Code   Submit C

You have earned 10.00 points!

You are now 5 points away from the 3rd star for your python badge.

88%   105/110

Python
★★

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Earn a certificate in Python

Kudos on your progress! Take the HackerRank Skills Certification test and enrich your profile

Get Certified

⊘ **Test case 0** 🔒

⊘ Test case 1

⊘ Test case 2 🔒

⊘ Test case 3 🔒

⊘ Test case 4 🔒

⊘ Test case 5 🔒

⊘ Test case 6 🔒

Compiler Message

Success

🔒Hidden Test Case

Unlock this testcase for 5 hackos.

Unlock

Contest Calendar | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature