

FileEditSelectionView...Search

practice.c ×main.c •pass.c •basic.c •

D: > Basic > basic c language > basic.c > C main.c > main()

```
1  #include<stdio.h>
2  int main(){
3  float marks,income;
4  printf("enter the marks ");
5  scanf("%f",&marks);
6  printf("enter the finally income");
7  scanf("%f",&income);
8  if(marks>=80 && income<50000){
9      printf("student qualifies for scholarship");
10 }else{
11     printf("student does not qualify for the scholarship");
12 }
13     return 0;
```

ProblemsOutputTerminalPorts

Debug Console

Filter (e.g. text, lexclude, \escape)

>

Terminal

Code + -

PS C:\Users\MS Computer> cd "d:\Basic\basic c language\basic.c\" ;
if (\$?) { gcc main.c -o main } ; if (\$?) { .\main }
enter the marks 88
enter the finally income35000
student does not qualify for the scholarship
PS D:\Basic\basic c language\basic.c> |

Ln 8, Col 29Spaces: 4UTF-8CRLF{} CWin32

Task 1

File Edit Selection View ... Search

practice.c X main.c X pass.c basic.c

D: > Basic > basic c language > basic.c > main.c > main()

```
1 #include<stdio.h>
2 int main(){
3 int days;
4 printf("enter number of the late days ");
5 scanf("%d",&days);
6 if(days==0){
7     printf("No fine");
8 }else if(days>=1 && days<=5){
9     printf("Fine RS 50");
10 }else if(days>=6 &&days<=10){
11     printf("Fine RS 100");
12 }else{
13     printf("Fine RS 200");
14 }
```

Task 2

Problems Output Terminal Ports

Debug Console

Filter (e.g. text, lexclude, \escape)

Terminal

```
PS C:\Users\MS Computer> cd "d:\Basic\basic c language\basic.c\" ;
if ($?) { gcc main.c -o main } ; if ($?) { .\main }
enter number of the late days 6
Fine RS 100
PS D:\Basic\basic c language\basic.c>
```

Ln 5 Col 1 Spaces: 4 UTF-8 CRLF {} C Win32

File Edit Selection View ... Search

practice.c X main.c X pass.c basic.c

D: > Basic > basic c language > basic.c > main.c > main()

```
1 #include<stdio.h>
2 int main(){
3     char name[10];
4     char ch;
5     printf("enter your full name ");
6     fgets(name,sizeof(name),stdin);
7     puts("your registered name is ");
8     puts(name);
9     printf("enter the first letter of your name ");
10    scanf("%c",&ch);
11    printf("the character you entered is %c\n", ch);
12
13    return 0;
14 }
```

Task 3

Problems Output Terminal Ports

Debug Console

Filter (e.g. text, lexclude, \escape)

Terminal

```
PS C:\Users\MS Computer> cd "d:\Basic\basic c language\basic.c\" ;
if ($?) { gcc main.c -o main } ; if ($?) { .\main }
enter your full name ali khan
your registered name is
ali khan
```

Ln 14, Col 2 Spaces: 4 UTF-8 CRLF {} C Win32

Task 4

```
C practice.c X C main.c X C pass.c C basic.c
D: > Basic > basic c language > basic.c > C main.c > main()
1  #include<stdio.h>
2  int main(){
3  float length,width;
4  printf("enter a length");
5  scanf("%f",&length);
6  printf("enter a width");
7  scanf("%f",&width);
8  float area =length*width;
9  float perimeter= 2*(length+width);
10 printf("the value of the area is %f\n",area );
11 printf("the value of the perimeter is %f",perimeter);
12     return 0;
13 }
```

Problems Output **Terminal** Ports

▼ Debug Console

Filter (e.g. text, lexclude, \escape)

▼ Terminal

```
if ($?) { gcc main.c -o main } ; if ($?) { .\main }
enter a length33
enter a width45
the value of the area is 1485.000000
the value of the perimeter is 156.000000
PS D:\Basic\basic c language\basic.c>
```

Ln 10, Col 38 Spaces: 4 UTF-8 CRLF {} C Win32

Task 5

```
practice.c × main.c × pass.c ● basic.c ●
D: > Basic > basic c language > basic.c > main.c > main()
1  #include<stdio.h>
2  int main(){
3  int n;
4  printf("enter number n");
5  scanf("%d",&n);
6  int square=n*n;
7  int cube=n*n*n;
8  printf("the value of the square is%d\n",square);
9  printf("the value of the cube is %d",cube);
10     return 0;
11 }
```

Problems Output Terminal Ports

✓ Debug Console

Filter (e.g. text, lexclude, \escape)

✓ Terminal

```
PS C:\Users\MS Computer> cd "d:\Basic\basic c language\basic.c\" ;
if ($?) { gcc main.c -o main } ; if ($?) { .\main }
enter number n3
the value of the square is9
the value of the cube is 27
PS D:\Basic\basic c language\basic.c> |
```



Ln 8, Col 39 Spaces: 4 UTF-8 CRLF {} C Win32

Task 6

D: > Basic > basic c language > basic.c > C main.c > main()

```
1  #include<stdio.h>
2  int main(){
3  float celsius,fahrenheit;
4  printf("enter temperature in celsius ");
5  scanf("%f",&celsius);
6  fahrenheit=(celsius*9/5)+32;
7  printf("temperature in the fahrenheit %f",fahrenheit);
8
9
10 return 0;
11 }
```

Problems Output Terminal Ports

Debug Console

Filter (e.g. text, !exclude, \escape)

Terminal

```
PS C:\Users\MS Computer> cd "d:\Basic\basic c language\basic.c\" ;
if ($?) { gcc main.c -o main } ; if ($?) { .\main }
enter temperature in celsius 45
temperature in the fahrenheit 113.000000
PS D:\Basic\basic c language\basic.c> |
```



Ln 6, Col 30

Spaces: 4

UTF-8

CRLF

{ } C



Win32



Task 7

I

practice.c × main.c × pass.c ● basic.c ●

D: > Basic > basic c language > basic.c > main.c > main()

```
1  #include<stdio.h>
2  int main(){
3  float a,b,c;
4  printf("enter number a");
5  scanf("%f",&a);
6  printf("enter number b");
7  scanf("%f",&b);
8  printf("enter number c");
9  scanf("%f",&c);
10
11 float average=a+b+c/3;
12 printf("the value of the average is %f",average);
13 return 0;
```

Problems Output Terminal Ports

Debug Console

Filter (e.g. text, lexclude, \escape)

Terminal

```
if ($?) { gcc main.c -o main } ; if ($?) { .\main }
enter number a34
enter number b23
enter number c33
the value of the average is 68.000000
PS D:\Basic\basic c language\basic.c>
```

< 0 0



Ln 9, Col 16 Spaces: 4 UTF-8 CRLF {} C Win32

FileEditSelectionView<>Search

practice.c Xmain.c Xpass.cbasic.c

D: > Basic > basic c language > basic.c > C main.c > main()

```
3 int marks;
4 printf("enter a marks ");
5 scanf("%d",&marks);
6 if(marks>50){
7     printf("pass\n");
8 }
9 else
10 {
11     printf("fail");
12 }
13     return 0;
14 }
```

Task 8

ProblemsOutputTerminalPorts

Debug Console

Filter (e.g. text, lexclude, \escape)

Terminal

PS C:\Users\MS Computer> cd "d:\Basic\basic c language\basic.c\" ; if (\$?) { gcc main.c -o main } ; if (\$?) { .\main }
enter a marks 23
fail
PS D:\Basic\basic c language\basic.c>

<< 0 0 0Ln 11, Col 16Spaces: 4UTF-8CRLF{} CWin321:07 AM