



Pratt & Whitney
An **RTX** Business

**DO328eco / PW127XT-S
DMC**

N.Walters

March 2026

COVER PAGE MARKING REFLECTS THE MOST RESTRICTIVE EXPORT CONTROL CLASSIFICATION FOUND IN THE DOCUMENT UNDER EACH APPLICABLE JURISDICTION (E.G., ITAR, EAR, EIPA OR OTHER LOCAL COUNTRY)

EXPORT MARKING: No Technical Data

P&WC Proprietary Information - The information contained on this page is subject to the notice set forth on page 2. | © 2026 Pratt & Whitney Canada Corp. All rights reserved.

Export control classification

DATE OF MARKING (YYYY-MM-DD):	2026-03-25	BADGE (#####):	Ed36623
-------------------------------	------------	----------------	---------

☒ Check this box if the document contains **no technical data**.

OR

Summarize the export classification of all slides in this presentation as instructed below.

For **instructions and examples** on how to fill in this slide, [click here](#).
When you are located **outside of Canada**, modify the Local Regulation section accordingly

Classifications must always be provided for U.S. and Outside U.S. boxes	Classification		
	Location	U.S. regulation	
		EAR	ITAR
	U.S.	P-ECCN	P-USML
	Outside U.S.	ECCN	USML
		Local regulation	
	Canada	EIPA (ECL)	DPA (CG)
When the person completing the grid is physically located outside of the U.S., the local classifications must also be provided.			Document may be DPA controlled if EIPA value starts with "2" or US ITAR box contains any value other than "NSR".

WARNING - PROPRIETARY RIGHTS NOTICE

THIS DOCUMENT IS THE PROPERTY OF PRATT & WHITNEY CANADA CORP. ("P&WC"). YOU MAY NOT POSSESS, USE, COPY OR DISCLOSE THIS DOCUMENT OR ANY INFORMATION IN IT, FOR ANY PURPOSE, INCLUDING WITHOUT LIMITATION TO DESIGN, MANUFACTURE, OR REPAIR PARTS, OR OBTAIN TCCA, FAA OR OTHER GOVERNMENT APPROVAL TO DO SO, WITHOUT P&WC'S EXPRESS WRITTEN PERMISSION. NEITHER RECEIPT NOR POSSESSION OF THIS DOCUMENT ALONE, FROM ANY SOURCE, CONSTITUTES SUCH PERMISSION. POSSESSION, USE, COPYING OR DISCLOSURE BY ANYONE WITHOUT P&WC'S EXPRESS WRITTEN PERMISSION IS NOT AUTHORIZED AND MAY RESULT IN CRIMINAL OR CIVIL LIABILITY.

D328-200 DMC (\$2026)

Below are the targeted FMP™ pay-per-hour monthly payment for first overhaul cycle covering the following services in \$2026 for Benign environment:

- Overhaul including engine shop labour and Parts
- Hot Section Inspection
- Life Limited Parts replacement
- Engine BUR coverage
- Service Bulletin Category 1-6 incorporation
- DPHM / ECTM subscription, enhanced engine trending monitoring
- Supplier's FAST™ global connectivity services, including:
 - o Propeller balance monitoring services
 - o Aircraft data transmission and management services
 - o Engine data transmission and management
 - o FAST™ system unscheduled BUR and upgrades
- Fuel nozzles refurbishment at planned shop visits
- Maintenance performed at a Supplier-owned facility
- Such FMP™ rates shall be:
 - o For Buyer's Customers with a minimum fleet of 4 Aircraft fitted with the Engine operated at normal ratings (No regular use of Max Take-off).
 - o Maintenance and operation per Supplier's Technical Publications
- The aforementioned rates apply for benign environments where the geographical location is temperate with no salt, sand, volcanic or industrial air pollution. Operation in any one of these excluded environments could result in an increase of this rate by up to 25%, provided that such operations are not in environments that combine multiple elements, where the rate may increase by more than 25%
- Rates are based on 200 nm commuter missions 2a and 3a detailed in Buyer's document titled PW127XT-S Engine Technical Specification (Doc.-no. SPP001F720A0002001 Issue F) with modified normal take off power of 2,475 SHP
- Rates will be supplied on a case by case basis where operations occur in a combination of these environments.

Mission min	Distance nm	TBO hrs	Maintenance Strategy	\$/hr 1-OH
23	100	17250	HSI+, HSI+, OH	281
34	150	17000	HSI, HSI+, OH	224
44	200	20000	HSI+, OH	189
55	250	18333	HSI, OH	171
65	300	20000	HSI, OH	158
86	400	20000	HSI, OH	156

HSI+ is an HSI with compressor access to change impellers