

ENVIRONMENTAL SENSITIVITY INDEX MAP





Virginia: ESIMAP 112

BIOLOGICAL RESOURCES:

BIRD	:
------	---

BIRD								
RAR#	Species	S F Conc.	J F M A M J J A S O N D	Nesting	Migrating	Molting 	† -	
38	American black duck		$X\ X\ X\ X$	-	-	-		
	American coot American wigeon		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-	_	_		
	Bufflehead	MODERATE	X X X X X X X X X	_	_	_		
	Canada goose	HIGH	X X X X X X X X X	-	-	-		
	Gadwall Mallard	MODERATE	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	_	_	_		
	Mergansers	MODERATE	$X\ X\ X\ X$	-	-	-		
	Bald eagle Bald eagle	T T HIGH T T	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-	-	-		
40	Common moorhen	C	XXXX	_	_	_		
	Great blue heron		X X X X	-	-	-		
	Greater yellowlegs Green heron		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-	_	_		
	King rail		X X X X	-	-	-		
	Least bittern Marsh wren		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-	_	_		
	Osprey		XXXXXX	MAR-AUG	-	_		
	Sora		X X X X	-	-	-		
	Swamp sparrow Virginia rail		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	_	_	_		
	Wood duck		$\times \times $	APR-JUN	-	-		
	Canada goose Canada goose	VERY HIGH VERY HIGH	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-	-	_		
4.7	Tundra swan	HIGH	X X X X X X X X X	-	-	_		
53	Mallard	HIGH	X X X X X X X X X	-	-	-		
	Mergansers Mute swan	HIGH	X X X X X X X X X X X X X X X X X X X	_	_	_		
	Northern pintail		$X\ X\ X\ X$	-	-	-		
	Ring-necked duck Ruddy duck	VERY HIGH LOW	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	_	_	_		
	Tundra swan	HIGH	X X X X X X X X	-	-	-		
	American black duck	HIGH	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-	_	_		
	American wigeon Bufflehead	HIGH	X X X X X X X X X X X X X X X X X X X	-	-	-		
	Canada goose	VERY HIGH	X X X X X X X X X X X X X X X X X X X	-	-	-		
	Canvasback Common goldeneye	HIGH	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	_	_	_		
	Gadwall		$X\ X\ X\ X$	-	-	-		
	Green-winged teal	HIGH	X X X X X X X X	-	-	-		
FISH	:							
RAR#	Species	S F Conc.	J F M A M J J A S O N D	Spawning	Eggs	Larvae	Juveniles	Adults
41	Alewife		$\mathbf{x} \mathbf{x} \mathbf{x} \mathbf{x} \mathbf{x} \mathbf{x} \mathbf{x} \mathbf{x} $	-	FEB-JUN	FEB-JUN	FEB-OCT	FEB-JUN
	American shad Atlantic menhaden		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-	FEB-JUN	FEB-JUN	FEB-OCT MAY-NOV	FEB-JUN -
	Banded killifish		X X X X X X X X X X X X X		-	-	JAN-DEC	JAN-DEC
	Black crappie		$\times \times $		-	-	JAN-DEC	JAN-DEC
	Blue catfish Blueback herring		$\begin{smallmatrix} X & X & X & X & X & X & X & X & X & X $	APR-JUN -	- FEB-JUN	- FEB-JUN	JAN-DEC FEB-OCT	JAN-DEC FEB-JUN
	Bluegill		$\times \times $		-	-	-	JAN-DEC
	Channel catfish Hickory shad		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	MAR-MAY -	- FEB-JUN	- FEB-JUN	JAN-DEC FEB-OCT	JAN-DEC FEB-JUN
	Hogchoker		X X X X X X X X X X X X X X X X X X X				JAN-DEC	JAN-DEC
	Inland silverside		X X X X X X X X X X X X X		-	-	JAN-DEC	JAN-DEC
	Largemouth bass Longnose gar		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		-	_	- JAN-DEC	JAN-DEC JAN-DEC
	Minnows		X X X X X X X X		-	-	JAN-DEC	JAN-DEC
	Pumpkinseed Redbreast sunfish		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		-	_	JAN-DEC JAN-DEC	JAN-DEC JAN-DEC
	Striped bass		\times \times \times \times \times \times \times \times	FEB-JUN	FEB-JUN	FEB-JUN	FEB-OCT	FEB-JUN
	Tessellated darter White catfish		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		-	_	- JAN-DEC	JAN-DEC JAN-DEC
	White perch		X X X X X X X X X X X X X			APR-JUN	JAN-DEC	JAN-DEC
E 1	Yellow perch Alewife		X X X X X X X X X X X X X X X X X X X	APR-JUN -	-	-	JAN-DEC -	JAN-DEC
31	American eel		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		_	_	JAN-DEC	FEB-JUN -
	American shad		X X X X X	-	-	-	-	FEB-JUN
	Atlantic croaker Atlantic menhaden		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		-	- MAY-NOV	JAN-DEC MAY-NOV	MAY-NOV MAY-OCT
	Atlantic sturgeon	С	$\times \times $	-	-	-	JAN-DEC	APR-NOV
	Banded killifish Bay anchovy		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		-	-	JAN-DEC JAN-DEC	JAN-DEC JAN-DEC
	Blueback herring		XXXXX	-	-	-	-	FEB-JUN
	Bluefish Bluegill		$\begin{smallmatrix} & & \times \\ & \times & \times$	- 7 DD - CED	-	-	JUL-NOV -	APR-NOV JAN-DEC
	Brown bullhead		X X X X X X X X X X X X X		-	-	_	JAN-DEC
	Chain pickerel		$\times \times $		-	-	_	JAN-DEC
	Common carp Gizzard shad		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		-	_	JAN-DEC	JAN-DEC JAN-DEC
	Gobies		$\times \times $	APR-SEP		APR-OCT	JAN-DEC	JAN-DEC
	Hickory shad Hogchoker		X	- MAY-SEP	- MAY-SEP	- MAY-SEP	- JAN-DEC	FEB-JUN JAN-DEC
	Largemouth bass		$\times \times $		-	-	-	JAN-DEC
	Minnows Mummichog		$\begin{smallmatrix} X & X & X & X & X & X & X & X & X & X $		_	-	JAN-DEC JAN-DEC	JAN-DEC JAN-DEC
	Northern pipefish		X X X X X X X X X X X X X		_	-	JAN-DEC	JAN-DEC
	Northern puffer		X X X X X X X X X	MAY-AUG	-	-	MAR-OCT	MAR-OCT
	Pumpkinseed Shortnose sturgeon		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		-	-	JAN-DEC JAN-DEC	JAN-DEC JAN-DEC
	Silver perch		$\times \times $	-	-	-	JAN-DEC	JAN-DEC
	Silversides Spot		$\begin{smallmatrix} X & X & X & X & X & X & X & X & X & X $		MAR-JUL -	APR-SEP DEC-APR	JAN-DEC MAR-NOV	JAN-DEC JAN-DEC
	Spotted seatrout		X X X X X X X X X X X X X X X X X X X	-	-	DEC-APR	MAR-NOV APR-NOV	JAN-DEC -
	Striped bass		X X X X X X X X X X		-	-	MAY-OCT	FEB-JUN
	Striped killifish Summer flounder		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		-	-	JAN-DEC JAN-DEC	JAN-DEC -
	Weakfish		$\times \times $	-	-	-	APR-NOV	-
	White catfish White perch		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		-	-	JAN-DEC -	- JAN-DEC
	Winter flounder		X X X X X X X X X X X X X X X X X X X			MAR-MAY	MAR-NOV	NOV-MAY
INVE	INVERTEBRATE:							
RAR#	Species	S F Conc.	J F M A M J J A S O N D	Spawning	Eggs	Larvae	Juveniles	Adults
35	Blue crab					MAY-NOV	JAN-DEC	JAN-DEC
41	Blue crab		X X X X X X X X	-	-	MAY-NOV	JAN-DEC	JAN-DEC
====								

Biological information shown on the maps represents known concentration areas or occurrences, but does not necessarily represent the full distribution or range of each species. This is particularly important to recognize when considering potential impacts to protected species.

Virginia: ESIMAP 112 (cont.)

HUMAN USE RESOURCES:

MANAGEMENT AREA:

HUN#	Name	Contact	Phone
112	LAND'S END WILDLIFE MANAGEMENT AREA		

WILDLIFE REFUGE:

HUN#	Name	Contact	Phone
160	RAPPAHANNOCK RIVER VALLEY NWR	U.S. FISH AND WILDLIFE SERVICE	804/333-1470