



Basic Tree Risk Assessment Form

Client Field test 4 Date 03/25/2026 Time 10:00
 Address/Tree location Windward Ln, Rancho Cordova, CA 95670 Tree no. 1 Sheet 1 of 1
 Tree species Acer oliverianum dbh 14" Height 42' Crown spread dia. 38'
 Assessor(s) Roger Erisman Time frame 18-month assessment Tools used visual, measuring tape, smartphone, and smartphone

Target Assessment

Target number	Target description	Target zone			Occupancy rate 1 – rare 2 – occasional 3 – frequent 4 – constant	Practical to move target?	Restriction practical?
		Target within drip line	Target within 1 x Ht.	Target within 1.5 x Ht.			
<u>1</u>	<u>Patio</u>		<u>X</u>		<u>2</u>		
<u>2</u>							
<u>3</u>							
<u>4</u>							

Site Factors

History of failures No history of failures Topography Flat ☒ Slope ☐ _____ % Aspect _____
 Site changes None ☒ Grade change ☐ Site clearing ☐ Changed soil hydrology ☐ Root cuts ☐ Describe _____
 Soil conditions Limited volume ☐ Saturated ☐ Shallow ☐ Compacted ☐ Pavement over roots ☐ _____ % Describe _____
 Prevailing wind direction W Common weather Strong winds ☐ Ice ☐ Snow ☐ Heavy rain ☐ Describe Windy, rainy in winter

Tree Health and Species Profile

Vigor Low ☐ Normal ☐ High ☒ Foliage None (seasonal) ☐ None (dead) ☐ Normal 100 % Chlorotic _____ % Necrotic _____ %
 Pests No pests observed Abiotic No abiotic stress observed
 Species failure profile Branches ☐ Trunk ☐ Roots ☐ Describe Y-shaped unions and crossing branches can weaken branches and leaders.

Load Factors

Wind exposure Protected ☐ Partial ☒ Full ☐ Wind funneling ☐ _____ Relative crown size Small ☐ Medium ☐ Large ☒
 Crown density Sparse ☐ Normal ☐ Dense ☒ Interior branches Few ☐ Normal ☒ Dense ☐ Vines/Mistletoe/Moss ☐ No vines/mistletoe/moss observed
 Recent or planned change in load factors no recent or planned changes

Tree Defects and Conditions Affecting the Likelihood of Failure

— Crown and Branches —

Unbalanced crown ☐ LCR 80 %
 Dead twigs/branches ☐ _____ % overall Max. dia. _____
 Broken/Hangers Number _____ Max. dia. _____
 Over-extended branches ☒
 Pruning history
 Crown cleaned ☐ Thinned ☐ Raised ☐
 Reduced ☐ Topped ☐ Lion-tailed ☐
 Flush cuts ☐ Other professionally maintained
 Cracks ☐ _____ Lightning damage ☐
 Codominant ☐ _____ Included bark ☐
 Weak attachments ☐ _____ Cavity/Nest hole _____ % circ.
 Previous branch failures ☐ _____ Similar branches present ☐
 Dead/Missing bark ☐ Cankers/Galls/Burls ☐ Sapwood damage/decay ☐
 Conks ☐ Heartwood decay ☐
 Response growth _____
 Main concern(s) Likelihood of failure of the extended branches is improbable

Load on defect N/A ☐ Minor ☒ Moderate ☐ Significant ☐ minor
 Likelihood of failure Improbable ☒ Possible ☐ Probable ☐ Imminent ☐ improbable

— Trunk —

Dead/Missing bark ☐ Abnormal bark texture/color ☐
 Codominant stems ☐ Included bark ☐ Cracks ☒
 Sapwood damage/decay ☐ Cankers/Galls/Burls ☐ Sap ooze ☐
 Lightning damage ☐ Heartwood decay ☐ Conks/Mushrooms ☐
 Cavity/Nest hole _____ % circ. Depth _____ Poor taper ☐
 Lean _____ ° Corrected? _____
 Response growth _____
 Main concern(s) the vertical cracks in the trunk

Load on defect N/A ☐ Minor ☒ Moderate ☐ Significant ☐
 Likelihood of failure
 Improbable ☒ Possible ☐ Probable ☐ Imminent ☐

— Roots and Root Collar —

Collar buried/Not visible ☐ Depth _____ Stem girdling ☐
 Dead ☐ Decay ☐ Conks/Mushrooms ☐
 Ooze ☐ Cavity ☐ _____ % circ.
 Cracks ☐ Cut/Damaged roots ☐ Distance from trunk _____
 Root plate lifting ☐ Soil weakness ☐
 Response growth _____
 Main concern(s) There are no main concerns with the trunk

Load on defect N/A ☐ Minor ☐ Moderate ☐ Significant ☐
 Likelihood of failure
 Improbable ☐ Possible ☐ Probable ☐ Imminent ☐

Risk Categorization																									
Condition number	Tree part	Conditions of concern	Part size	Fall distance	Target number	Target protection	Likelihood												Consequences				Risk rating of part (from Matrix 2)		
							Failure				Impact				Failure & Impact (from Matrix 1)										
							Improbable	Possible	Probable	Imminent	Very low	Low	Medium	High	Unlikely	Somewhat	Likely	Very likely	Negligible	Minor	Significant	Severe			
1	Crown	overextended leaders over the patio	1	30'	1	none		X				X			X								X		low
1																									
2																									
2																									
3																									
3																									
4																									
4																									

Matrix 1. Likelihood matrix.

Likelihood of Failure	Likelihood of Impacting Target			
	Very low	Low	Medium	High
Imminent	Unlikely	Somewhat likely	Likely	Very likely
Probable	Unlikely	Unlikely	Somewhat likely	Likely
Possible	Unlikely	Unlikely	Unlikely	Somewhat likely
Improbable	Unlikely	Unlikely	Unlikely	Unlikely

Matrix 2. Risk rating matrix.

Likelihood of Failure & Impact	Consequences of Failure			
	Negligible	Minor	Significant	Severe
Very likely	Low	Moderate	High	Extreme
Likely	Low	Moderate	High	High
Somewhat likely	Low	Low	Moderate	Moderate
Unlikely	Low	Low	Low	Low

Notes, explanations, descriptions The Oliver maple in Briarwood is well-maintained with multiple stems and few V-shaped unions. The soil is aerated and mulched, with a regular bark color. The tree extends over an unprotected patio, posing a low risk of branch fall

Mitigation options keep up the maintenance

Residual risk low

Residual risk

Residual risk

Residual risk

Overall tree risk rating Low ☐ Moderate ☐ High ☐ Extreme ☐

Work priority 1 ☐ 2 ☐ 3 ☐ 4 ☐

Overall residual risk Low ☐ Moderate ☐ High ☐ Extreme ☐

Recommended inspection interval

Data ☐ Final ☐ Preliminary Advanced assessment needed ☐ No ☐ Yes-Type/Reason

Inspection limitations ☐ None ☐ Visibility ☐ Access ☐ Vines ☐ Root collar buried Describe