



Basic Tree Risk Assessment Form

Client Field test 5 Date 04/08/2026 Time 11:26
 Address/Tree location Windward Ln, Rancho Cordova, CA 95670 Tree no. 1 Sheet of
 Tree species redwood dbh 25" Height 70' Crown spread dia. 34'
 Assessor(s) Erismann Time frame 3years Tools used binoculars, measuring tape, smartphone

Target Assessment

Target number	Target description	Target zone			Occupancy rate 1 – rare 2 – occasional 3 – frequent 4 – constant	Practical to move target?	Restriction practical?
		Target within drip line	Target within 1 x Ht.	Target within 1.5 x Ht.			
<u>1</u>	<u>House</u>		<u>X</u>		<u>4</u>		
<u>2</u>	<u>House</u>		<u>X</u>		<u>4</u>		
<u>3</u>							
<u>4</u>							

Site Factors

History of failures No history of failures Topography Flat ☒ Slope ☐ % Aspect
 Site changes None ☒ Grade change ☐ Site clearing ☐ Changed soil hydrology ☐ Root cuts ☐ Describe suburban green space
 Soil conditions Limited volume ☐ Saturated ☐ Shallow ☐ Compacted ☐ Pavement over roots ☐ % Describe humid, well-maintained
 Prevailing wind direction W Common weather Strong winds ☐ Ice ☐ Snow ☐ Heavy rain ☐ Describe winds and rain in winter

Tree Health and Species Profile

Vigor Low ☐ Normal ☐ High ☒ Foliage None (seasonal) ☐ None (dead) ☐ Normal 100 % Chlorotic % Necrotic %
 Pests No pests observed Abiotic Some abiotic stressors on the roots from string trimmers or lawnmowers
 Species failure profile Branches ☒ Trunk ☐ Roots ☐ Describe Extended branches and perhaps some v-shaped unions

Load Factors

Wind exposure Protected ☐ Partial ☒ Full ☐ Wind funneling ☐ Relative crown size Small ☐ Medium ☐ Large ☒
 Crown density Sparse ☐ Normal ☐ Dense ☒ Interior branches Few ☐ Normal ☐ Dense ☒ Vines/Mistletoe/Moss ☐ No vines/mistletoe/moss observed
 Recent or planned change in load factors none noted

Tree Defects and Conditions Affecting the Likelihood of Failure

— Crown and Branches —

Unbalanced crown ☐ LCR 90 %
 Dead twigs/branches ☒ 1 % overall Max. dia. 1"
 Broken/Hangers Number Max. dia.
 Over-extended branches ☐
 Pruning history
 Crown cleaned ☐ Thinned ☐ Raised ☐
 Reduced ☐ Topped ☐ Lion-tailed ☐
 Flush cuts ☐ Other professionally maintained
 Cracks ☐ Lightning damage ☐
 Codominant ☐ Included bark ☐
 Weak attachments ☐ Cavity/Nest hole % circ.
 Previous branch failures ☐ Similar branches present ☐
 Dead/Missing bark ☐ Cankers/Galls/Burls ☐ Sapwood damage/decay ☐
 Conks ☐ Heartwood decay ☐
 Response growth
 Main concern(s) The crown is significant, so the load on defect, we could say if there was one, is high.

Load on defect N/A ☒ Minor ☐ Moderate ☐ Significant ☐ n/a
 Likelihood of failure Improbable ☒ Possible ☐ Probable ☐ Imminent ☐ improbable

— Trunk —

Dead/Missing bark ☐ Abnormal bark texture/color ☐
 Codominant stems ☐ Included bark ☐ Cracks ☐
 Sapwood damage/decay ☐ Cankers/Galls/Burls ☐ Sap ooze ☐
 Lightning damage ☐ Heartwood decay ☐ Conks/Mushrooms ☐
 Cavity/Nest hole % circ. Depth Poor taper ☐
 Lean ° Corrected?
 Response growth no response growth here
 Main concern(s) There really are no concerns for the trunk.
 Load on defect N/A ☒ Minor ☐ Moderate ☐ Significant ☐
 Likelihood of failure Improbable ☒ Possible ☐ Probable ☐ Imminent ☐

— Roots and Root Collar —

Collar buried/Not visible ☐ Depth Stem girdling ☐
 Dead ☐ Decay ☐ Conks/Mushrooms ☐
 Ooze ☐ Cavity ☐ % circ.
 Cracks ☐ Cut/Damaged roots ☐ Distance from trunk
 Root plate lifting ☐ Soil weakness ☐
 Response growth
 Main concern(s) abiotic scarring on the exposed roots
 Load on defect N/A ☒ Minor ☐ Moderate ☐ Significant ☐
 Likelihood of failure Improbable ☒ Possible ☐ Probable ☐ Imminent ☐

Risk Categorization																									
Condition number	Tree part	Conditions of concern	Part size	Fall distance	Target number	Target protection	Likelihood												Consequences				Risk rating of part (from Matrix 2)		
							Failure				Impact				Failure & Impact (from Matrix 1)										
							Improbable	Possible	Probable	Imminent	Very low	Low	Medium	High	Unlikely	Somewhat	Likely	Very likely	Negligible	Minor	Significant	Severe			
1 1	Crown	dead branches and twigs	1	30'	1	none	X							X		X					X				low
2																									
3																									
4																									

Matrix 1. Likelihood matrix.

Likelihood of Failure	Likelihood of Impacting Target			
	Very low	Low	Medium	High
Imminent	Unlikely	Somewhat likely	Likely	Very likely
Probable	Unlikely	Unlikely	Somewhat likely	Likely
Possible	Unlikely	Unlikely	Unlikely	Somewhat likely
Improbable	Unlikely	Unlikely	Unlikely	Unlikely

Matrix 2. Risk rating matrix.

Likelihood of Failure & Impact	Consequences of Failure			
	Negligible	Minor	Significant	Severe
Very likely	Low	Moderate	High	Extreme
Likely	Low	Moderate	High	High
Somewhat likely	Low	Low	Moderate	Moderate
Unlikely	Low	Low	Low	Low

Notes, explanations, descriptions The redwood in Rancho Cordova, California, is healthy with new growth. Some trunk rubbing is noted, but no bleeding or decay. Exposed roots show past damage. Overall, it poses a low risk and is professionally maintained.

Mitigation options keep up the scheduled maintenance has been done

Residual risk low

Residual risk

Residual risk

Residual risk

Overall tree risk rating Low ☒ Moderate ☐ High ☐ Extreme ☐

Work priority 1 ☐ 2 ☐ 3 ☐ 4 ☐

Overall residual risk Low ☒ Moderate ☐ High ☐ Extreme ☐

Recommended inspection interval 3 years

Data ☐ Final ☐ Preliminary Advanced assessment needed ☒ No ☐ Yes-Type/Reason

Inspection limitations ☐ None ☐ Visibility ☐ Access ☐ Vines ☐ Root collar buried Describe