



Basic Tree Risk Assessment Form

Client Field test 8 Date 04/08/2026 Time 15:12
 Address/Tree location Elmanto river access, 1st parking lot Tree no. 1 Sheet 1 of
 Tree species London plane dbh 15" Height 52' Crown spread dia. 39'
 Assessor(s) Roger Erisman Time frame three-year Tools used smartphone, binoculars, measuring tape

Target Assessment

Target number	Target description	Target zone			Occupancy rate 1 – rare 2 – occasional 3 – frequent 4 – constant	Practical to move target?	Restriction practical?
		Target within drip line	Target within 1 x Ht.	Target within 1.5 x Ht.			
<u>1</u>	<u>ParkingLot</u>		<u>X</u>		<u>2</u>		
<u>2</u>							
<u>3</u>							
<u>4</u>							

Site Factors

History of failures No history of failures Topography Flat ☒ Slope ☐ _____ % Aspect _____
 Site changes None ☒ Grade change ☐ Site clearing ☐ Changed soil hydrology ☐ Root cuts ☐ Describe Urban park
 Soil conditions Limited volume ☐ Saturated ☐ Shallow ☐ Compacted ☐ Pavement over roots ☐ _____ % Describe Great soil conditions
 Prevailing wind direction W Common weather Strong winds ☒ Ice ☐ Snow ☐ Heavy rain ☒ Describe Strong winds, heavy rain

Tree Health and Species Profile

Vigor Low ☐ Normal ☒ High ☐ Foliage None (seasonal) ☐ None (dead) ☐ Normal 100 % Chlorotic 0 % Necrotic 0 %
 Pests No pests observed Abiotic some abiotic scarring on the exposed roots from either people walking.
 Species failure profile Branches ☒ Trunk ☐ Roots ☒ Describe rarely fails, succumbs to root and buttress rot, dropping of branches from weak unions

Load Factors

Wind exposure Protected ☐ Partial ☒ Full ☐ Wind funneling ☐ _____ Relative crown size Small ☐ Medium ☐ Large ☒
 Crown density Sparse ☐ Normal ☒ Dense ☐ Interior branches Few ☐ Normal ☒ Dense ☐ Vines/Mistletoe/Moss ☐ No vines/mistletoe/moss observed
 Recent or planned change in load factors No recent or planned changes noted

Tree Defects and Conditions Affecting the Likelihood of Failure

— Crown and Branches —

Unbalanced crown ☐ LCR 60 %
 Dead twigs/branches ☒ 2 % overall Max. dia. 1"
 Broken/Hangers Number _____ Max. dia. _____
 Over-extended branches ☐
 Pruning history
 Crown cleaned ☐ Thinned ☐ Raised ☐
 Reduced ☐ Topped ☐ Lion-tailed ☐
 Flush cuts ☐ Other professionally maintained
 Cracks ☐ _____ Lightning damage ☐
 Codominant ☐ _____ Included bark ☐
 Weak attachments ☐ _____ Cavity/Nest hole _____ % circ.
 Previous branch failures ☐ _____ Similar branches present ☐
 Dead/Missing bark ☐ Cankers/Galls/Burls ☐ Sapwood damage/decay ☐
 Conks ☐ Heartwood decay ☐ _____
 Response growth _____
 Main concern(s) There are no big concerns here.

Load on defect N/A ☒ Minor ☐ Moderate ☐ Significant ☐ n/a
 Likelihood of failure Improbable ☒ Possible ☐ Probable ☐ Imminent ☐ improbable

— Trunk —

Dead/Missing bark ☐ Abnormal bark texture/color ☐
 Codominant stems ☐ Included bark ☐ Cracks ☐
 Sapwood damage/decay ☐ Cankers/Galls/Burls ☐ Sap ooze ☐
 Lightning damage ☐ Heartwood decay ☐ Conks/Mushrooms ☐
 Cavity/Nest hole _____ % circ. Depth _____ Poor taper ☐
 Lean _____ ° Corrected? _____
 Response growth _____
 Main concern(s) The load on defect is not applicable

Load on defect N/A ☒ Minor ☐ Moderate ☐ Significant ☐
 Likelihood of failure
 Improbable ☒ Possible ☐ Probable ☐ Imminent ☐

— Roots and Root Collar —

Collar buried/Not visible ☐ Depth _____ Stem girdling ☐
 Dead ☐ Decay ☐ Conks/Mushrooms ☐
 Ooze ☐ Cavity ☐ _____ % circ.
 Cracks ☐ Cut/Damaged roots ☐ Distance from trunk _____
 Root plate lifting ☐ Soil weakness ☐
 Response growth _____
 Main concern(s) So there are no main concerns.

Load on defect N/A ☒ Minor ☐ Moderate ☐ Significant ☐
 Likelihood of failure
 Improbable ☒ Possible ☐ Probable ☐ Imminent ☐

Risk Categorization																												
Condition number	Tree part	Conditions of concern	Part size	Fall distance	Target number	Target protection	Likelihood												Consequences				Risk rating of part (from Matrix 2)					
							Failure				Impact				Failure & Impact (from Matrix 1)													
							Improbable	Possible	Probable	Imminent	Very low	Low	Medium	High	Unlikely	Somewhat	Likely	Very likely	Negligible	Minor	Significant	Severe						
1	Crown	extended branches falling into the parking lot	1-2"	25'	1	none		X					X		X					X								low
1																												
2																												
3																												
4																												

Matrix 1. Likelihood matrix.

Likelihood of Failure	Likelihood of Impacting Target			
	Very low	Low	Medium	High
Imminent	Unlikely	Somewhat likely	Likely	Very likely
Probable	Unlikely	Unlikely	Somewhat likely	Likely
Possible	Unlikely	Unlikely	Unlikely	Somewhat likely
Improbable	Unlikely	Unlikely	Unlikely	Unlikely

Matrix 2. Risk rating matrix.

Likelihood of Failure & Impact	Consequences of Failure			
	Negligible	Minor	Significant	Severe
Very likely	Low	Moderate	High	Extreme
Likely	Low	Moderate	High	High
Somewhat likely	Low	Low	Moderate	Moderate
Unlikely	Low	Low	Low	Low

Notes, explanations, descriptions The London plane tree near El Manto River is 25 inches DBH, in excellent health, with no rot or mushrooms. Its bark is typical, and it shows vigorous new growth, posing little risk to the parking lot or users.

Mitigation options continue the scheduled maintenance that is provided to this tree

Residual risk low

Residual risk

Residual risk

Residual risk

Overall tree risk rating Low ☒ Moderate ☐ High ☐ Extreme ☐

Work priority 1 ☐ 2 ☐ 3 ☐ 4 ☐

Overall residual risk Low ☒ Moderate ☐ High ☐ Extreme ☐

Recommended inspection interval

Data ☐ Final ☐ Preliminary Advanced assessment needed ☒ No ☐ Yes-Type/Reason

Inspection limitations ☐ None ☒ Visibility ☐ Access ☐ Vines ☐ Root collar buried Describe