



Basic Tree Risk Assessment Form

Client Field test 10 Date 04/09/2026 Time 11:18
 Address/Tree location Arboretum, CSUS Tree no. 1 Sheet 1 of
 Tree species Liquidambar styraciflua dbh 19" Height 90' Crown spread dia. 42'
 Assessor(s) Roger Erismann Time frame three-year assessment Tools used smartphone, binoculars, measuring tape

Target Assessment

Target number	Target description	Target zone			Occupancy rate 1 – rare 2 – occasional 3 – frequent 4 – constant	Practical to move target?	Restriction practical?
		Target within drip line	Target within 1 x Ht.	Target within 1.5 x Ht.			
<u>1</u>	<u>Pathway</u>	<u>X</u>			<u>2</u>		<u>X</u>
<u>2</u>							
<u>3</u>							
<u>4</u>							

Site Factors

History of failures No history of failures Topography Flat ☒ Slope ☐ _____ % Aspect _____
 Site changes None ☒ Grade change ☐ Site clearing ☐ Changed soil hydrology ☐ Root cuts ☐ Describe Urban park
 Soil conditions Limited volume ☐ Saturated ☐ Shallow ☐ Compacted ☐ Pavement over roots ☐ _____ % Describe A little humid
 Prevailing wind direction NW Common weather Strong winds ☐ Ice ☐ Snow ☐ Heavy rain ☒ Describe Rain in winter

Tree Health and Species Profile

Vigor Low ☐ Normal ☐ High ☒ Foliage None (seasonal) ☐ None (dead) ☐ Normal 100 % Chlorotic _____ % Necrotic _____ %
 Pests No pests observed Abiotic No abiotic stress observed
 Species failure profile Branches ☐ Trunk ☐ Roots ☐ Describe V-shaped unions, humidity at the roots.

Load Factors

Wind exposure Protected ☐ Partial ☒ Full ☐ Wind funneling ☐ _____ Relative crown size Small ☒ Medium ☐ Large ☐
 Crown density Sparse ☒ Normal ☐ Dense ☐ Interior branches Few ☒ Normal ☐ Dense ☐ Vines/Mistletoe/Moss ☐ No vines/mistletoe/moss observed
 Recent or planned change in load factors none noted

Tree Defects and Conditions Affecting the Likelihood of Failure

— Crown and Branches —

Unbalanced crown ☐ LCR 40 %
 Dead twigs/branches ☒ 5 % overall Max. dia. 4"
 Broken/Hangers Number 2 Max. dia. 2"
 Over-extended branches ☐
 Pruning history
 Crown cleaned ☐ Thinned ☐ Raised ☐
 Reduced ☐ Topped ☐ Lion-tailed ☐
 Flush cuts ☐ Other professionally maintained
 Cracks ☐ _____ Lightning damage ☐
 Codominant ☐ _____ Included bark ☐
 Weak attachments ☐ _____ Cavity/Nest hole _____ % circ.
 Previous branch failures ☐ _____ Similar branches present ☐
 Dead/Missing bark ☐ Cankers/Galls/Burls ☐ Sapwood damage/decay ☐
 Conks ☐ Heartwood decay ☐
 Response growth prolific epicormic growth throughout the crown along the trunk in the
 Main concern(s) The main concerns here is prolific epicormic growth throughout the crown along the trunk in the branches.
 Load on defect N/A ☐ Minor ☐ Moderate ☐ Significant ☒ significant
 Likelihood of failure Improbable ☐ Possible ☐ Probable ☒ Imminent ☐ probable

— Trunk —

Dead/Missing bark ☐ Abnormal bark texture/color ☐
 Codominant stems ☐ Included bark ☐ Cracks ☐
 Sapwood damage/decay ☐ Cankers/Galls/Burls ☐ Sap ooze ☐
 Lightning damage ☐ Heartwood decay ☐ Conks/Mushrooms ☐
 Cavity/Nest hole _____ % circ. Depth _____ Poor taper ☐
 Lean _____ ° Corrected? _____
 Response growth _____
 Main concern(s) none
 Load on defect N/A ☒ Minor ☐ Moderate ☐ Significant ☐
 Likelihood of failure Improbable ☒ Possible ☐ Probable ☐ Imminent ☐

— Roots and Root Collar —

Collar buried/Not visible ☐ Depth _____ Stem girdling ☐
 Dead ☒ Decay ☒ Conks/Mushrooms ☐
 Ooze ☐ Cavity ☐ _____ % circ.
 Cracks ☒ Cut/Damaged roots ☐ Distance from trunk _____
 Root plate lifting ☐ Soil weakness ☐
 Response growth yes
 Main concern(s) the decayed roots on the northeast quadrant of the trunk and some adventitious roots
 Load on defect N/A ☐ Minor ☐ Moderate ☐ Significant ☒
 Likelihood of failure Improbable ☐ Possible ☒ Probable ☐ Imminent ☐

