




Fait par Mohamed-amine Farik

Documentation pfsense :





prémices du serveur pfsense

Fait par Mohamed-amine Farik




Config des ports du serveur pour permettre la connectivité.

Fait par Mohamed-amine Farik



Fait par Mohamed-amine Farik

Il faut éjecter le disque directement après avoir mis reboot pour que ca puisse marcher et mettre la page d'accueil pfsense !



```
pfsense-srv [En fonction] - Oracle VirtualBox
Fichier  Machine  Écran  Entrée  Périphériques  Aide

Starting CRON... done.
pfSense 2.7.2-RELEASE amd64 20231206-2010
Bootup complete

FreeBSD/amd64 (pfSense.home.arpa) (ttyv0)

VirtualBox Virtual Machine - Netgate Device ID: fbb322cf1cf8a69e3788

*** Welcome to pfSense 2.7.2-RELEASE (amd64) on pfSense ***

WAN (wan)      -> em0      -> v4/DHCP4: 10.0.2.15/24
                v6/DHCP6: fd00::a00:27ff:fe35:2631/64
LAN (lan)      -> em1      -> v4: 192.168.1.1/24


0) Logout (SSH only)          9) pfTop
1) Assign Interfaces          10) Filter Logs
2) Set interface(s) IP address 11) Restart webConfigurator
3) Reset webConfigurator password 12) PHP shell + pfSense tools
4) Reset to factory defaults    13) Update from console
5) Reboot system              14) Enable Secure Shell (sshd)
6) Halt system                15) Restore recent configuration
7) Ping host                  16) Restart PHP-FPM
8) Shell

Enter an option: █
```

Voilà donc l »cran d'accueil du serveur de routeur/parefeu pfsense !!!!


Fait par Mohamed-amine Farik

Ensuite il faut créer une machine cliente qui permet d'avoir accès à l'interface graphique du serveur pfSense.



Il faut mettre dans le même segment réseau (« admin100 »)

Fait par Mohamed-amine Farik



après avoir crée, la machine, il suffit d'entrer l'adresse ip local du serveur pfsense (créé juste avant) et il y aura donc cette page ci-dessus. Admin et pfsense sont les id et mdp par défaut...

Fait par Mohamed-amine Farik

Voilà donc à quoi ressemble le dashboard de pfsense !!!

System Information

Name	firewall-lan.CORPORATION.LOCAL
User	admin@192.168.1.100 (Local Database)
System	VirtualBox Virtual Machine Netgate Device ID: fbb322cf1cf8a69e3788
BIOS	Vendor: innotek GmbH Version: VirtualBox Release Date: Fri Dec 1 2006
Version	2.7.2-RELEASE (amd64) built on Wed Dec 6 21:10:00 CET 2023 FreeBSD 14.0-CURRENT The system is on the latest version. Version information updated at Tue May 5 1:10:48 CEST 2026
CPU Type	12th Gen Intel(R) Core(TM) i7-1255U 2 CPUs: 1 package(s) x 2 cache groups x 1 core(s) AES-NI CPU Crypto: Yes (inactive) QAT Crypto: No
Hardware crypto	Inactive
Kernel PTI	Disabled

Netgate Services And Support

Contract type: Community Support

NETGATE AND pfSense COMMUNITY SUPPORT

If you purchased your pfSense gateway firewall with **Community Support** at the point of sale or in hardware, you have access to various community resources in the **NETGATE RESOURCE LIBRARY**.

You also may upgrade to a Netgate Global Technical Support subscription. We're always on! Our team is committed to delivering enterprise-class, world-class support more than competitive when compared to other vendors.

- [Upgrade Your Support](#)
- [Netgate Global Support FAQ](#)
- [Netgate Professional Services](#)
- [Community Support](#)
- [Official Documentation](#)
- [Visit](#)

If you decide to purchase a Netgate Global Technical Support subscription, you **MUST** have your **Netgate Device ID (NDI)**.

De ce fait le reste à faire sont des attributions de sous-réseaux et des règles de filtrage en fonction de la zone ip !!!!

Fait par Mohamed-amine Farik

Voilà donc les vlans correspondantes :

The screenshot shows the pfSense GUI in a web browser window titled "pfsense-gui [En fonction] - Oracle VirtualBox". The browser address bar shows "http://10.0.100.1". The page has a dark header with a menu: "Fichier", "Machine", "Écran", "Entrée", "Périphériques", "Aide". Below the header, the "Dashboard" is visible. On the left, the "System Information" tab is active, showing details about the pfSense version (2.7.2-RELEASE), hardware (12th Gen Intel(R) Core(TM) i7-1255U), and system status. On the right, the "Interfaces" tab is active, displaying a table of network interfaces:


Interface	Speed	Duplex	IP Address	MAC Address
WAN	1000baseT	<full-duplex>	10.0.2.15	fd00::a00:27ff:feba:b9cc
VLAN_ADMIN	1000baseT	<full-duplex>	10.0.100.1	
VLAN_UTILISATEURS	1000baseT	<full-duplex>	10.0.200.1	

The screenshot shows the pfSense GUI in a web browser window titled "pfsense-gui [En fonction] - Oracle VirtualBox". The browser address bar shows "http://10.0.100.1/interfaces_assign.php". The page has a dark header with a menu: "Fichier", "Machine", "Écran", "Entrée", "Périphériques", "Aide". Below the header, the "Interfaces / Interface Assignments" page is visible. The "Interface Assignments" tab is active, showing a table of network interfaces and their assigned network ports:


Interface	Network port
WAN	em0 (08:00:27:ba:b9:cc)
vlan_admin	em1 (08:00:27:eb:d5:1b)
vlan_utilisateurs	em2 (08:00:27:a0:56:44)

Below the table, there is a section for "Available network ports" showing "VLAN 100 on em1 - lan (vlan_admin)". A "Save" button is visible. A blue message box at the bottom states: "Interfaces that are configured as members of a lagg(4) interface will not be shown. Wireless interfaces must be created on the Wireless tab before they can be assigned."


Fait par Mohamed-amine Farik



Ensuite s'en suit les règles de filtrage où pour le vlan admin on met en place une règle any/any qui permet l'accès à tout,
Au détriment du vlan utilisateur où il est interdit d'avoir accès au dashboard de pfSense.



Fait par Mohamed-amine Farik



Pour le reste l'interconnexion entre les machines, se fait via des commandes, par exemple ici où la preuve qu'il n'y ait pas d'accès au dashboard.

