
Sequencing Depth
Fail
Warn
Current Sample
Batch Mean
Frequency
14.48M
18.93M
Total Reads (Millions)


WARNING
Trimming
Current Sample
Batch Mean
Fail
Warn
Frequency
89.76%
99.36%
% Post-Trim / Total Reads


FAILURE
Alignment
Fail
Warn
Current Sample
Batch Mean
Frequency
29.19%
56.47%
% Uniquely Aligned / Post-Trim Reads


Gene Exon Mapping
Fail
Warn
Current Sample
Batch Mean
Frequency
59.74%
61.44%
% Mapped / Aligned Reads


Ribosomal RNA
Current Sample
Batch Samples
GeneBody Coverage Distribution
Fail
rRNA Reads (Millions)
Current Sample
Library Mean
95% Confidence Interval
KS-2sample Pvalue: 0.15484
Uniquely Aligned Reads (Millions)


WARNING
Sequence Contamination
Overrepresented
Adapter
Current Sample
Batch Mean
Pre-trim (%)
Warn
Fail
Overrepresented
Adapter
Post-trim (%)

Sequencing Depth



Trimming



FAILURE

Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination



Sequencing Depth



Trimming



Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination



Sequencing Depth



Trimming



WARNING

Alignment



Gene Exon Mapping



Ribosomal RNA



WARNING

Sequence Contamination



Sequencing Depth



Trimming



Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination



Sequencing Depth



Trimming



WARNING

Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination



Sequencing Depth



Trimming



Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination



Sequencing Depth



Trimming



Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination




Sequencing Depth
Fail
Warn
Current Sample
Batch Mean
Frequency
Total Reads (Millions)
16.68M
19.41M


Trimming
Current Sample
Batch Mean
Fail
Warn
Frequency
% Post-Trim / Total Reads
99.28%
99.71%


WARNING
Alignment
Fail
Warn
Current Sample
Batch Mean
Frequency
% Uniquely Aligned / Post-Trim Reads
57.76%
58.23%


Gene Exon Mapping
Fail
Warn
Current Sample
Batch Mean
Frequency
% Mapped / Aligned Reads
50.98%
61.54%


Ribosomal RNA
Current Sample
Batch Samples
GeneBody Coverage Distribution
Fail
rRNA Reads (Millions)
Current Sample
Library Mean
95% Confidence Interval
KS-2sample Pvalue: 0.58301
Uniquely Aligned Reads (Millions)


Sequence Contamination
Overrepresented
Adapter
Current Sample
Batch Mean
Pre-trim (%)
Warn
Fail
Post-trim (%)

Sequencing Depth



Trimming



FAILURE

Alignment



WARNING

Gene Exon Mapping



Ribosomal RNA



Sequence Contamination




Sequencing Depth
Fail
Warn
Current Sample
Batch Mean
Frequency
%6.68M
%6.61
Total Reads (Millions)


Trimming
Current Sample
Batch Mean
Fail
Warn
Frequency
%97.89
%98.66
% Post-Trim / Total Reads


Alignment
Fail
Warn
Current Sample
Batch Mean
Frequency
%57.76
%67.49
% Uniquely Aligned / Post-Trim Reads


Gene Exon Mapping
Fail
Warn
Current Sample
Batch Mean
Frequency
%57.87
%61.44
% Mapped / Aligned Reads


Ribosomal RNA
Current Sample
Batch Samples
GeneBody Coverage Distribution
Fail
rRNA Reads (Millions)
Current Sample
Library Mean
95% Confidence Interval
KS-2sample Pvalue: 0.99969
Uniquely Aligned Reads (Millions)


WARNING
Sequence Contamination
Overrepresented
Adapter
Current Sample
Batch Mean
Pre-trim (%)
Warn
Fail
Overrepresented
Adapter
Post-trim (%)

Sequencing Depth



Trimming



Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination




Sequencing Depth
Fail
Warn
Current Sample
Batch Mean
18.63M
16.48M
Frequency
Total Reads (Millions)


Trimming
Current Sample
Batch Mean
Fail
Warn
99.28%
99.76%
Frequency
% Post-Trim / Total Reads


Alignment
Fail
Warn
Current Sample
Batch Mean
57.76%
68.39%
Frequency
% Uniquely Aligned / Post-Trim Reads


Gene Exon Mapping
Fail
Warn
Current Sample
Batch Mean
61.64%
67.39%
Frequency
% Mapped / Aligned Reads


Ribosomal RNA
Current Sample
Batch Samples
GeneBody Coverage Distribution
Fail
rRNA Reads (Millions)
Current Sample
Library Mean
95% Confidence Interval
KS-2sample Pvalue: 0.70206
Uniquely Aligned Reads (Millions)


Sequence Contamination
Overrepresented
Adapter
Current Sample
Batch Mean
Pre-trim (%)
Warn
Fail
Overrepresented
Adapter
Post-trim (%)

Sequencing Depth



Trimming



Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination




Sequencing Depth
Fail
Warn
Current Sample
Batch Mean
Frequency
Total Reads (Millions)
21.588M
18.68M


Trimming
Current Sample
Batch Mean
Fail
Warn
Frequency
% Post-Trim / Total Reads
99.68%
99.28%


FAILURE
Alignment
Fail
Warn
Current Sample
Batch Mean
Frequency
% Uniquely Aligned / Post-Trim Reads
44.76%
47.47%


Gene Exon Mapping
Fail
Warn
Current Sample
Batch Mean
Frequency
% Mapped / Aligned Reads
61.64%
61.73%


Ribosomal RNA
Current Sample
Batch Samples
GeneBody Coverage Distribution
Fail
rRNA Reads (Millions)
Current Sample
Library Mean
95% Confidence Interval
KS-2sample Pvalue: 0.96841
Uniquely Aligned Reads (Millions)


Sequence Contamination
Overrepresented
Adapter
Current Sample
Batch Mean
Pre-trim (%)
Warn
Fail
Post-trim (%)

Sequencing Depth



Trimming



Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination




Sequencing Depth
Fail
Warn
Current Sample
Batch Mean
16.45M
18.48M
Frequency
Total Reads (Millions)


Trimming
Current Sample
Batch Mean
Fail
Warn
99.10%
99.33%
Frequency
% Post-Trim / Total Reads


WARNING
Alignment
Fail
Warn
Current Sample
Batch Mean
52.39%
57.76%
Frequency
% Uniquely Aligned / Post-Trim Reads


Gene Exon Mapping
Fail
Warn
Current Sample
Batch Mean
60.59%
61.54%
Frequency
% Mapped / Aligned Reads


Ribosomal RNA
Current Sample
Batch Samples
GeneBody Coverage Distribution
Fail
rRNA Reads (Millions)
Current Sample
Library Mean
95% Confidence Interval
KS-2sample Pvalue: 0.36819
Uniquely Aligned Reads (Millions)


Sequence Contamination
Overrepresented
Adapter
Current Sample
Batch Mean
Pre-trim (%)
Warn
Fail
Overrepresented
Adapter
Post-trim (%)

Sequencing Depth



Trimming



Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination



Sequencing Depth



Trimming



FAILURE

Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination



Sequencing Depth



Trimming



Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination




Sequencing Depth
Fail
Warn
Current Sample
Batch Mean
Frequency
18.68M
18.83M
Total Reads (Millions)


Trimming
Current Sample
Batch Mean
Fail
Warn
Frequency
99.28%
100.0%
% Post-Trim / Total Reads


WARNING
Alignment
Fail
Warn
Current Sample
Batch Mean
Frequency
51.14%
57.76%
% Uniquely Aligned / Post-Trim Reads


Gene Exon Mapping
Fail
Warn
Current Sample
Batch Mean
Frequency
61.64%
68.29%
% Mapped / Aligned Reads


Ribosomal RNA
Current Sample
Batch Samples
GeneBody Coverage Distribution
Fail
rRNA Reads (Millions)
Current Sample
Library Mean
95% Confidence Interval
KS-2sample Pvalue: 0.96841
Uniquely Aligned Reads (Millions)


Sequence Contamination
Overrepresented
Adapter
Current Sample
Batch Mean
Pre-trim (%)
Warn
Fail
Overrepresented
Adapter
Post-trim (%)

Sequencing Depth



Trimming



WARNING

Alignment



Gene Exon Mapping



Ribosomal RNA



WARNING

Sequence Contamination



Sequencing Depth



Trimming



WARNING

Alignment



Gene Exon Mapping



Ribosomal RNA



Sequence Contamination




Sequencing Depth
Fail
Warn
Current Sample
Batch Mean
16.33M
18.98M
Frequency
Total Reads (Millions)


Trimming
Current Sample
Batch Mean
Fail
Warn
97.28%
99.66%
Frequency
% Post-Trim / Total Reads


Alignment
Fail
Warn
Current Sample
Batch Mean
57.76%
78.04%
Frequency
% Uniquely Aligned / Post-Trim Reads


Gene Exon Mapping
Fail
Warn
Current Sample
Batch Mean
51.00%
61.44%
Frequency
% Mapped / Aligned Reads


Ribosomal RNA
Current Sample
Batch Samples
GeneBody Coverage Distribution
Fail
rRNA Reads (Millions)
Current Sample
Library Mean
95% Confidence Interval
KS-2sample Pvalue: 0.70206
Uniquely Aligned Reads (Millions)


Sequence Contamination
Overrepresented
Adapter
Current Sample
Batch Mean
Pre-trim (%)
Warn
Fail
Overrepresented
Adapter
Post-trim (%)


Sequencing Depth
Fail
Warn
Current Sample
Batch Mean
Frequency
18.48M
Total Reads (Millions)


Trimming
Current Sample
Batch Mean
Fail
Warn
Frequency
99.28%
% Post-Trim / Total Reads


WARNING
Alignment
Fail
Warn
Current Sample
Batch Mean
Frequency
57.76%
% Uniquely Aligned / Post-Trim Reads


Gene Exon Mapping
Fail
Warn
Current Sample
Batch Mean
Frequency
61.64%
% Mapped / Aligned Reads


Ribosomal RNA
Current Sample
Batch Samples
GeneBody Coverage Distribution
Fail
rRNA Reads (Millions)
Current Sample
Library Mean
95% Confidence Interval
KS-2sample Pvalue: 1.0
Uniquely Aligned Reads (Millions)


Sequence Contamination
Overrepresented
Adapter
Current Sample
Batch Mean
Pre-trim (%)
Warn
Fail
Overrepresented
Adapter
Post-trim (%)