

AlphaPose


MSCOCO 데이터셋 모델 성능




01 얼굴 손, 발 인식 미지원

02 인식하는 부분이 적은만큼 빠름

Halpe 데이터셋 모델 성능




인식 성능이 좋지 않음



인식을 잘 되지만 몸통 인식 미지원

COCO-WholeBody 데이터셋 모델 성능



두 모델 모두 손과 발, 그리고 얼굴까지 지원이 잘 됨

Multi_Domain 데이터셋 모델 성능




Fast Pose (DCN)	ResNet50 - dcn	YOLOv3	256x192	Combined (10 hand weight)	49.8	10.35 iter/s	Google Baidu(code: app1)	cfg	136
-----------------	----------------	--------	---------	---------------------------	------	--------------	--------------------------	-----	-----



Fast Pose (DCN)	ResNet50 - dcn	YOLOv3	256x192	Combined	-	13.88 iter/s	Google Baidu(code: 6kwr)	cfg	68 (no face)
-----------------	----------------	--------	---------	----------	---	--------------	--------------------------	-----	--------------



- o401
- Trash
- AlphaPose
- cuda-repo-ubuntu2004-1...
- cuda-repo-ubuntu2004-1...
- hello.c
- hello
- hello_x86
- test



```
o401@o401-desktop: ~/Desktop/AlphaPose
utdir examples/res --vis --vis_fast --pose_track --webcam 0
/home/o401/.local/lib/python3.8/site-packages/torchvision/models/_utils.py:208:
UserWarning: The parameter 'pretrained' is deprecated since 0.13 and may be removed in the future, please use 'weights' instead.
  warnings.warn(
/home/o401/.local/lib/python3.8/site-packages/torchvision/models/_utils.py:223:
UserWarning: Arguments other than a weight enum or 'None' for 'weights' are deprecated since 0.13 and may be removed in the future. The current behavior is equivalent to passing 'weights=ResNet50_Weights.IMAGENET1K_V1'. You can also use 'weights=ResNet50_Weights.DEFAULT' to get the most up-to-date weights.
  warnings.warn(msg)
Loading pose model from pretrained_models/multi_domain_fast50_dcn_combined_256x192.pth...
Loading YOLO model..
loading reid model from trackers/weights/osnet_ain_x1_0_msmt17_256x128_amsgrad_epoch50_lr0.0015_coslr_b64_fb10_softmax_labsmth_flip_jitter.pth...
Starting webcam demo, press Ctrl + C to terminate...
0it [00:00, ?it/s]/home/o401/Desktop/AlphaPose/trackers/__init__.py:19: UserWarning: Creating a tensor from a list of numpy.ndarrays is extremely slow. Please consider converting the list to a single numpy.ndarray with numpy.array() before converting to a tensor. (Triggered internally at ../torch/csrc/autograd/utils/tensor_new.cpp:245.)
  new_hm = torch.Tensor(new_hm).to(args.device)
1319it [02:24, 8.08it/s]
```




AlphaPose



cuda-repo-ubuntu2004-1...



cuda-repo-ubuntu2004-1...



hello.c




hello



hello x86



test



o401@o401-desktop: ~/Desktop/AlphaPose

```
res --vis --vis_fast --pose_track --webcam 0
/home/o401/.local/lib/python3.8/site-packages/torchvision/models/_utils.py:208:
UserWarning: The parameter 'pretrained' is deprecated since 0.13 and may be removed in the future, please use 'weights' instead.
  warnings.warn(
/home/o401/.local/lib/python3.8/site-packages/torchvision/models/_utils.py:223:
UserWarning: Arguments other than a weight enum or 'None' for 'weights' are deprecated since 0.13 and may be removed in the future. The current behavior is equivalent to passing 'weights=ResNet50_Weights.IMAGENET1K_V1'. You can also use 'weights=ResNet50_Weights.DEFAULT' to get the most up-to-date weights.
  warnings.warn(msg)
Loading pose model from pretrained_models/noface_fast50_dcn_combined_256x192.pth
...
Loading YOLO model..
loading reid model from trackers/weights/osnet_ain_x1_0_msmt17_256x128_amsgrad_epoch50_lr0.0015_coslr_b64_fb10_softmax_labsmth_flip_jitter.pth...
Starting webcam demo, press Ctrl + C to terminate...
0it [00:00, ?it/s]/home/o401/Desktop/AlphaPose/trackers/_init_.py:19: UserWarning: Creating a tensor from a list of numpy.ndarrays is extremely slow. Please consider converting the list to a single numpy.ndarray with numpy.array() before converting to a tensor. (Triggered internally at ../torch/csrc/autograd/tensor_new.cpp:245.)
  new_hm = torch.Tensor(new_hm).to(args.device)
666it [01:06, 9.28it/s]
```

좌표값 확인

```
Open ▾ QW... ~/Des... Save ≡ - □ ×
1 {'imgname': '4.jpeg', 'result': [{'keypoints':
  tensor([[ 766.9642, 1835.9657],
2         [ 790.5078, 1788.8787],
3         [ 743.4207, 1812.4222],
4         [ 884.6818, 1788.8787],
5         [ 719.8771, 1859.5093],
6         [1096.5736, 1977.2269],
7         [ 696.3336, 2118.4880],
8         [1214.2911, 2236.2056],
9         [ 672.7901, 2424.5540],
10        [1096.5736, 2471.6409],
11        [ 884.6818, 2424.5540],
12        [1096.5736, 2730.6196],
13        [ 861.1383, 2754.1633],
14        [1073.0300, 3201.4902],
15        [ 837.5948, 3248.5771],
16        [1073.0300, 3648.8171],
17        [ 743.4207, 3695.9043],
18        [ 743.4207, 1694.7046],
19        [ 861.1383, 1953.6833],
20        [ 978.8560, 2683.5327],
21        [1167.2041, 3837.1655],
22        [ 672.7901, 3860.7090],
23        [1214.2911, 3790.0784],
24        [ 625.7031, 3837.1655],
25        [1025.9430, 3672.3608],
26        [ 790.5078, 3742.9912],
27        [ 708.7352, 1834.8098],
28        [ 715.7009, 1853.1079],
29        [ 723.9081, 1871.5841],
30        [ 734.5558, 1892.0051],
31        [ 745.8737, 1910.2135],
32        [ 758.9107, 1921.7633],
33        [ 774.3386, 1929.7303],
34        [ 794.0245, 1931.2439],
35        [ 815.5004, 1925.3076],
36        [ 835.9277, 1909.8767],
```


결론

1

데이터셋들의 모델들이 대부분 준수한 성능을 보여줌

2

사람이 추가될 수록 성능이 안 좋아짐

3

출력된 좌표값을 어떻게 활용할 것인지 알아야 함