

Git & GitHub :

```
ubuntu@ip-10-0-2-155:~$ git --version
git version 2.43.0
ubuntu@ip-10-0-2-155:~$ |
```

Add Empty git Repo:

```
ubuntu@ip-10-0-2-155:~/scripts$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/ubuntu/scripts/.git/
ubuntu@ip-10-0-2-155:~/scripts$ ls -la
```

```
ubuntu@ip-10-0-2-155:~/scripts$ ls -la
.
..
User_account_management.sh.swp  .git
backup.sh.swp                  .hello_cha.sh.swp
check-if-user-exists.sh.swp    .hello_chau.sh.swp
create-user.sh.swp             .hello_cht.sh.swp
deployd_django_app.sh.swp      3-idiot.sh
ubuntu@ip-10-0-2-155:~/scripts$ cd .git
ubuntu@ip-10-0-2-155:~/scripts/.git$ ls
HEAD  branches  config  description  hooks  info  objects  refs
ubuntu@ip-10-0-2-155:~/scripts/.git$
```

.for-loop.sh.swp	User_account_management.sh	deployment.log	function-test.sh
.for-loop.sh.swp	backup.sh	deployment_20260705_005553.log	hello_cht.sh
	backup1.sh	deployment_20260705_010218.log	install-pkg.sh
	check-user-if-exists.sh	django-notes-app	rancho
	create-user.sh	error-handling.sh	user_with_args.sh
	del-users.sh	farhanitrate.txt	
	deployd_django_app.sh	for-loop.sh	

Git Status:

```
ubuntu@ip-10-0-2-155:~/scripts$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    User_account_management.sh.swp
    backup.sh.swp
    check-if-user-exists.sh.swp
    create-user.sh.swp
    deployd_django_app.sh.swp
    for-loop.sh.swp
    for-loop.sh.swp
    hello_cha.sh.swp
    hello_chau.sh.swp
    hello_cht.sh.swp
    3-idiot.sh
    User_account_management.sh
    backup.sh
    backup1.sh
    check-user-if-exists.sh
    create-user.sh
    del-users.sh
    deployd_django_app.sh
    deployment.log
    deployment_20260705_005553.log
    deployment_20260705_010218.log
    django-notes-app/
    error-handling.sh
    farhanitrate.txt
    for-loop.sh
    function-test.sh
    hello_cht.sh
    install-pkg.sh
    user_with_args.sh
```

```
ubuntu@ip-10-0-2-155:~/scripts$ git add User_account_management.sh
ubuntu@ip-10-0-2-155:~/scripts$ git status
On branch master
```

No commits yet

```
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   User_account_management.sh
```

```
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .User_account_management.sh.swp
    .backup.sh.swp
    .check-if-user-exists.sh.swp
    .create-user.sh.swp
    .deployd_django_app.sh.swp
    for-loop.sh.swp
```

UnStaged File:

```
ubuntu@ip-10-0-2-155:~/scripts$ git rm --cached User_account_management.sh
rm 'User_account_management.sh'
ubuntu@ip-10-0-2-155:~/scripts$ git status
On branch master
```

No commits yet

```
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .User_account_management.sh.swp
    .backup.sh.swp
    .check-if-user-exists.sh.swp
```

```
ubuntu@ip-10-0-2-155:~/scripts$ git status
On branch master
```

No commits yet

```
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   3-idiots.sh
```

```
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .User_account_management.sh.swp
```

```
ubuntu@ip-10-0-2-155:~/scripts$ rm 3-idiots.sh
ubuntu@ip-10-0-2-155:~/scripts$ ls
User_account_management.sh  create-user.sh  deployment_20260705_005553.log  farhanirate.txt  install-pkg.sh
backup.sh                  del-users.sh    deployment_20260705_010218.log  for-loop.sh      rancho
backup1.sh                 deployed_django_app.sh  django-notes-app               function-test.sh  user_with_args.sh
check-user-if-exists.sh    deployment.log    error-handling.sh              hello_cht.sh
ubuntu@ip-10-0-2-155:~/scripts$ git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:    3-idiots.sh

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .User_account_management.sh.swp
    .backup.sh.swp
    .check-if-user-exists.sh.swp
    .create-user.sh.swp
    .deployd_django_app.sh.swp
    .for-loop.sh.swp
    .for-loop.sh.swp
    .hello_cha.sh.swp
    .hello_chau.sh.swp
    .hello_cht.sh.swp
    User_account_management.sh
    backup.sh
    backup1.sh
    check-user-if-exists.sh
    create-user.sh
```

Restore Deleted Files:

```
ubuntu@ip-10-0-2-155:~/scripts$ git restore 3-idiots.sh
ubuntu@ip-10-0-2-155:~/scripts$ ls
3-idiots.sh          check-user-if-exists.sh  deployment.log          error-handling.sh      hello_cht.sh
User_account_management.sh  create-user.sh           deployment_20260705_005553.log  farhanitrate.txt       install-pkg.sh
backup.sh            del-users.sh             deployment_20260705_010218.log  for-loop.sh            rancho
backup1.sh           deployed_django_app.sh   django-notes-app        function-test.sh        user_with_args.sh
ubuntu@ip-10-0-2-155:~/scripts$ |
```

```
hint: See "git help submodule" for more information.
```

```
ubuntu@ip-10-0-2-155:~/scripts$ git status
```

```
On branch master
```

```
Changes to be committed:
```

```
(use "git restore --staged <file>..." to unstage)
```

```
new file:   .User_account_management.sh.swp
new file:   .backup.sh.swp
new file:   .check-if-user-exists.sh.swp
new file:   .create-user.sh.swp
new file:   .deployd_django_app.sh.swp
new file:   .for-loop.sh.swo
new file:   .for-loop.sh.swp
new file:   .hello_cha.sh.swp
new file:   .hello_chau.sh.swp
new file:   .hello_cht.sh.swp
new file:   User_account_management.sh
new file:   backup.sh
new file:   backup1.sh
new file:   check-user-if-exists.sh
new file:   create-user.sh
new file:   del-users.sh
new file:   deployed_django_app.sh
new file:   deployment.log
new file:   deployment_20260705_005553.log
new file:   deployment_20260705_010218.log
new file:   django-notes-app
new file:   error-handling.sh
new file:   farhanitrate.txt
new file:   for-loop.sh
new file:   function-test.sh
new file:   hello_cht.sh
new file:   install-pkg.sh
new file:   user_with_args.sh
```

```
ubuntu@ip-10-0-2-155:~/scripts$ |
```

```
ubuntu@ip-10-0-2-155:~/scripts$ git commit -m "added shell scripts"
```

```
[master 6905779] added shell scripts
```

```
28 files changed, 981 insertions(+)
```

```
create mode 100644 .User_account_management.sh.swp
create mode 100644 .backup.sh.swp
create mode 100644 .check-if-user-exists.sh.swp
create mode 100644 .create-user.sh.swp
create mode 100644 .deployd_django_app.sh.swp
create mode 100644 .for-loop.sh.swo
create mode 100644 .for-loop.sh.swp
create mode 100644 .hello_cha.sh.swp
create mode 100644 .hello_chau.sh.swp
create mode 100644 .hello_cht.sh.swp
create mode 100755 User_account_management.sh
create mode 100755 backup.sh
create mode 100755 backup1.sh
create mode 100755 check-user-if-exists.sh
create mode 100755 create-user.sh
create mode 100755 del-users.sh
create mode 100755 deployed_django_app.sh
create mode 100644 deployment.log
create mode 100644 deployment_20260705_005553.log
create mode 100644 deployment_20260705_010218.log
create mode 160000 django-notes-app
create mode 100755 error-handling.sh
create mode 100644 farhanitrate.txt
create mode 100755 for-loop.sh
create mode 100755 function-test.sh
create mode 100755 hello_cht.sh
create mode 100755 install-pkg.sh
create mode 100755 user_with_args.sh
```

Create a new Branch:

```
ubuntu@ip-10-0-2-155:~/scripts$ git checkout -b dev
Switched to a new branch 'dev'
ubuntu@ip-10-0-2-155:~/scripts$ git branch
* dev
  master
ubuntu@ip-10-0-2-155:~/scripts$ ls
3-idiots.sh          create-user.sh      deployment_20260705_010218.log  function-test.sh  user_with_args.sh
User_account_management.sh  del-users.sh        django-notes-app               hello_cht.sh
backup.sh            deployed_django_app.sh  error-handling.sh             install-pkg.sh
backup1.sh           deployment.log        farhanirate.txt               rancho
check-user-if-exists.sh  deployment_20260705_005553.log  for-loop.sh                   readme.md
ubuntu@ip-10-0-2-155:~/scripts$
```

See online logs:

```
ubuntu@ip-10-0-2-155:~/scripts$ git log --oneline
6905779 (HEAD -> master) added shell scripts
9ae874e added readme.md
b461eed Added 3-idiots script
ubuntu@ip-10-0-2-155:~/scripts$ git checkout dev
Switched to branch 'dev'
ubuntu@ip-10-0-2-155:~/scripts$ git log --oneline
7975e3b (HEAD -> dev) added dev file
6905779 (master) added shell scripts
9ae874e added readme.md
b461eed Added 3-idiots script
ubuntu@ip-10-0-2-155:~/scripts$ |
```

Switch in different branch:

```
ubuntu@ip-10-0-2-155:~/scripts$ git switch master
Switched to branch 'master'
ubuntu@ip-10-0-2-155:~/scripts$ git status
On branch master
nothing to commit, working tree clean
ubuntu@ip-10-0-2-155:~/scripts$ git checkout dev
Switched to branch 'dev'
ubuntu@ip-10-0-2-155:~/scripts$ git status
On branch dev
nothing to commit, working tree clean
ubuntu@ip-10-0-2-155:~/scripts$ |
```

Quick setup — if you've done this kind of thing before

 Set up in Desktop or **HTTPS** **SSH** https://github.com/hamza-devops01/Shell_scripts.git

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# Shell_scripts" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/hamza-devops01/Shell_scripts.git
git push -u origin main
```


...or push an existing repository from the command line

```
git remote add origin https://github.com/hamza-devops01/Shell_scripts.git
git branch -M main
git push -u origin main
```

Configure Remote URL:

```
ubuntu@ip-10-0-2-155:~$ cd scripts/
ubuntu@ip-10-0-2-155:~/scripts$ git remote -v
ubuntu@ip-10-0-2-155:~/scripts$ git remote add origin https://github.com/hamza-devops01/Shell_scripts.git
ubuntu@ip-10-0-2-155:~/scripts$ git remote -v
origin https://github.com/hamza-devops01/Shell_scripts.git (fetch)
origin https://github.com/hamza-devops01/Shell_scripts.git (push)
ubuntu@ip-10-0-2-155:~/scripts$ git status
On branch master
nothing to commit, working tree clean
ubuntu@ip-10-0-2-155:~/scripts$ ls
3-idiots.sh      create-user.sh      deployment_20260705_010218.log  from_dev.txt  readme.md
User_account_management.sh  del-users.sh        django-notes-app               function-test.sh  user_with_args.sh
backup.sh        deployed_django_app.sh  error-handling.sh             hello_cht.sh
backup1.sh       deployment.log         farhanitrate.txt              install-pkg.sh
check-user-if-exists.sh  deployment_20260705_005553.log  for-loop.sh                   rancho
ubuntu@ip-10-0-2-155:~/scripts$ git push origin master
Username for 'https://github.com': ^Z
[1]+  Stopped                  git push origin master
ubuntu@ip-10-0-2-155:~/scripts$ git remote -v
origin https://github.com/hamza-devops01/Shell_scripts.git (fetch)
origin https://github.com/hamza-devops01/Shell_scripts.git (push)
ubuntu@ip-10-0-2-155:~/scripts$
```

Create file in remote and push in local:



The screenshot shows the GitHub web interface for a repository named "Shell_scripts". The "Files" tab is active, and a new file named "from-remote.txt" is being created in the "master" branch. The file content is "This is a file from github remote repository". The interface includes a sidebar with a file list, a main editing area with "Edit" and "Preview" tabs, and a bottom status bar with navigation instructions.

Open menu Issues Pull requests Agents Actions Projects Wiki Security and quality Insights Settings

Files

master + Q

Q Go to file T

django-notes-app

.User_account_management.sh.s...

.backup.sh.swp

.check-if-user-exists.sh.swp

.create-user.sh.swp

.deploy_django_app.sh.swp

.for-loop.sh.swo

.for-loop.sh.swp

.hello_cha.sh.swp

.hello_chau.sh.swp

.hello_cht.sh.swp

3-idiots.sh

Shell_scripts / from-remote.txt in master

Cancel changes Commit changes...

Edit Preview

Spaces 2 No wrap

1 This is a file from github remote repository

Use Control + Shift + M to toggle the Tab key moving focus. Alternatively, use Esc then Tab to move to the next interactive element on the page.

```

ubuntu@ip-10-0-2-155:~/scripts$ ls
3-idiot.sh          create-user.sh      deployment_20260705_010218.log  from_dev.txt  readme.md
User_account_management.sh  del-users.sh        django-notes-app                function-test.sh  user_with_args.sh
backup.sh           deployed_django_app.sh  error-handling.sh              hello_cht.sh
backup1.sh          deployment.log        farhanirate.txt                install-pkg.sh
check-user-if-exists.sh  deployment_20260705_005553.log  for-loop.sh                    rancho
ubuntu@ip-10-0-2-155:~/scripts$ git pull origin master
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 978 bytes | 978.00 KiB/s, done.
From https://github.com/hamza-devops01/Shell_scripts
 * branch            master       -> FETCH_HEAD
   7975e3b..425fab7  master       -> origin/master
Updating 7975e3b..425fab7
Fast-forward
 from-remote.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 from-remote.txt
ubuntu@ip-10-0-2-155:~/scripts$ ls
3-idiot.sh          create-user.sh      deployment_20260705_010218.log  from-remote.txt  rancho
User_account_management.sh  del-users.sh        django-notes-app                from_dev.txt      readme.md
backup.sh           deployed_django_app.sh  error-handling.sh              function-test.sh  user_with_args.sh
backup1.sh          deployment.log        farhanirate.txt                hello_cht.sh
check-user-if-exists.sh  deployment_20260705_005553.log  for-loop.sh                    install-pkg.sh
ubuntu@ip-10-0-2-155:~/scripts$ cat from-remote.txt
This is a file from github remote repository
ubuntu@ip-10-0-2-155:~/scripts$

```


Create file in local and push in remote:

```
This is a file from local git repository
```

 farhanitrare.txt	added shell scripts	yesterday
 for-loop.sh	added shell scripts	yesterday
 from-remote.txt	Add from-remote.txt with initial content	3 minutes ago
 from_dev.txt	added dev file	yesterday
 function-test.sh	added shell scripts	yesterday
 hello_cbt.sh	added shell scripts	yesterday

```
nothing added to commit but untracked files present (use "git add" to track)
ubuntu@ip-10-0-2-155:~/scripts$ git add from-local.txt
ubuntu@ip-10-0-2-155:~/scripts$ git commit -m "Added local repo"
[master d80ff3c] Added local repo
1 file changed, 1 insertion(+)
create mode 100644 from-local.txt
ubuntu@ip-10-0-2-155:~/scripts$ git push origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 318 bytes | 318.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/hamza-devops01/Shell_scripts.git
425fab7..d80ff3c master -> master
ubuntu@ip-10-0-2-155:~/scripts$
```

from-local.txt	Added local repo	now
from-remote.txt	Add from-remote.txt with initial content	6 minutes ago
from_dev.txt	added dev file	yesterday
function-test.sh	added shell scripts	yesterday



```
PS C:\Users\Hamza> cd .\Desktop\
PS C:\Users\Hamza\Desktop> mkdir github_repos

Directory: C:\Users\Hamza\Desktop

Mode                LastWriteTime         Length Name
----                -
d-----          7/11/2026 10:46 PM             github_repos

PS C:\Users\Hamza\Desktop> cd .\github_repos\
PS C:\Users\Hamza\Desktop\github_repos>
```

Clone Repository:


```
PS C:\Users\Hamza\Desktop\github_repos> git clone git@github.com:hamza-devops01/90DaysOfDevOps.git
Cloning into '90DaysOfDevOps'...
git@github.com: Permission denied (publickey).
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.
PS C:\Users\Hamza\Desktop\github_repos> ssh-keygen
Generating public/private ed25519 key pair.
Enter file in which to save the key (C:\Users\Hamza\.ssh\id_ed25519): ^Z
PS C:\Users\Hamza\Desktop\github_repos> cd C:\Users\Hamza\.ssh
PS C:\Users\Hamza\.ssh> ls

Directory: C:\Users\Hamza\.ssh

Mode                LastWriteTime         Length Name
----                -
-a-----          7/11/2026 10:48 PM             399 id_ed25519
-a-----          7/11/2026 10:48 PM              94 id_ed25519.pub
-a-----          7/11/2026 10:47 PM            6862 known_hosts
-a-----          6/3/2026  2:51 PM            4128 known_hosts.old

PS C:\Users\Hamza\.ssh> cat .\id_ed25519.pub
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIHhYD7XCLm1WeOrYho/GZl0ttIIItC2Dqh/EMzjL7b6uV hamza@HaLap
PS C:\Users\Hamza\.ssh>
```



```
PS C:\Users\Hamza\Desktop\github_repos\90DaysOfDevOps> git status
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    2025/networking/Solution/

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\Hamza\Desktop\github_repos\90DaysOfDevOps> git checkout -b networking
Switched to a new branch 'networking'
PS C:\Users\Hamza\Desktop\github_repos\90DaysOfDevOps> git add 2025/networking/Solution/
PS C:\Users\Hamza\Desktop\github_repos\90DaysOfDevOps> git commit -m "Added Networking solution"
[networking 8942411] Added Networking solution
1 file changed, 1 insertion(+)
create mode 100644 2025/networking/Solution/task1.md
PS C:\Users\Hamza\Desktop\github_repos\90DaysOfDevOps> |
```

```
PS C:\Users\Hamza\Desktop\github_repos\90DaysOfDevOps> git status
On branch networking
nothing to commit, working tree clean
PS C:\Users\Hamza\Desktop\github_repos\90DaysOfDevOps> git push origin networking
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (6/6), 513 bytes | 171.00 KiB/s, done.
Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'networking' on GitHub by visiting:
remote:   https://github.com/hamza-devops01/90DaysOfDevOps/pull/new/networking
remote:
To github.com:hamza-devops01/90DaysOfDevOps.git
 * [new branch]    networking -> networking
PS C:\Users\Hamza\Desktop\github_repos\90DaysOfDevOps> |
```

 **90DaysOfDevOps** (Public)
forked from [LondheShubham153/90DaysOfDevOps](#)

 Pin  Watch 0  Fork 0  Star 0

 networking  2 Branches  0 Tags

 Go to file  Add file  Code

This branch is 1 commit ahead of [LondheShubham153/90DaysOfDevOps:master](#).

 Contribute  Sync fork

 hamza-devops01	Added Networking solution	8942411 · 16 minutes ago	 609 Commits
 .github/workflows	Create stale.yml		2 years ago
 2023	Merge pull request TrainWithShubham#249 from inderharrys...		3 years ago
 2024	task2 day19 images		2 years ago
 2025	Added Networking solution		16 minutes ago
 2026	chore: update day 2 task		6 months ago
 scripts	chore: added 2026 Day 1 tasks		6 months ago

About

This repository is a Challenge for the DevOps Community to get stronger in DevOps. This challenge starts on the 1st January 2023 and in the next 90 Days we promise ourselves to become better at DevOps. The reason for making this Public is so that others can learn from the community and help each other grow.

 Readme
 MIT license
 Contributing
 Activity
 0 stars

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

base repository: LondheShubham153/90DaysOfDevOps base: master head repository: hamza-devops01/90DaysOfDevOps compare: networking

✓ Able to merge. These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#)

Create pull request

1 commit

1 file changed

1 contributor

Commits on Jul 12, 2026

Added Networking solution

hamza-devops01 committed 17 minutes ago

8942411

Showing 1 changed file with 1 addition and 0 deletions.

Split Unified

2025/networking/Solution/task1.md

@@ -0,0 +1 @@

1 + This is Submission for week 1 challenges.

```
ubuntu@ip-10-0-2-155:~/github_repo/90DaysOfDevOps/2025/git/01_Git_and_Github_Basics$ git push origin git-challenge
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 2 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 548 bytes | 548.00 KiB/s, done.
Total 6 (delta 3), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (3/3), completed with 3 local objects.
remote:
remote: Create a pull request for 'git-challenge' on GitHub by visiting:
remote:   https://github.com/hamza-devops01/90DaysOfDevOps/pull/new/git-challenge
remote:
To github.com:hamza-devops01/90DaysOfDevOps.git
 * [new branch]      git-challenge -> git-challenge
```

Create a pull Request:

git-challenge had recent pushes 53 seconds ago

Compare & pull request

master 3 Branches 0 Tags

Go to file

Add file

Code

This branch is up to date with LondheShubham153/90DaysOfDevOps:master

Contribute

Sync fork

LondheShubham153 Merge pull request LondheShubham153#41 from AtulBhagwat04/so_... ff69291 · last month 608 Commits

.github/workflows Create stale.yml 2 years ago

2023 Merge pull request TrainWithShubham#249 from inderharrys... 3 years ago

2024 task2 day19 images 2 years ago

2025 task1 Done 2 months ago

2026 chore: update day 2 task 6 months ago

About

This repository is a Challenge for the DevOps Community to get stronger at DevOps. This challenge starts on the 1st January 2023 and in the next 90 Days we promise ourselves to become better at DevOps. The reason for making this Public is so that others can learn from the community and help each other grow.

Readme

MIT license

Contributing

Activity

0 stars



Add a title *

TWH-1: Added git challenges

Add a description

☒ Allow edits by maintainers (?)

Create pull request

```
ubuntu@ip-10-0-2-155:~/scripts$ git log --oneline
531209f (HEAD -> dev) Update backup folder
7975e3b (origin/dev) added dev file
6905779 added shell scripts
9ae874e added readme.md
b461eed Added 3-idiots script
ubuntu@ip-10-0-2-155:~/scripts$
```

```
ubuntu@ip-10-0-2-155:~/scripts$ git push origin dev
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 329 bytes | 329.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/hamza-devops01/Shell_scripts.git
   7975e3b..531209f  dev -> dev
ubuntu@ip-10-0-2-155:~/scripts$
```

Code Blame Executable File · 21 lines (15 loc) · 372 Bytes

```
1 #!/bin/bash
2
3 <<info
4 This shell script will take
5 can also be use crontab
6 e.g
7 ./backup.sh <source> <dest>
8 src = /home/ubuntu/scripts
9 dest = /home/ubuntu/backup
```

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

base: master

compare: dev

✓ Able to merge. These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#)

Create pull request

1 commit

1 file changed

1 contributor

Commits on Jul 15, 2026

Update backup folder

hamza-devops01 committed 8 minutes ago

531209f

Showing 1 changed file with 1 addition and 0 deletions.

SplitUnified

1 backup.sh

@@ -2,6 +2,7 @@

2 2

3 3 <<info

4 4 This shell script will take periodic backup

5 5 + can also use crontab

6 6 e.g

7 7 ./backup.sh <source> <dest>

8 8 src = /home/ubuntu/scripts

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#). [Learn more about diff comparisons here](#).

base: master

compare: dev

✓ Able to merge. These branches can be automatically merged.

Avatar

Add a title *

Update backup folder

Add a description

WritePreview

H B I

Code icons

Add your description here...

Markdown is supported Paste, drop, or click to add files

Create pull request

Reviewers

No reviews

Assignees

No one—assign yourself

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Use Closing keywords in the description to automatically close issues

Helpful resources

GitHub Community Guidelines

Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

Avatar

Update backup folder

531209f

No conflicts with base branch

Merging can be performed automatically.

Merge pull request

You can also merge this with the command line. [View command line instructions](#).

Assignees

No one—assign yourself

Labels

None yet

Projects

None yet

Milestone

No milestone



Commit message

Merge pull request #1 from hamza-devops01/dev

Extended description

Update backup folder

Commit email

hamz[REDACTED]@gmail.com

Confirm merge

Cancel

None yet

Projects

None yet

Milestone

No milestone

Developme

Successfully issues.

None yet

Notification

You're recei thread.

Update backup folder #1

Code

Merged hamza-devops01 merged 1 commit into master from dev now

Conversation 0 Commits 1 Checks 0 Files changed 1

+1



hamza-devops01 commented 2 minutes ago

Owner

No description provided.



Update backup folder

531209f



hamza-devops01 merged commit 588212b into master now

Revert



Pull request successfully merged and closed

You're all set — the dev branch can be safely deleted.

Delete branch

Reviewers

No reviews

Still in progress? Convert to draft

Assignees

No one—assign yourself

Labels

None yet

Projects

None yet

Milestone

No milestone

Revert concept:

```
#!/bin/bash
echo "This is the demo file in the dev branch"
This is new Line
This commit is fine
This commit is not fine[Wrong,bug,issue]
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ vim demo-dev.sh
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git add demo-dev.sh
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git commit -m "Added a fine commit"
[dev 50e2d51] Added a fine commit
Committer: Ubuntu <ubuntu@ip-10-0-2-78.eu-west-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git commit -m "Added a wrong commit"
[dev 66c7c54] Added a wrong commit
Committer: Ubuntu <ubuntu@ip-10-0-2-78.eu-west-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git status
On branch dev
Your branch is ahead of 'origin/dev' by 2 commits.
  (use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   demo-dev.sh

ubuntu@ip-10-0-2-78:~/Shell_scripts$ git commit -m "Added another fine commit"
[dev 17523f3] Added another fine commit
Committer: Ubuntu <ubuntu@ip-10-0-2-78.eu-west-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 4 insertions(+)
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git log --oneline
17523f3 (HEAD -> dev) Added another fine commit
66c7c54 Added a wrong commit
50e2d51 Added a fine commit
69e4e7b (origin/dev) dded dev file
0785bf7 Added hello file
531209f Update backup folder
7975e3b added dev file
6905779 added shell scripts
9ae874e added readme.md
b461eed Added 3-idiot's script
ubuntu@ip-10-0-2-78:~/Shell_scripts$
```

Revert a wrong commit:

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git log --oneline
17523f3 (HEAD -> dev) Added another fine commit
66c7c54 Added a wrong commit
50e2d51 Added a fine commit
69e4e7b (origin/dev) dded dev file
0785bf7 Added hello file
531209f Update backup folder
7975e3b added dev file
6905779 added shell scripts
9ae874e added readme.md
b461eed Added 3-idiot's script
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git revert 66c7c54
Auto-merging demo-dev.sh
CONFLICT (content): Merge conflict in demo-dev.sh
error: could not revert 66c7c54... Added a wrong commit
hint: After resolving the conflicts, mark them with
hint: "git add/rm <paths>", then run
hint: "git revert --continue".
hint: You can instead skip this commit with "git revert --skip".
hint: To abort and get back to the state before "git revert",
hint: run "git revert --abort".
hint: Disable this message with "git config set advice.mergeConflict false"
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git revert 66c7c54
Auto-merging demo-dev.sh
CONFLICT (content): Merge conflict in demo-dev.sh
error: could not revert 66c7c54... Added a wrong commit
hint: After resolving the conflicts, mark them with
hint: "git add/rm <paths>", then run
hint: "git revert --continue".
hint: You can instead skip this commit with "git revert --skip".
hint: To abort and get back to the state before "git revert",
hint: run "git revert --abort".
hint: Disable this message with "git config set advice.mergeConflict false"
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git status
On branch dev
Your branch is ahead of 'origin/dev' by 3 commits.
  (use "git push" to publish your local commits)

You are currently reverting commit 66c7c54.
  (fix conflicts and run "git revert --continue")
  (use "git revert --skip" to skip this patch)
  (use "git revert --abort" to cancel the revert operation)

Unmerged paths:
  (use "git restore --staged <file>..." to unstage)
  (use "git add <file>..." to mark resolution)
    both modified:   demo-dev.sh

no changes added to commit (use "git add" and/or "git commit -a")
```

```
#!/bin/bash

echo "This is the demo file in the dev branch"
This is new Line

This commit is fine
<<<<<<< HEAD

This commit is not fine (Wrong, bug, issue)

This commit is also fine
=====
>>>>>>> parent of 66c7c54 (Added a wrong commit)
~
```

```
#!/bin/bash
```

```
echo "This is the demo file in the dev branch"
```

```
This is new Line
```

```
This commit is fine
```

```
This commit is also fine
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git status
```

```
On branch dev
```

```
Your branch is ahead of 'origin/dev' by 3 commits.
```

```
(use "git push" to publish your local commits)
```

```
You are currently reverting commit 66c7c54.
```

```
(fix conflicts and run "git revert --continue")
```

```
(use "git revert --skip" to skip this patch)
```

```
(use "git revert --abort" to cancel the revert operation)
```

```
Unmerged paths:
```

```
(use "git restore --staged <file>..." to unstage)
```

```
(use "git add <file>..." to mark resolution)
```

```
both modified: demo-dev.sh
```

```
no changes added to commit (use "git add" and/or "git commit -a")
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git status
```

```
On branch dev
```

```
Your branch is ahead of 'origin/dev' by 3 commits.
```

```
(use "git push" to publish your local commits)
```

```
You are currently reverting commit 66c7c54.
```

```
(all conflicts fixed: run "git revert --continue")
```

```
(use "git revert --skip" to skip this patch)
```

```
(use "git revert --abort" to cancel the revert operation)
```

```
Changes to be committed:
```

```
(use "git restore --staged <file>..." to unstage)
```

```
modified: demo-dev.sh
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git revert --continue
```

```
[dev 74f98e7] Revert "Added a wrong commit"
```

```
Committer: Ubuntu <ubuntu@ip-10-0-2-78.eu-west-1.compute.internal>
```

```
Your name and email address were configured automatically based
```

```
on your username and hostname. Please check that they are accurate.
```

```
You can suppress this message by setting them explicitly. Run the  
following command and follow the instructions in your editor to edit  
your configuration file:
```

```
git config --global --edit
```

```
After doing this, you may fix the identity used for this commit with:
```

```
git commit --amend --reset-author
```

```
1 file changed, 1 insertion(+), 2 deletions(-)
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ cat demo-dev.sh
```

```
#!/bin/bash
```

```
echo "This is the demo file in the dev branch"
```

```
This is new Line
```

```
This commit is fine
```

```
This commit is also fine
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git log --oneline
```

```
74f98e7 (HEAD -> dev) Revert "Added a wrong commit"
```

```
17523f3 Added another fine commit
```

```
66c7c54 Added a wrong commit
```

```
50e2d51 Added a fine commit
```

```
69e4e7b (origin/dev) dded dev file
```

```
0785bf7 Added hello file
```

```
531209f Update backup folder
```

```
7975e3b added dev file
```

```
6905779 added shell scripts
```

```
9ae874e added readme.md
```

```
b461eed Added 3-idiots script
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ cat demo-dev.sh
#!/bin/bash

echo "This is the demo file in the dev branch"
This is new Line

This commit is fine

This commit is also fine

ubuntu@ip-10-0-2-78:~/Shell_scripts$ git log --oneline
74f98e7 (HEAD -> dev) Revert "Added a wrong commit"
17523f3 Added another fine commit
66c7c54 Added a wrong commit
50e2d51 Added a fine commit
69e4e7b (origin/dev) dded dev file
0785bf7 Added hello file
531209f Update backup folder
7975e3b added dev file
6905779 added shell scripts
9ae874e added readme.md
b461eed Added 3-idiots script
ubuntu@ip-10-0-2-78:~/Shell_scripts$
```

```
#!/bin/bash

echo "This is the demo file in the dev branch"
This is new Line

This commit is fine

This commit is also fine

This is a bug
```

```
#!/bin/bash

echo "Hello Dosto..."

echo "We are learning DevOps"

echo "We are learning git "

date
whoami
This is a fine
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ vim demo-dev.sh
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git add demo-dev.sh
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git commit -m "Added a bug"
[dev c84555c] Added a bug
Committer: Ubuntu <ubuntu@ip-10-0-2-78.eu-west-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)
ubuntu@ip-10-0-2-78:~/Shell_scripts$ ls
3-idiots.sh      create-user.sh      deployment_20260705_005553.log  for-loop.sh      install-pkg.sh
User_account_management.sh  del-users.sh        deployment_20260705_010218.log  from_dev.txt     readme.md
backup.sh        demo-dev.sh         django-notes-app               function-test.sh  user_with_args.sh
backup1.sh       deployed_django_app.sh  error-handling.sh             hello-dosto.sh
check-user-if-exists.sh  deployment.log       farhanitrate.txt              hello_cht.sh
ubuntu@ip-10-0-2-78:~/Shell_scripts$ vim hello-dosto.sh
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git add hello-dosto.sh
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git commit -m "Added a fine commit to hello file"
[dev cbfa886] Added a fine commit to hello file
Committer: Ubuntu <ubuntu@ip-10-0-2-78.eu-west-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit
```



```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git revert c84555c
[dev 6ee45c6] Revert "Added a bug"
Committer: Ubuntu <ubuntu@ip-10-0-2-78.eu-west-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
```

```
git config --global --edit
```

After doing this, you may fix the identity used for this commit with:

```
git commit --amend --reset-author
```

```
1 file changed, 1 deletion(-)
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git log --oneline
6ee45c6 (HEAD -> dev) Revert "Added a bug"
cbfa886 Added a fine commit to hello file
c84555c Added a bug
74f98e7 Revert "Added a wrong commit"
17523f3 Added another fine commit
66c7c54 Added a wrong commit
50e2d51 Added a fine commit
69e4e7b (origin/dev) dded dev file
0785bf7 Added hello file
531209f Update backup folder
7975e3b added dev file
6905779 added shell scripts
9ae874e added readme.md
b461eed Added 3-idiot script
ubuntu@ip-10-0-2-78:~/Shell_scripts$ |
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ cat demo-dev.sh
#!/bin/bash

echo "This is the demo file in the dev branch"
This is new Line

This commit is fine

This commit is also fine
```

Reset Concept:

Reset soft:

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git reset 66c7c54 --soft
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git status
On branch dev
Your branch is ahead of 'origin/dev' by 2 commits.
  (use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   demo-dev.sh
        modified:   hello-dosto.sh

ubuntu@ip-10-0-2-78:~/Shell_scripts$ git log --oneline
66c7c54 (HEAD -> dev) Added a wrong commit
50e2d51 Added a fine commit
69e4e7b (origin/dev) dded dev file
0785bf7 Added hello file
531209f Update backup folder
7975e3b added dev file
6905779 added shell scripts
9ae874e added readme.md
b461eed Added 3-idiot script
ubuntu@ip-10-0-2-78:~/Shell_scripts$ |
```

Reset Mixed:

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git status
On branch dev
Your branch is ahead of 'origin/dev' by 2 commits.
(use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   demo-dev.sh
        modified:   hello-dosto.sh

ubuntu@ip-10-0-2-78:~/Shell_scripts$ git reset 66c7c54 --mixed
Unstaged changes after reset:
M       demo-dev.sh
M       hello-dosto.sh
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git status
On branch dev
Your branch is ahead of 'origin/dev' by 2 commits.
(use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   demo-dev.sh
        modified:   hello-dosto.sh

no changes added to commit (use "git add" and/or "git commit -a")
ubuntu@ip-10-0-2-78:~/Shell_scripts$ |
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git status
On branch dev
Your branch is ahead of 'origin/dev' by 2 commits.
(use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   demo-dev.sh
        modified:   hello-dosto.sh

no changes added to commit (use "git add" and/or "git commit -a")
ubuntu@ip-10-0-2-78:~/Shell_scripts$
```

Reset Hard:

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git reset 66c7c54 --hard
```

Git Stash:

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git checkout master
error: Your local changes to the following files would be overwritten by checkout:
    hello-dosto.sh
Please commit your changes or stash them before you switch branches.
Aborting
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git stash
Saved working directory and index state WIP on dev: 79949b1 updated
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git branch
  dev
* master
```

Git stash pop:

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git stash pop
On branch dev
Your branch is up to date with 'origin/dev'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello-dosto.sh

no changes added to commit (use "git add" and/or "git commit -a")
Dropped refs/stash@{0} (3378282181632eaec208c99e7bf3ba1f46ac010a)
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git status
On branch dev
Your branch is up to date with 'origin/dev'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello-dosto.sh

no changes added to commit (use "git add" and/or "git commit -a")
```

Cherry-pick Concept:

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git cherry-pick c814691
[master db0cf7d] added demo master
Date: Thu Jul 16 10:27:49 2026 +0000
Committer: Ubuntu <ubuntu@ip-10-0-2-78.eu-west-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)
create mode 100644 demo-master.txt
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git log --oneline
db0cf7d (HEAD -> master) added demo master
9180bb6 (origin/master, origin/HEAD) small change
d397eb5 updated now
95cac7b updated files
66c7c54 Added a wrong commit
50e2d51 Added a fine commit
69e4e7b dded dev file
fb25afa Updated hello file
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git merge dev
Auto-merging hello-dosto.sh
CONFLICT (content): Merge conflict in hello-dosto.sh
Automatic merge failed; fix conflicts and then commit the result.
ubuntu@ip-10-0-2-78:~/Shell_scripts$
```

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git fetch origin master
From github.com:hamza-devops01/Shell_scripts
* branch          master      -> FETCH_HEAD
```

Git Rebase:

```
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git rebase dev
fatal: It seems that there is already a rebase-merge directory, and
I wonder if you are in the middle of another rebase.  If that is the
case, please try
    git rebase (--continue | --abort | --skip)
If that is not the case, please
    rm -fr ".git/rebase-merge"
and run me again.  I am stopping in case you still have something
valuable there.
```

```

ubuntu@ip-10-0-2-78:~/Shell_scripts$ git rebase --continue
Auto-merging demo-dev.sh
CONFLICT (content): Merge conflict in demo-dev.sh
error: could not apply bc9a05e... commit
hint: Resolve all conflicts manually, mark them as resolved with
hint: "git add/rm <conflicted_files>", then run "git rebase --continue".
hint: You can instead skip this commit: run "git rebase --skip".
hint: To abort and get back to the state before "git rebase", run "git rebase --abort".
hint: Disable this message with "git config set advice.mergeConflict false"
Could not apply bc9a05e... # commit
ubuntu@ip-10-0-2-78:~/Shell_scripts$ vim demo-dev.sh
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git add demo-dev.sh
ubuntu@ip-10-0-2-78:~/Shell_scripts$ git status
On branch master
Your branch is up to date with 'origin/master'.

Last commands done (7 commands done):
  pick ed2d2f9 # commit
  pick bc9a05e # commit
  (see more in file .git/rebase-merge/done)
No commands remaining.
You are currently rebasing branch 'master' on 'e751d65'.
  (all conflicts fixed: run "git rebase --continue")

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified:   demo-dev.sh

```

```

ubuntu@ip-10-0-2-78:~/Shell_scripts$ git rebase --continue
[master a1d5444] commit
Committer: Ubuntu <ubuntu@ip-10-0-2-78.eu-west-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 4 deletions(-)
error: update_ref failed for ref 'refs/heads/master': cannot lock ref 'refs/heads/master': is at a1d5444066a1aa2e07a75dcd073cce890f64 but expected 2a0781754ce2d3ce7d74fdc5216cc5621a5b6eaf
error: could not update refs/heads/master

```

```

ubuntu@ip-10-0-2-78:~/Shell_scripts$ git log --oneline
a1d5444 (HEAD -> master) commit
256fad3 (origin/master, origin/HEAD) Updated code with some-detail
2a07817 Updated commit
e751d65 (origin/dev, dev) added hello-dosto
2c46459 Merge branch 'dev'
bc9a05e commit
ed2d2f9 commit
db0cf7d added demo master
c814691 added demo master
79949b1 updated
9180bb6 small change
d397eb5 updated now
95cac7b updated files
66c7c54 Added a wrong commit
50e2d51 Added a fine commit
69e4e7b dded dev file
fb25afa Updated hello file
6dd0042 Merge pull request #4 from hamza-devops01/dev
0785bf7 Added hello file
588212b Merge pull request #1 from hamza-devops01/dev
531209f Update backup folder
d80ff3c Added local repo
425fab7 Add from-remote.txt with initial content
7975e3b added dev file
6905779 added shell scripts
9ae874e added readme.md
b461eed Added 3-idiot script
ubuntu@ip-10-0-2-78:~/Shell_scripts$ |

```