/*DEVELOPER TABLE*/

INSERT INTO DEVELOPER(DEV_ID,D_NAME,D_EMAIL,D_CONTACT_INFO ,D_ADDRESS,D_COUNTRY,GENDER,DOB)

VALUES('DEV0001','RAJ PATEL','rajpatel@gmail.com','9265999123','7741 Bellevue Drive Auburndale, FL 33823','INDIA','M','1999-12-20');

INSERT INTO DEVELOPER(DEV_ID,D_NAME,D_EMAIL,D_CONTACT_INFO ,D_ADDRESS,D_COUNTRY,GENDER,DOB)

VALUES('DEV0002','KARAN PATEL','karan@gmail.com','9265999234','356 S. Lookout St. Kissimmee, FL 34741','INDIA','M','1999-12-05');

INSERT INTO DEVELOPER(DEV_ID,D_NAME,D_EMAIL,D_CONTACT_INFO ,D_ADDRESS,D_COUNTRY,GENDER,DOB)

VALUES('DEV0003','KIRAN RUPADJA','kiran@gmail.com','9265999345','8399 Bradford Drive Hartselle, AL 35640','USA','F','1999-12-28');

INSERT INTO DEVELOPER(DEV_ID,D_NAME,D_EMAIL,D_CONTACT_INFO ,D_ADDRESS,D_COUNTRY,GENDER,DOB)

VALUES('DEV0004','TIRTH PAGEDAR','tirth@gmail.com','9265999456','77 Spring Street Rockaway, NJ 07866','USA','M','1999-02-07');

INSERT INTO DEVELOPER(DEV_ID,D_NAME,D_EMAIL,D_CONTACT_INFO ,D_ADDRESS,D_COUNTRY,GENDER,DOB)

VALUES('DEV0005','NANDINI MISTRY','nandini@gmail.com','9265999567','9 South Poor House Road Lutherville Timonium, MD 21093','INDIA','F','1999-07-23');

/*COMPANY TABLE*/

INSERT INTO
COMPANY(COM_ID,C_NAME,C_EMAIL,C_CONTACT_INFO,C_ADDRESS,C_COUNTRY,COMPANY_TYPE,COMPANY_SIZE
)

VALUES('COM0001','TATA INDUSTRIES','tata_info@gmail.com',9898123321,'95 Primrose Street Salt Lake City, UT 84119','INDIA','IT','GRADE A');

INSERT INTO
COMPANY(COM_ID,C_NAME,C_EMAIL,C_CONTACT_INFO,C_ADDRESS,C_COUNTRY,COMPANY_TYPE,COMPANY_SIZE
)

VALUES('COM0002','BIRLA INDUSTRIES','birla_info@gmail.com',9898123721,'472 Gulf Street Bridgeton, NJ 08302','INDIA','NON-IT','GRADE B');

```sql
INSERT INTO
COMPANY(COM_ID,C_NAME,C_EMAIL,C_CONTACT_INFO,C_ADDRESS,C_COUNTRY,COMPANY_TYPE,COMPANY_SIZE
)
VALUES('COM0003','AMAZON','amazon_info@gmail.com',9898123821,'8006 Court Dr. Midlothian, VA
23112','USA','IT','GRADE A');


INSERT INTO
COMPANY(COM_ID,C_NAME,C_EMAIL,C_CONTACT_INFO,C_ADDRESS,C_COUNTRY,COMPANY_TYPE,COMPANY_SIZE
)
VALUES('COM0004','MICROSOFT','microsoft_info@gmail.com',9898123921,'339 Windsor Drive Eastlake, OH
44095','USA','IT','GRADE A');


INSERT INTO
COMPANY(COM_ID,C_NAME,C_EMAIL,C_CONTACT_INFO,C_ADDRESS,C_COUNTRY,COMPANY_TYPE,COMPANY_SIZE
)
VALUES('COM0005','GOOGLE','googlejobs_info@gmail.com',9898123301,'7879 Glenlake Street Taunton, MA
02780','USA','IT','GRADE A');
```

-- //ADMIN TABLE

```sql
INSERT INTO ADMIN(ADM_ID,A_NAME,GENDER,A_EMAIL,A_CONTACT_INFO)
VALUES('ADM0001','PRUTHVIN JHAVERI','M','pruthvin@gmail.com','8989123321');


INSERT INTO ADMIN(ADM_ID,A_NAME,GENDER,A_EMAIL,A_CONTACT_INFO)
VALUES('ADM0002','HIMANSHU JOSHI','M','himanshu@gmail.com','8989123123');


INSERT INTO ADMIN(ADM_ID,A_NAME,GENDER,A_EMAIL,A_CONTACT_INFO)
VALUES('ADM0003','HARSH KORADIYA','M','harsh@gmail.com','8989123234');


INSERT INTO ADMIN(ADM_ID,A_NAME,GENDER,A_EMAIL,A_CONTACT_INFO)
VALUES('ADM0004','VISHWA DESAI','F','vishwa@gmail.com','8989123345');


INSERT INTO ADMIN(ADM_ID,A_NAME,GENDER,A_EMAIL,A_CONTACT_INFO)
VALUES('ADM0005','PARTH LAKKAD','M','parth@gmail.com','8989123456');
```

-- //SKILL TABLE

```sql
INSERT INTO SKILL(SKILL_ID,S_NAME,S_DESCRIPTION,IMPROVEMENT)

VALUES('SKI0001','C++','C++ is a middle-level programming language developed by Bjarne Stroustrup starting in 1979','WORK ON Switch statement,Functions,Arrays,Strings,Pointers');


INSERT INTO SKILL(SKILL_ID,S_NAME,S_DESCRIPTION,IMPROVEMENT)

VALUES('SKI0002','C','C programming is a general-purpose, procedural, imperative computer programming language developed in 1972 by Dennis M. Ritchie','File Handling,Functions,Arrays,Strings,Pointers');


INSERT INTO SKILL(SKILL_ID,S_NAME,S_DESCRIPTION,IMPROVEMENT)

VALUES('SKI0003','JAVA','Java is a high-level programming language originally developed by Sun Microsystems and released in 1995','Operators,Functions,Arrays,Multithreading,Inheritance');


INSERT INTO SKILL(SKILL_ID,S_NAME,S_DESCRIPTION,IMPROVEMENT)

VALUES('SKI0004','PYTHON','Python is a general-purpose interpreted, interactive, object-oriented, and high-level programming language.','List,Arrays,Strings,Sets');


INSERT INTO SKILL(SKILL_ID,S_NAME,S_DESCRIPTION,IMPROVEMENT)

VALUES('SKI0005','JAVA SCRIPT','JavaScript (js) is a light-weight object-oriented programming language which is used by several websites for scripting the webpages','Objects,Functions,Arrays,Strings');
```

--//QUESTION TABLE

```sql
INSERT INTO QUESTION(QUE_ID,TITLE,Path,DIFFICULTY_LEVEL,TOTAL_SCORE,SKILL_ID)

VALUES('QUE0001','Hello World! in C','Questions/c/QUE0001.html','BEGINNER',10,'SKI0002');


INSERT INTO QUESTION(QUE_ID,TITLE,Path,DIFFICULTY_LEVEL,TOTAL_SCORE,SKILL_ID)

VALUES('QUE0002','Inherited Code','Questions/cpp/QUE0002.html','MODERATE',30,'SKI0001');


INSERT INTO QUESTION(QUE_ID,TITLE,Path,DIFFICULTY_LEVEL,TOTAL_SCORE,SKILL_ID)

VALUES('QUE0003','Java Regex','Questions/java/QUE0003.html','MODERATE',30,'SKI0003');


INSERT INTO QUESTION(QUE_ID,TITLE,Path,DIFFICULTY_LEVEL,TOTAL_SCORE,SKILL_ID)

VALUES('QUE0004','Maximize It!','Questions/python/QUE0004.html','EXPERT',50,'SKI0004');
```

INSERT INTO QUESTION(QUE_ID,TITLE,Path,DIFFICULTY_LEVEL,TOTAL_SCORE,SKILL_ID)

VALUES('QUE0005','Number Line Jumps','Questions/JS/QUE0005.html','BEGINNER',10,'SKI0005');

-- //ASSIGNMENT TABLE

INSERT INTO ASSIGNMENT(ASSI_ID,A_NAME,A_DESCRIPTION,A_STATUS,SKILL_ID,ADM_ID)

VALUES('AS00001','ARRAY IN C++','Initializing dynamically allocated arrays,Resizing Arrays,Dynamically Deleting Arrays','PUBLISH','SKI0001','ADM0001');

INSERT INTO ASSIGNMENT(ASSI_ID,A_NAME,A_DESCRIPTION,A_STATUS,SKILL_ID,ADM_ID)

VALUES('AS00002','ARRAY IN C','Initializing dynamically allocated arrays,Resizing Arrays,Dynamically Deleting Arrays','UN-PUBLISH','SKI0002','ADM0001');

INSERT INTO ASSIGNMENT(ASSI_ID,A_NAME,A_DESCRIPTION,A_STATUS,SKILL_ID,ADM_ID)

VALUES('AS00003','INHERITANCE IN JAVA','Types of inheritance in JAVA','PUBLISH','SKI0003','ADM0002');

INSERT INTO ASSIGNMENT(ASSI_ID,A_NAME,A_DESCRIPTION,A_STATUS,SKILL_ID,ADM_ID)

VALUES('AS00004','Multithreading in Java',' Extending the Thread class AND Implementing the Runnable Interface','PUBLISH','SKI0003','ADM0004');

INSERT INTO ASSIGNMENT(ASSI_ID,A_NAME,A_DESCRIPTION,A_STATUS,SKILL_ID,ADM_ID)

VALUES('AS00005','SETS IN PYTHON','Adding Elements to a Set,Accessing a Set,Removing elements from the Set','UN-PUBLISH','SKI0004','ADM0005');

-- //CONTEST TABLE

INSERT INTO CONTEST(CON_ID,C_NAME,START_TIME_DATE,END_TIME_DATE,C_STATUS,ADM_ID,COM_ID)

VALUES('CON0001','COMPETETIVE TEST BY TATA','2020-09-15 15:00:00','2020-09-15 18:00:00','PUBLISH',NULL,'COM0001');

INSERT INTO CONTEST(CON_ID,C_NAME,START_TIME_DATE,END_TIME_DATE,C_STATUS,ADM_ID,COM_ID)

VALUES('CON0002','COMPETETIVE TEST BY BIRLA','2020-08-19 15:00:00','2020-08-19 18:00:00','PUBLISH',NULL,'COM0002');

```sql
INSERT INTO CONTEST(CON_ID,C_NAME,START_TIME_DATE,END_TIME_DATE,C_STATUS,ADM_ID,COM_ID)

VALUES('CON0003','COMPETETIVE TEST BY AMAZON','2020-12-28 15:00:00','2020-12-28 18:00:00','UN-PUBLISH',NULL,'COM0003');


INSERT INTO CONTEST(CON_ID,C_NAME,START_TIME_DATE,END_TIME_DATE,C_STATUS,ADM_ID,COM_ID)

VALUES('CON0004','C++/C TEST BY PRUTHVIN','2021-01-15 15:00:00','2021-01-15 18:00:00','UN-PUBLISH','ADM0001',NULL);


INSERT INTO CONTEST(CON_ID,C_NAME,START_TIME_DATE,END_TIME_DATE,C_STATUS,ADM_ID,COM_ID)

VALUES('CON0005','JAVA TEST BY HIMANSHU','2021-01-17 15:00:00','2021-01-17 18:00:00','UN-PUBLISH','ADM0002',NULL);
```

-- //PROFILE TABLE

```sql
INSERT INTO
PROFILE(DEV_ID,BIO,AVTAR,CURRENT_EDUCATION,YEAR_OF_GRADUATION,QUALIFICATION,TOATAL_SCORE)

VALUES('DEV0001','Wake. Play. Code.','IMAGE','MSc IT','2021-03-01','BCA','2565');


INSERT INTO
PROFILE(DEV_ID,BIO,AVTAR,CURRENT_EDUCATION,YEAR_OF_GRADUATION,QUALIFICATION,TOATAL_SCORE)

VALUES('DEV0002','Wake. Play. Code.','IMAGE','BTECH','2022-03-01','10+2','2465');


INSERT INTO
PROFILE(DEV_ID,BIO,AVTAR,CURRENT_EDUCATION,YEAR_OF_GRADUATION,QUALIFICATION,TOATAL_SCORE)

VALUES('DEV0003','Wake. Play. Code.','IMAGE','MSc IT','2021-03-01','BCA','1565');


INSERT INTO
PROFILE(DEV_ID,BIO,AVTAR,CURRENT_EDUCATION,YEAR_OF_GRADUATION,QUALIFICATION,TOATAL_SCORE)

VALUES('DEV0004','Wake. Play. Code.','IMAGE','MTECT','2023-03-01','BTECH','2865');


INSERT INTO
PROFILE(DEV_ID,BIO,AVTAR,CURRENT_EDUCATION,YEAR_OF_GRADUATION,QUALIFICATION,TOATAL_SCORE)

VALUES('DEV0005','Wake. Play. Code.','IMAGE','MSc IT','2022-03-01','BCA','1765');
```

-- //CERTIFICATE TABLE

INSERT INTO CERTIFICATE(TITLE,RANK,DEV_ID,CON_ID)

VALUES('COMPETETIVE TEST BY TATA','1','DEV0001','CON0001');

INSERT INTO CERTIFICATE(TITLE,RANK,DEV_ID,CON_ID)

VALUES('COMPETETIVE TEST BY TATA','2','DEV0003','CON0001');

INSERT INTO CERTIFICATE(TITLE,RANK,DEV_ID,CON_ID)

VALUES('COMPETETIVE TEST BY TATA','3','DEV0004','CON0001');

INSERT INTO CERTIFICATE(TITLE,RANK,DEV_ID,CON_ID)

VALUES('COMPETETIVE TEST BY BIRLA','1','DEV0002','CON0002');

INSERT INTO CERTIFICATE(TITLE,RANK,DEV_ID,CON_ID)

VALUES('COMPETETIVE TEST BY BIRLA','2','DEV0005','CON0002');

-- //JOB INFROMATION TABLE

INSERT INTO JOB_INFORMATION(SALARY,JOB_ITLE,ABOUT,ELIGIBILITY,TOATAL_INTAKE,CON_ID)

VALUES('1200000','Software Developer','Skilled in Programming language and decent Communication Skills,','MScIT,Btech,Mtech','10','CON0001');

INSERT INTO JOB_INFORMATION(SALARY,JOB_ITLE,ABOUT,ELIGIBILITY,TOATAL_INTAKE,CON_ID)

VALUES('2200000','Database Manager','Skilled in handling Database and decent Communication Skills,','MScIT,Btech,Mtech','5','CON0002');

INSERT INTO JOB_INFORMATION(SALARY,JOB_ITLE,ABOUT,ELIGIBILITY,TOATAL_INTAKE,CON_ID)

VALUES('800000','Software Developer','Skilled in Programming language and decent Communication Skills,','MScIT,Btech,Mtech','12','CON0003');

-- //HOBBY TABLE

INSERT INTO HOBBY(H_NAME,DEV_ID)

VALUES('Travelling','DEV0001');

INSERT INTO HOBBY(H_NAME,DEV_ID)

VALUES('Dancing','DEV0002');

INSERT INTO HOBBY(H_NAME,DEV_ID)

VALUES('Acting','DEV0002');

INSERT INTO HOBBY(H_NAME,DEV_ID)

VALUES('Acting','DEV0003');

INSERT INTO HOBBY(H_NAME,DEV_ID)

VALUES('Reading','DEV0004');

INSERT INTO HOBBY(H_NAME,DEV_ID)

VALUES('Coding','DEV0004');

INSERT INTO HOBBY(H_NAME,DEV_ID)

VALUES('Games','DEV0004');

INSERT INTO HOBBY(H_NAME,DEV_ID)

VALUES('Traveling','DEV0005');

-- //TEST CASE TABLE

INSERT INTO TESTCASE(INPUT,QUE_ID,OUTPUT)

VALUES('Welcome to C programming.','QUE0001','Hello, World!\nWelcome to C programming.');

INSERT INTO TESTCASE(INPUT,QUE_ID,OUTPUT)

VALUES('TestCAse run','QUE0001','Hello, World!\nTestCAse run');

INSERT INTO TESTCASE(INPUT,QUE_ID,OUTPUT)

VALUES('3\nPeter\nMe\nArxwwz','QUE0002','Valid\nToo short: 2\nInvalid');

```sql
INSERT INTO TESTCASE(INPUT,QUE_ID,OUTPUT)

VALUES('000.12.12.034\n121.234.12.12\n23.45.12.56\n00.12.123.123123.123\n122.23\nHello.IP','QUE0003','true\ntrue\ntrue\nfalse\nfalse\nfalse');


INSERT INTO TESTCASE(INPUT,QUE_ID,OUTPUT)

VALUES('3 1000\n2 5 4\n3 7 8 9 \n5 5 7 8 9 10 ','QUE0004','206');


INSERT INTO TESTCASE(INPUT,QUE_ID,OUTPUT)

VALUES('0 3 4 2','QUE0005','YES');
```

-- //PRACTICE ASSIGNMENT TABLE

```sql
INSERT INTO PRACTICE_ASSIGNMENT(ASSI_ID,DEV_ID)

VALUES('AS00001','DEV0001');


INSERT INTO PRACTICE_ASSIGNMENT(ASSI_ID,DEV_ID)

VALUES('AS00002','DEV0001');


INSERT INTO PRACTICE_ASSIGNMENT(ASSI_ID,DEV_ID)

VALUES('AS00003','DEV0002');


INSERT INTO PRACTICE_ASSIGNMENT(ASSI_ID,DEV_ID)

VALUES('AS00004','DEV0005');


INSERT INTO PRACTICE_ASSIGNMENT(ASSI_ID,DEV_ID)

VALUES('AS00005','DEV0004');
```

-- //CONTAINS TABLE

```sql
INSERT INTO CONTAINS(SKILL_ID,DEV_ID,SCORE)

VALUES('SKI0001','DEV0001','230');


INSERT INTO CONTAINS(SKILL_ID,DEV_ID,SCORE)

VALUES('SKI0002','DEV0001','130');


INSERT INTO CONTAINS(SKILL_ID,DEV_ID,SCORE)

VALUES('SKI0001','DEV0002','270');


INSERT INTO CONTAINS(SKILL_ID,DEV_ID,SCORE)

VALUES('SKI0001','DEV0003','390');


INSERT INTO CONTAINS(SKILL_ID,DEV_ID,SCORE)

VALUES('SKI0004','DEV0004','450');


INSERT INTO CONTAINS(SKILL_ID,DEV_ID,SCORE)

VALUES('SKI0003','DEV0005','630');
```

-- //ATTEND QUE ASSIGNMNET TABLE

```sql
INSERT INTO ATTEND_QUE_ASSIGNMENT(DEV_ID,QUE_ID,ASSI_ID,STATUS)

VALUES('DEV0001','QUE0003','AS00002','SOLVED');


INSERT INTO ATTEND_QUE_ASSIGNMENT(DEV_ID,QUE_ID,ASSI_ID,STATUS)

VALUES('DEV0001','QUE0004','AS00003','SOLVED');


INSERT INTO ATTEND_QUE_ASSIGNMENT(DEV_ID,QUE_ID,ASSI_ID,STATUS)

VALUES('DEV0001','QUE0005','AS00001','UNSOLVED');


INSERT INTO ATTEND_QUE_ASSIGNMENT(DEV_ID,QUE_ID,ASSI_ID,STATUS)

VALUES('DEV0004','QUE0003','AS00002','SOLVED');


INSERT INTO ATTEND_QUE_ASSIGNMENT(DEV_ID,QUE_ID,ASSI_ID,STATUS)

VALUES('DEV0005','QUE0004','AS00003','SOLVED');
```

-- **//QUE ASSIGN TABLE**

INSERT INTO QUE_ASSIGN_ASSIGNMENT(QUE_ID,ASSI_ID)

VALUES('QUE0003','AS00002');

INSERT INTO QUE_ASSIGN_ASSIGNMENT(QUE_ID,ASSI_ID)

VALUES('QUE0004','AS00003');

INSERT INTO QUE_ASSIGN_ASSIGNMENT(QUE_ID,ASSI_ID)

VALUES('QUE0005','AS00001');

INSERT INTO QUE_ASSIGN_ASSIGNMENT(QUE_ID,ASSI_ID)

VALUES('QUE0001','AS00004');

INSERT INTO QUE_ASSIGN_ASSIGNMENT(QUE_ID,ASSI_ID)

VALUES('QUE0002','AS00005');

-- **//ATTEND TESTCASE ASSIGNMENT TABLE**

INSERT INTO ATTEND_TESTCASE_ASSIGNMENT(DEV_ID,QUE_ID,ASSI_ID,INPUT,STATUS)

VALUES('DEV0001','QUE0003','AS00002','000.12.12.034\n121.234.12.12\n23.45.12.56\n00.12.123.123123.123\n122.23\nHello.IP','PASS');

INSERT INTO ATTEND_TESTCASE_ASSIGNMENT(DEV_ID,QUE_ID,ASSI_ID,INPUT,STATUS)

VALUES('DEV0001','QUE0004','AS00003','3 1000\n2 5 4\n3 7 8 9 \n5 5 7 8 9 10 ','PASS');

INSERT INTO ATTEND_TESTCASE_ASSIGNMENT(DEV_ID,QUE_ID,ASSI_ID,INPUT,STATUS)

VALUES('DEV0001','QUE0005','AS00001','0 3 4 2','FAIL');

INSERT INTO ATTEND_TESTCASE_ASSIGNMENT(DEV_ID,QUE_ID,ASSI_ID,INPUT,STATUS)

VALUES('DEV0004','QUE0003','AS00002','000.12.12.034\n121.234.12.12\n23.45.12.56\n00.12.123.123123.123\n122.23\nHello.IP','PASS');

INSERT INTO ATTEND_TESTCASE_ASSIGNMENT(DEV_ID,QUE_ID,ASSI_ID,INPUT,STATUS)

VALUES('DEV0005','QUE0004','AS00003','3 1000\n2 5 4\n3 7 8 9 \n5 5 7 8 9 10 ','PASS');

-- //ATTEND QUE CONTEST

```sql
INSERT INTO ATTEND_QUE_CONTEST(DEV_ID,QUE_ID,CON_ID,STATUS)
VALUES('DEV0001','QUE0005','CON0001','COMPLETE');


INSERT INTO ATTEND_QUE_CONTEST(DEV_ID,QUE_ID,CON_ID,STATUS)
VALUES('DEV0001','QUE0004','CON0001','COMPLETE');


INSERT INTO ATTEND_QUE_CONTEST(DEV_ID,QUE_ID,CON_ID,STATUS)
VALUES('DEV0002','QUE0001','CON0002','COMPLETE');


INSERT INTO ATTEND_QUE_CONTEST(DEV_ID,QUE_ID,CON_ID,STATUS)
VALUES('DEV0002','QUE0002','CON0002','COMPLETE');


INSERT INTO ATTEND_QUE_CONTEST(DEV_ID,QUE_ID,CON_ID,STATUS)
VALUES('DEV0003','QUE0003','CON0003','COMPLETE');
```

-- -- //ATTEND TESTCASE CONTEST

```sql
INSERT INTO ATTEND_TESTCASE_CONTEST(DEV_ID,QUE_ID,CON_ID,INPUT,STATUS)
VALUES('DEV0001','QUE0004','CON0001','3 1000\n2 5 4\n3 7 8 9 \n5 5 7 8 9 10 ','PASS');


INSERT INTO ATTEND_TESTCASE_CONTEST(DEV_ID,QUE_ID,CON_ID,INPUT,STATUS)
VALUES('DEV0002','QUE0001','CON0002','Welcome to C programming.','PASS');


INSERT INTO ATTEND_TESTCASE_CONTEST(DEV_ID,QUE_ID,CON_ID,INPUT,STATUS)
VALUES('DEV0002','QUE0001','CON0002','TestCAse run','PASS');


INSERT INTO ATTEND_TESTCASE_CONTEST(DEV_ID,QUE_ID,CON_ID,INPUT,STATUS)
VALUES('DEV0002','QUE0002','CON0002','3\nPeter\nMe\nArxwwz','PASS');


INSERT INTO ATTEND_TESTCASE_CONTEST(DEV_ID,QUE_ID,CON_ID,INPUT,STATUS)
VALUES('DEV0003','QUE0003','CON0003','000.12.12.034\n121.234.12.12\n23.45.12.56\n00.12.123.123123.123\n12
2.23\nHello.IP','PASS');
```

-- //ASSIGN IN TABLE

INSERT INTO ASSIGN_IN(QUE_ID,CON_ID)

VALUES('QUE0005','CON0001');

INSERT INTO ASSIGN_IN(QUE_ID,CON_ID)

VALUES('QUE0004','CON0001');

INSERT INTO ASSIGN_IN(QUE_ID,CON_ID)

VALUES('QUE0001','CON0002');

INSERT INTO ASSIGN_IN(QUE_ID,CON_ID)

VALUES('QUE0002','CON0002');

INSERT INTO ASSIGN_IN(QUE_ID,CON_ID)

VALUES('QUE0003','CON0003');

-- //PARTICIPATE

INSERT INTO PARTICIPATE(DEV_ID,CON_ID,SCORE,IS_RECRUITED)

VALUES('DEV0001','CON0001','450','F');

INSERT INTO PARTICIPATE(DEV_ID,CON_ID,SCORE,IS_RECRUITED)

VALUES('DEV0002','CON0002','450','T');

INSERT INTO PARTICIPATE(DEV_ID,CON_ID,SCORE,IS_RECRUITED)

VALUES('DEV0003','CON0003','450','T');