



Handling Events and Exceptions

Event	Description	Example
onmouseout	Event occurs when the mouse is moved off an element.	onmouseout="alert['Mouse moved out of the paragraph']"> Move the mouse pointer out of my paragraph to display an alert box.
onmouseover	Event occurs when the mouse is moved over an element.	<pre> Move the mouse pointer over me to display an alert box.</pre>
onmouseup	Event occurs when the mout ton is released.	<pre></pre>
onselect	Event occurs when a text is selected.	Select text: <input have="" onselect="alert(" selected="" the<br="" type="text" value="Select
me!" you=""/> text.")" />
onunload	Event occurs when the user exits the page.	<body is="" onunload="alert(" page="" the="" unloaded")"=""></body>

Event	Description	Example
onmouseout	Event occurs when the mouse is moved off an element.	onmouseout="alert["Mouse moved out of the paragraph"]"> Move the mouse pointer out of my paragraph to display an alert box.
onmouseover	Event occurs when the mouse is moved over an element.	onmouseover="alert[Mouse moved over the paragraph']"> Move the mouse pointer over me to display an alert box
onmouseup	Event occurs when the mouse button is released.	<pre>kimg src="image11 gif" onmouseup="alert(You clicked image11)" /></pre>
onselect	Event occurs when a text is selected	Select text <input]"="" onselect="alert You have selected the
text." type="text" value="Select
me!"/>
onunipad	Event occurs when the user exits the page.	<pre></pre>