

FOUNDATION PLAN

SCALE: 1:100

1

2

24'-0"

F10

F12

8'-6"

12'-0"

AUTOCONST STRUCTURAL

FOUNDATION PLAN

SHEET S-01

REV C

FOOTING SCHEDULE

MARK	SIZE	DEPTH	REINFORCEMENT	CONCRETE
F09	450x450	400	6-T12 E/W	25 MPa
F10	600x600	500	8-T16 E/W	32 MPa
F12	900x900	500	10-T20 E/W	32 MPa

AUTOCONST STRUCTURAL

FOOTING SCHEDULE

SHEET S-02
REV C

OPENING SCHEDULE

MARK	SIZE	TYPE	REMARKS
D-01	0.9x2.1	STEEL	EXTERNAL
D-02	0.9x2.1	TIMBER	INTERNAL

GENERAL NOTES

- 1. ALL CONCRETE TO BE 32 MPa UNLESS NOTED OTHERWISE.
- 2. COVER TO REINFORCEMENT 40mm TO EARTH FACES.
- 3. DO NOT SCALE FROM DRAWINGS.
- 4. FOUNDATIONS DESIGNED FOR BEARING CAPACITY 150 kPa.

AUTOCONST STRUCTURAL

OPENING SCHEDULE & NOTES

SHEET S-03

REV C