Started on	Wednesday, 11 March 2026, 10:05 PM
State	Finished
Completed on	Wednesday, 11 March 2026, 10:07 PM
Time taken	2 mins 46 secs
Grade	**0.00** out of 100.00

Question 1

Not answered

Mark 0.00 out of 10.00

Write a program that displays following sentences:

- Welcome to OOP Course
- Welcome to Java
- Programming is fun

For example:

Result
Welcome to OOP Course Welcome to Java Programming is fun

Answer: (penalty regime: 0 %)

```
1
```

Show/hide question author's solution (Java)

```java
public class Exercise01_01 {
  public static void main(String[] args) {
    System.out.println("Welcome to OOP Course");
    System.out.println("Welcome to Java");
    System.out.println("Programming is fun");
  }
}
```

Question 2

Not answered

Mark 0.00 out of 10.00

Write a program to compute the following expression.

$$3 + 4 \times 2 + 2 \times 3^2$$

For example:

Result
29

Answer: (penalty regime: 0 %)

```
1
```

▼ **Show/hide question author's solution (Java)**

```java
//This programme compute the expression and print the result.
public class ComputeExpression {
    public static void main(String[] args) {
        System.out.println((3+4*2)+2*3*3);
    }
}
```

Question 3

Not answered

Mark 0.00 out of 20.00

Write a program to compute the following expression.

$$\frac{10.5 - 5.6}{0.5}$$

For example:

Result
9.8

Answer: (penalty regime: 0 %)

```
1
```

Show/hide question author's solution (Java)

```java
public class Exercise01_02Extra {
  public static void main(String[] args) {
    System.out.println((10.5 - 5.6) / 0.5);
  }
}
```

Question 4

Not answered

Mark 0.00 out of 20.00

Write a program to form a lookup table to provide the square and the cube of integer numbers.

a	a^2	a^3
1	1	1
2	4	8
3	9	27
4	16	64

For example:

Result		
a	a^2	a^3
1	1	1
2	4	8
3	9	27
4	16	64

Answer: (penalty regime: 0 %)

```
1
```

Show/hide question author's solution (Java)

```java
public class Exercise01_04 {
    public static void main(String[] args) {
        System.out.println("a      a^2    a^3");
        System.out.println("1      1      1");
        System.out.println("2      4      8");
        System.out.println("3      9      27");
        System.out.println("4      16     64");
    }
}
```

Question 5

Not answered

Mark 0.00 out of 20.00

Write a program that solves the following equation and displays the value for x and y:

$$3.4x + 50.2y = 44.5$$
$$2.1x + .55y = 5.9$$

Hint : You can use Cramer's rule to solve the following **2x2** system of linear equation:

$$ax + by = e \qquad cx + dy = f$$
$$x = \frac{ed - bf}{ad - bc} \qquad y = \frac{af - ec}{ad - bc}$$

For example:

Result
x is 2.623901496861419 y is 0.7087397392563978

Answer: (penalty regime: 0 %)

```
1
```

▼ **Show/hide question author's solution (Java)**

```java
public class Exercise01_13 {
  public static void main(String[] args) {
    System.out.println("x is ");
    System.out.println((44.5 * 0.55 - 50.2 * 5.9) /
        (3.4 * 0.55 - 50.2 * 2.1));

    System.out.println("y is ");
    System.out.println((3.4 * 5.9 - 44.5 * 2.1) /
        (3.4 * 0.55 - 50.2 * 2.1));
  }
}

```

Question 6

Not answered

Mark 0.00 out of 20.00

Assume a runner runs 24 miles in **1 hour, 40 minutes, and 35 seconds**. Write a program that displays the average speed in kilometers per hour. (Note that 1 mile is 1.6 kilometers.)

Hint: In Java, if two integers perform division, the result is an integer. The fractional part is truncated. For example, **5/4** is **1** (not **1.25**) and **10/4** is **2** (not **2.5**). To get an accurate result with the fractional part, one of the values involved in the division must be a number with a decimal point. For example, **5.0 / 4** is **1.25** and **10 / 4.0** is **2.5**.

For example:

Result
`Average speed: 22.90637945318973`

Answer: (penalty regime: 0 %)

```
1
```

▼ **Show/hide question author's solution (Java)**

```java
public class Exercise01_12 {
  public static void main(String[] args) {
      System.out.print("Average speed: ");
    System.out.println(24 / (1 + (40 + 35.0 / 60) / 60) * 1.6);
  }
}
```