Started on	Friday, 24 April 2026, 8:18 PM
State	Finished
Completed on	Friday, 24 April 2026, 8:18 PM
Time taken	28 secs
Grade	**15.00** out of 100.00

Question 1

Correct

Mark 15.00 out of 15.00

Review the following code.

For example:

Input	Result
1	ArithmeticException => / by zero

Answer: (penalty regime: 0 %)

Reset answer

```
1  public class Main {
2    public static void main(String[] args) {
3
4      try {
5
6        // code that generate exception
7        int divideByZero = 5 / 0;
8
9      }
10
11     catch (ArithmeticException e) {
12       System.out.println("ArithmeticException => " + e.getMessage());
13     }
14   }
15 }
```

	Input	Expected	Got	
✔	1	ArithmeticException => / by zero	ArithmeticException => / by zero	✔

Passed all tests! ✔

Show/hide question author's solution (Java)

```
1  public class Main {
2    public static void main(String[] args) {
3
4      try {
5
6        // code that generate exception
7        int divideByZero = 5 / 0;
8
9      }
10
11     catch (ArithmeticException e) {
12       System.out.println("ArithmeticException => " + e.getMessage());
13     }
14   }
15 }
```

Correct

Marks for this submission: 15.00/15.00.

Question 2

Incorrect

Mark 0.00 out of 15.00

Consider the following example and apply an "Exception Handling" method to tackle the error.

For example:

Input	Result
1	Something went wrong.

Answer: (penalty regime: 0 %)

Reset answer

```
public class Main {
  public static void main(String[ ] args) {
    int[] myNumbers = {1, 2, 3};
    System.out.println(myNumbers[10]); // error!
  }
}
```

	Input	Expected	Got	
✖	1	Something went wrong.	***Run error*** Exception in thread "main" java.lang.ArrayIndexOutOfBoundsException: Index 10 out of bounds for length 3 at Main.main(Main.java:4)	✖

Your code must pass all tests to earn any marks. Try again.

Show differences

Show/hide question author's solution (Java)

```
public class Main {
  public static void main(String[ ] args) {
    try {
      int[] myNumbers = {1, 2, 3};
      System.out.println(myNumbers[10]);
    } catch (Exception e) {
      System.out.println("Something went wrong.");
    }
  }
}
```

Incorrect

Marks for this submission: 0.00/15.00.

Question 3

Not answered

Mark 0.00 out of 15.00

In Turkey, you must be at least 18 years old to have a driving license.

Write a program that "throws" a new Arithmetic Exception with "Application denied - You must be at least 18 years old." message.

For example:

Result
`Application granted - You are old enough!`

Answer: (penalty regime: 0 %)

```
1
```

▼ **Show/hide question author's solution (Java)**

```java
public class Main {
  static void checkAge(int age) {
    if (age < 18) {
      throw new ArithmeticException("Application denied - You must be at least 18 years old.");
    }
    else {
      System.out.println("Application granted - You are old enough!");
    }
  }

  public static void main(String[] args) {
    checkAge(19); // Set age to 15 (which is below 18...)
  }
}
```

Question 4

Not answered

Mark 0.00 out of 15.00

Write a program that prompts the user to read two integers and displays their sum.

Your program should prompt the user to read the number again if the input is incorrect.

For example:

Input	Result
5 6	Enter two integers: Sum is 11

Answer: (penalty regime: 0 %)

```
1
```

Show/hide question author's solution (Java)

```java
import java.util.Scanner;

public class exHandler {
  public static void main(String[] args) {
    Scanner input = new Scanner(System.in);

    boolean done = false;
    int number1 = 0;
    int number2 = 0;

    // Enter two integers
    System.out.print("Enter two integers: ");

    while (!done) {
      try {
        number1 = input.nextInt();
        number2 = input.nextInt();
        done = true;
      }
      catch (Exception ex) {
        ex.printStackTrace();
        System.out.print("Incorrect input and re-enter two integers: ");
        input.nextLine(); // Discard input
      }
    }

    System.out.println("Sum is " + (number1 + number2));
  }
}

```

Question 5

Not answered

Mark 0.00 out of 10.00

Consider you want to check multiple different Exception types in one program:

- ArithmeticException
- ArrayIndexOutOfBoundsException
- Exception

Answer: (penalty regime: 0 %)

Reset answer

```
public class MultipleCatchBlock2 {

    public static void main(String[] args) {

            try{
                 int a[]=new int[12];

                 System.out.println("a[10] = " + a[10]);
                }
                catch(ArithmeticException e)
                   {
                    System.out.println("Arithmetic Exception occurs");
                   }
                catch(ArrayIndexOutOfBoundsException e)
                   {
                    System.out.println("ArrayIndexOutOfBounds Exception occurs");
                   }
                catch(Exception e)
                   {
                    System.out.println("Parent Exception occurs");
                   }
                System.out.println("rest of the code");
    }
}
```

Show/hide question author's solution (Java)

```
public class MultipleCatchBlock2 {

    public static void main(String[] args) {

            try{
                 int a[]=new int[11];

                 System.out.println("a[10] = " + a[10]);
                }
                catch(ArithmeticException e)
                   {
                    System.out.println("Arithmetic Exception occurs");
                   }
                catch(ArrayIndexOutOfBoundsException e)
                   {
                    System.out.println("ArrayIndexOutOfBounds Exception occurs");
                   }
                catch(Exception e)
                   {
                    System.out.println("Parent Exception occurs");
                   }
                System.out.println("rest of the code");
    }
}
```

Question 6

Not answered

Mark 0.00 out of 10.00

Write a Java program to print the exception information using printStackTrace() method. (division by zero)

Answer: (penalty regime: 0 %)

```
1
```

Show/hide question author's solution (Java)

```java
import java.io.*;

public class GFG {
    public static void main (String[] args) {
      int a=5;
      int b=1;
        try{
          System.out.println(a/b);
        }
      catch(ArithmeticException e){
        e.printStackTrace();
      }
    }
}
```

Question 7

Not answered

Mark 0.00 out of 10.00

Write a Java program to print the exception information using toString() method.

Answer: (penalty regime: 0 %)

```
1
```

Show/hide question author's solution (Java)

```java
import java.io.*;

public class GFG1 {
    public static void main (String[] args) {
      int a=5;
      int b=1;
        try{
          System.out.println(a/b);
        }
      catch(ArithmeticException e){
        System.out.println(e.toString());
      }
    }
}
```

Question 8

Not answered

Mark 0.00 out of 10.00

Write a Java program to print the exception information using getMessage() method.

For example:

Input	Result
1	/ by zero

Answer: (penalty regime: 0 %)

```
1
```

Show/hide question author's solution (Java)

```java
import java.io.*;

public class GFG1 {
    public static void main (String[] args) {
      int a=5;
      int b=0;
        try{
          System.out.println(a/b);
        }
      catch(ArithmeticException e){
        System.out.println(e.getMessage());
      }
    }
}
```