

## **Default settings for Biometric products**

### **ICU Lite**

#### **Running mode:**

- Device API

#### **Settings:**

- Device API:
  - Username: apiuser
  - Password: apipassword
  - SSL:
    - ON (Default)
    - OFF
- Mode of operation:
  - Biggest Face (Default)
  - Kiosk mode
  - OCR Mode
  - Multi face
- Distance:
  - 0.5M
  - 1M
  - 1.5M (Default)
  - 2M
- Spoof Detection:
  - ON (Default)
  - OFF
- Spoof Terminate:
  - ON (Default)
  - OFF
  - Disabled
- Idle indicator:
  - ON (Default)
  - OFF
- AAE (Anonymous Age Estimation):
  - ON (Default)
  - OFF
- Age Threshold = 25 (Default)
- Stream Enable:
  - ON (Default)
  - OFF
- Stream SSL:
  - ON
  - OFF (Default)
- Stream Auth:
  - ON
  - OFF (Default)

- Camera Rotation (Degrees):
  - 0 (Default)
  - 90
  - 180
  - 270

## **MyCheckr**

### **Display Mode:**

- Result Only (Default)
- Video and Result
- Video Only
- Ads Only

### **Settings:**

- Distance:
  - 0.5M
  - 1M
  - 1.5M (Default)
  - 2M
- Idle indicator:
  - ON (Default)
  - OFF
- AAE:
  - ON (Default)
  - OFF
- Age Threshold = 25
- Stream Enable:
  - ON (Default)
  - OFF
- Stream SSL:
  - ON
  - OFF (Default)
- Stream Auth:
  - ON
  - OFF (Default)
- Kiosk view:
  - ON
  - OFF (Default)
- Spoof Detection:
  - ON
  - OFF (Default)
- Spoof Terminate:
  - ON
  - OFF
  - Disabled (Default)

- Spoof indicator LED:
  - ON
  - OFF
  - Disabled (Default)

#### Account:

- Local Device
  - Username: apiuser (Default)
  - Password: apipassword (Default)
- IMS Cloud Subscription

#### MyCheckr Mini

#### Settings:

- Kiosk View
  - On
  - Off (Default)
- Distance:
  - 0.5M
  - 1M
  - 1.5M (Default)
  - 2M
- Idle indicator:
  - ON (Default)
  - OFF
- AAE (Anonymous Age Estimation):
  - ON (Default)
  - OFF
- Age Threshold = 25 (Default)
- Device API:
  - Username: apiuser
  - Password: apipassword
  - SSL:
    - ON (Default)
    - OFF
- Stream Enable:
  - ON (Default)
  - OFF
- Stream SSL:
  - ON
  - OFF (Default)
- Stream Auth:
  - ON
  - OFF (Default)
- Camera Rotation (Degrees):
  - 0 (Default)
  - 90

- 180
- 270
- Spoof Detection:
  - ON
  - OFF (Default)
- Spoof Terminate:
  - ON
  - OFF
  - Disabled (Default)
- Spoof indicator LED:
  - ON
  - OFF
  - Disabled (Default)

Account (API username/pass)

### **ICU Pro**

Running mode:

- Demo Mode

Settings:

- Device API:
  - Username: apiuser
  - Password: apipassword
  - SSL:
    - ON (Default)
    - OFF
- Mode of operation:
  - Biggest Face (Default)
  - Kiosk mode
  - OCR Mode
  - Multi face
- Distance:
  - 0.5M
  - 1M
  - 1.5M (Default)
  - 2M
- Spoof Detection:
  - ON (Default)
  - OFF
- Spoof Terminate:
  - ON (Default)
  - OFF
  - Disabled
- Idle indicator:
  - ON (Default)
  - OFF

- AAE (Anonymous Age Estimation):
  - ON
  - OFF (Default)
- Age Threshold = 25
- Stream Enable:
  - ON (Default)
  - OFF
- Camera Rotation (Degrees):
  - 0 (Default)
  - 90
  - 180
  - 270