
Name:Hamza Irshad

Section: D

Sap: 70070357

Course: DB



```
all_doctors(doc_no, department)

department(d_name, d_location, facilities)

doc_on_call(doc_no, d_name, qualification, fs_pr_cl, pymt_du, address, ph_no)

doc_reg(qualification, salary, en_time, ex_time, address, ph_no, doj, doc_no, d_name)

pat_addmit(pat_no, adv_pymt, mode_pymt, dept_name, admtd_on, cond_on, trmt_sdt, invstgtn_dn, attdnt_nm, room_no)

pat_chkup(pat_no, doc_no, diagonosis, status, treatment)


pat_entry(pat_no, tr_advs, tr_gvn, medicines, pymt_gv, dis_on)


pat_entry(pat_no, pat_name, chkup_dt, pt_Age, sex, diagonosis, rfd, address, city, ph_no, department)

pat_opr(pat_no, date_opr, in_cond, afop_cond, ty_operation, medicines, doc_no, opth_no, other_sug)

pa_reg(pat_no, dat_vis, conditio, treatment, medicines, doc_no, pamyt)
```


room detail(room_no, type, status, rm dl cg, patient name, pat no)



































Doctorform.php(alldoctors,doc_on_call,doc_reg,doc_opr):-

<!DOCTYPE html>

<html>

<head>

k href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOI7+AMvyTG2x"
crossorigin="anonymous">

```
<style type="text/css">
                .add{
        background-color: blue;
        color: white;
        text-decoration: none;
        text-align: center;
        padding: 14px 25px;
        border-radius: 3px;
}
.add:hover{
        color: white;
        background-color: red;
}
        </style>
<script src="https://code.jquery.com/jquery-1.12.4.js"></script>
<script src="https://code.jquery.com/ui/1.12.1/jquery-ui.js"></script>
<script>
 function displayDivDemo(id, elementValue) {
   document.getElementById(id).style.display = elementValue.value == 'DR' ? 'block' :
document.getElementById('call').style.display = 'block';
         document.getElementById(id).style.display = 'none';
 }
</script>
</head>
<body style="background-color: lightblue; ">
        <?php
```

```
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
$dept="select d_name from department";
$query_dep=mysqli_query($con,$dept);
$dep="select d_name from department";
$query_dept=mysqli_query($con,$dep);
?>
       <h1 class="display-1" align="center">Doctor Form</h1>
       <form action="doctorentry.php" method="post">
<label class="h5">Registeration Number</label><br>
<select name="selector" class="form-select" onchange="displayDivDemo('reg', this)" >
<option value="DR">DR</option>
<option value="DC">DC</option></select>
<input type="text" name="doc_no" placeholder="Registeration Number" class="form-control"</pre>
id="exampleFormControlInput1">
<br><br><
<div id="reg" style="display: block;">
<h3>Regular Doctor Only</h3>
<label class="h5">Qualification</label>
<input type="text" name="qualification" class="form-control" id="exampleFormControlInput1">
<label class="h5">Salary</label>
<input type="text" name="salary" class="form-control" id="exampleFormControlInput1">
<label class="h5">Entry Time</label>
<input type="time" name="en_time" class="form-control" id="exampleFormControlInput1">
<label class="h5">Exit Time</label>
<input type="time" name="ex_time" class="form-control" id="exampleFormControlInput1">
```

```
<input type="phone" name="ph_no" class="form-control" id="exampleFormControlInput1">
<label class="h5">Address</label>
<input type="text" name="address" class="form-control" id="exampleFormControlInput1">
<label class="h5">Date of Join</label>
<input type="date" name="doj" class="form-control" id="exampleFormControlInput1">
<label class="h5">Department</label>
<select name="d_name" class="form-select">
       <?php
while ($res= mysqli_fetch_array($query_dep)) {
?>
<option><?php echo $res['d name']; ?></option>
<?php } ?>
</select>
</div><br>
<div id="call" style="display: none;">
<h3>On Call Doctor Only</h3>
<label class="h5">Qualification</label>
<input type="text" name="qualificationcall" class="form-control" id="exampleFormControlInput1">
<label class="h5">Fees Per Call</label>
<input type="text" name="fs_pr_clcall" class="form-control" id="exampleFormControlInput1">
<label class="h5">Payment Due</label>
<input type="text" name="pymt_ducall" class="form-control" id="exampleFormControlInput1">
<label class="h5">Address</label>
<input type="text" name="addresscall" class="form-control" id="exampleFormControlInput1">
<label class="h5">Phone Number</label>
```

```
<input type="phone" name="ph_nocall" class="form-control" id="exampleFormControlInput1">
<label class="h5">Department</label>
<select name="d_namee" class="form-select" >
       <?php
while ($re= mysqli_fetch_array($query_dept)) {
?>
<option><?php echo $re['d_name']; ?></option>
<?php } ?>
</select>
</div>
<input type="submit" name="submit" class="btn btn-primary">
</form>
</body>
</html>
Doctorentry.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
```

```
if($_POST['submit'])
{
       $check=$_POST['selector'];
       if ($check === 'DR') {
               $string="DR";
               $doc_no=$string . "-" . $_POST['doc_no'];
               $d_name=$_POST['d_name'];
               $qualification=$_POST['qualification'];
               $salary=$_POST['salary'];
               $en_time=$_POST['en_time'];
               $ex_time=$_POST['ex_time'];
               $address=$_POST['address'];
               $ph_no=$_POST['ph_no'];
               $doj=$_POST['doj'];
               $all="insert into all_doctors (doc_no,department) values ('$doc_no','$d_name')";
       $all_query=mysqli_query($con,$all);
               $query="Insert into doc_reg
(qualification,salary,en_time,ex_time,address,ph_no,doj,doc_no,d_name)
values('$qualification','$salary','$en_time','$ex_time','$address',$ph_no,'$doj','$doc_no','$d_name')";
               $insert_doc=mysqli_query($con,$query);
```

```
else
       {
               $string="DC";
               $doc_no=$string . "-" . $_POST['doc_no'];
               $d_namee=$_POST['d_namee'];
               $qualification=$_POST['qualificationcall'];
               $address=$_POST['addresscall'];
       $ph_nocl=$_POST['ph_nocall'];
       $fs_pr_cl=$_POST['fs_pr_clcall'];
       $pymt_du=$_POST['pymt_ducall'];
       $all1="insert into all_doctors (doc_no,department) values ('$doc_no','$d_namee')";
       $all_query=mysqli_query($con,$all1);
       $query1="Insert into doc_on_call
(doc_no,d_name,qualification,fs_pr_cl,pymt_du,address,ph_no) values
('$doc_no','$d_namee','$qualification','$fs_pr_cl','$pymt_du','$address',$ph_nocl)";
```

\$insert_doc=mysqli_query(\$con,\$query1);

}

```
}
header("location:showdoctors.php");
       }
?>
Departmententry.php:-
<!DOCTYPE html>
<html>
<head>
       <title></title>
       <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"</pre>
rel="stylesheet" integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOl7+AMvyTG2x"
crossorigin="anonymous">
<style type="text/css">
               .add{
       background-color: blue;
       color: white;
       text-decoration: none;
```

text-align: center;

```
padding: 14px 25px;
        border-radius: 3px;
}
.add:hover{
        color: white;
        background-color: red;
}
        </style>
</head>
<body style="background-color: lightblue; ">
        <?php
        $con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_POST['deptsubmit']))
{
$d_name=$_POST['d_name'];
$d_location=$_POST['d_location'];
$facilities=$_POST['facilities'];
        $query="Insert Into department (d_name,d_location,facilities) values
('$d_name','$d_location','$facilities')";
        $query_dept=mysqli_query($con,$query);
        if ($query_dept) {
header("location:showdepartment.php");
        # code...
}
```

```
}
       ?>
       <h2 class="display-1" align="center">Department Entry</h2>
&nbsp&nbsp<a href="home.php" class="add" style="background-color: green;">Home</a><br><br>
<form action="" method="post">
       <label class="h5"> Department name</label> <input type="text" name="d_name"
class="form-control" id="exampleFormControlInput1">
<label class="h5">Department Location</label> <input type="text" name="d_location" class="form-
control" id="exampleFormControlInput1">
<label class="h5">Facilities</label>
                                     <input type="text" name="facilities" class="form-control"
id="exampleFormControlInput1">
<Br>
&nbsp&nbsp<input type="submit" name="deptsubmit" class="btn btn-primary">
</form>
</body>
</html>
Patiententry.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
$dept="select d_name from department";
$query_dep=mysqli_query($con,$dept);
```

code...

```
?>
<!DOCTYPE html>
<html>
<head>
       <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"</pre>
rel="stylesheet" integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOl7+AMvyTG2x"
crossorigin="anonymous">
<style type="text/css">
.add{
       background-color: blue;
       color: white;
       text-decoration: none;
       text-align: center;
       padding: 14px 25px;
       border-radius: 3px;
}
.add:hover{
       color: white;
       background-color: red;
}
</style>
       <title></title>
</head>
<body style="background-color: lightblue; ">
```

```
<h2 class="display-1" align="center">Patient Entry Form</h2>
<form action="patiententrysubmit.php" method="post">
<label class="h5">Patient Number</label>
<input type="text" name="pat_no" class="form-control" id="exampleFormControlInput1">
<label class="h5"> Patient Name</label>
<input type="text" name="pat_name" class="form-control" id="exampleFormControlInput1">
<label class="h5">Entry Date</label>
<input type="date" name="chkkup_dt" class="form-control" id="exampleFormControlInput1">
<label class="h5">Patient Age</label>
<input type="text" name="pt_age" class="form-control" id="exampleFormControlInput1">
<label class="h5">Sex</label><br>
<SELECT name="sex" class="form-select"><option value="M" >Male</option>
<option value="F">Female</option>
</SELECT>
<label class="h5">Diagonosis</label>
<input type="text" name="diagonosis" class="form-control" id="exampleFormControlInput1">
<label class="h5">Referred </label>
<input type="text" name="rfd" class="form-control" id="exampleFormControlInput1">
<label class="h5">Address</label>
<input type="text" name="address" class="form-control" id="exampleFormControlInput1">
<label class="h5">City</label>
<input type="text" name="city" class="form-control" id="exampleFormControlInput1">
<label class="h5">Phone No.</label>
<input type="phone" name="ph_no" class="form-control" id="exampleFormControlInput1">
<label class="h5">Department</label><br>
<select name="d_name" class="form-select">
       <?php
while ($res= mysqli_fetch_array($query_dep)) {
```

```
?>
<option value="<?php echo $res['d_name']; ?>"><?php echo $res['d_name']; ?></option>
<?php } ?>
</select><br>
<input type="submit" name="submit" class="btn btn-primary">
</form>
</body>
</html>
Patiententrysubmit.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
$pat_no="PT-" . $_POST['pat_no'];
$pat_name=$_POST['pat_name'];
$pt_age=$_POST['pt_age'];
$sex=$_POST['sex'];
$diagonosis=$_POST['diagonosis'];
$rfd=$_POST['rfd'];
$address=$_POST['address'];
$city=$_POST['city'];
$ph_no=$_POST['ph_no'];
$department=$_POST['d_name'];
if (isset($_POST['submit'])) {
```

```
$query="Insert into pat_entry
(pat_no,pat_name,chkup_dt,pt_age,sex,diagonosis,rfd,address,city,ph_no,department) values
('$pat_no','$pat_name','$chkkup_dt','$pt_age','$sex','$diagonosis','$rfd','$address','$city','$ph_no','$de
partment')";
       $queryrun=mysqli_query($con,$query);
}
$dept="select doc_no from all_doctors where department='$department'";
$query_dep=mysqli_query($con,$dept);
$dep11="select d_name from department";
$query dep11=mysqli query($con,$dep11);
$queryr="Select room no,type,status from room detail where status='Y'";
$queryro=mysqli_query($con,$queryr);
?>
<!DOCTYPE html>
<html>
<head>
       k href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOl7+AMvyTG2x"
crossorigin="anonymous">
       <title></title>
       <script>
```

```
function displayDivDemo( elementValue) {
   if (elementValue.value==='Regular') {
       document.getElementById('op').style.display= 'none';
       document.getElementById('adm').style.display= 'none';
       document.getElementById('reg').style.display= 'block';
  }
 if (elementValue.value==='Operation') {
       document.getElementById('reg').style.display= 'none';
       document.getElementById('adm').style.display= 'none';
       document.getElementById('op').style.display= 'block';
   }
   if (elementValue.value==='Admit') {
       document.getElementById('op').style.display= 'none';
       document.getElementById('reg').style.display= 'none';
       document.getElementById('adm').style.display= 'block';
  }
 }
</script>
</head>
<body style="background-color: lightblue; ">
<h2 class="display-1" align="center">Patient Check Up and Treatment</h2>
<form action="patientchecksubmit.php" method="POST">
       <label class="h5">Patient Number</label>
       <input type="text" name="pat no" value="<?php echo $pat no; ?> " readonly class="form-
control" id="exampleFormControlInput1" >
<label class="h5">Doctor Number</label>
<select name="doc no" class="form-select">
       <?php
```

```
while ($ress= mysqli_fetch_array($query_dep)) {
?>
<option><?php echo $ress['doc_no']; ?></option>
<?php } ?>
</select>
<label class="h5">Department</label>
<input type="text" name="dept_name" value="<?php echo $department; ?>" readonly class="form-
control" id="exampleFormControlInput1">
<label class="h5">Patient Name</label>
<input type="text" name="pat_name" value="<?php echo $pat_name; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Status</label>
<select name="status" onchange="displayDivDemo( this)" class="form-select">
       <option value="Regular">Regular
       <option value="Operation">Operation
       <option value="Admit">Admit
</select>
<label class="h5">Treatment</label>
<input type="text" name="treatment" class="form-control" id="exampleFormControlInput1">
<label class="h5">Diagonosis</label>
<input type="text" name="diagonosis" value="<?php echo $diagonosis; ?>" readonly class="form-
control" id="exampleFormControlInput1">
<br>
<div id="reg"><h3>Regular Patient</h3>
<label class="h5">Date Visit</label>
<input type="Date" name="dat vis" class="form-control" id="exampleFormControlInput1">
<label class="h5">Condition</label>
```

```
<input type="text" name="conditio" class="form-control" id="exampleFormControlInput1">
<label class="h5">Medicines</label>
<input type="text" name="medicines" class="form-control" id="exampleFormControlInput1">
<label class="h5">Payment</label>
<input type="text" name="paymt" class="form-control" id="exampleFormControlInput1">
</div>
<div id="op" style="display: none;"><h3>Operation Patients</h3>
<label class="h5">Date Operation</label>
<input type="Date" name="date_opr" class="form-control" id="exampleFormControlInput1">
<label class="h5">In Condition Before Operation</label>
<input type="text" name="in cond" class="form-control" id="exampleFormControlInput1">
<label class="h5">After Operation Cndition</label>
<input type="text" name="afop_cond" class="form-control" id="exampleFormControlInput1">
<label class="h5">Type Of Operation</label>
<input type="text" name="ty_operation" class="form-control" id="exampleFormControlInput1">
<label class="h5">Medicines</label>
<input type="text" name="medicinesop" class="form-control" id="exampleFormControlInput1">
<label class="h5">Operation Theatre Number</label>
<input type="text" name="opth no" class="form-control" id="exampleFormControlInput1">
<label class="h5">Other Surgeons</label>
<input type="text" name="other_sug" class="form-control" id="exampleFormControlInput1">
</div>
<div id="adm" style="display: none;"><h3>Admit Patients</h3>
       <label class="h5">Advance Payment</label>
       <input type="text" name="adv_pymt" class="form-control" id="exampleFormControlInput1">
```

```
<label class="h5">Admitted On</label>
<input type="date" name="admtd_on" class="form-control" id="exampleFormControlInput1">
<label class="h5">Cndition</label>
<input type="text" name="cond_on" class="form-control" id="exampleFormControlInput1">
<label class="h5">Investigating Doctor Numbers</label>
<input type="text" name="invstgtn_dn" class="form-control" id="exampleFormControlInput1">
<label class="h5">Attendent Numbers</label>
<input type="text" name="attdnt_nm" class="form-control" id="exampleFormControlInput1">
<label class="h5">Room Number</label>
<select name="room_no" class="form-select" >
       <?php
while ($resro= mysqli_fetch_array($queryro) ){
?>
<option value="<?php echo $resro['room_no']?>"> <?php echo $resro['room_no']?> </option>
<?php } ?>
</select>
</div><br>
<input type="submit" name="submit" class="btn btn-primary">
</form>
</body>
```

<input type="text" name="mode_pymt" class="form-control" id="exampleFormControlInput1">

<label class="h5">Mode Of Payment</label>

```
</html>
```

```
Pat_checksubmit.php(pat_chkup,paT_entry,pat_opr):-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_POST['submit'])) {
       $status=$_POST['status'];
       $pat_no=$_POST['pat_no'];
       $doc_no=$_POST['doc_no'];
       $dept_name=$_POST['dept_name'];
       $treatment=$_POST['treatment'];
       $diagonosis=$_POST['diagonosis'];
       $pat_name=$_POST['pat_name'];
       if ($status === 'Regular') {
               $dat_vis=$_POST['dat_vis'];
               $conditio=$_POST['conditio'];
               $medicines=$_POST['medicines'];
               $paymt=$_POST['paymt'];
```

```
$queryreg="Insert into pat_reg
(pat_no,dat_vis,conditio,treatment,medicines,doc_no,pamyt)
values('$pat_no','$dat_vis','$conditio','$treatment','$medicines','$doc_no','$paymt')";
               $queryregrun=mysqli_query($con,$queryreg);
               if ($queryregrun) {
                       echo "reg";
                       # code...
               }
               $querymain="insert into pat_chkup (pat_no,doc_no,status,treatment) values
('$pat_no','$doc_no','$status','$treatment')";
               $querymainrun=mysqli_query($con,$querymain);
               if($querymainrun)
               {
                       echo "REG";
               }
       }
       if ($status === 'Operation') {
               $date_opr=$_POST['date_opr'];
               $in_cond=$_POST['in_cond'];
               $afop_cond=$_POST['afop_cond'];
               $ty_operation=$_POST['ty_operation'];
               $medicinesop=$_POST['medicinesop'];
               $opth_no=$_POST['opth_no'];
               $other_sug=$_POST['other_sug'];
               $querymain1="insert into pat_chkup (pat_no,doc_no,status,treatment) values
('$pat_no','$doc_no','$status','$treatment')";
```

```
$querymainrun1=mysqli_query($con,$querymain1);
              if ($querymainrun1) {
                      echo "op1";
                      # code...
              }
              $queryop="insert into
pat_opr(pat_no,date_opr,in_cond,afop_cond,ty_operation,medicines,doc_no,opth_no,other_sug)
values
('$pat_no','$date_opr','$in_cond','$afop_cond','$ty_operation','$medicinesop','$doc_no','$opth_no','$o
ther_sug')";
              $queryoprun=mysqli_query($con,$queryop);
              if ($queryoprun) {
                      echo "op";
                      # code...
              }
       }
       if ($status === 'Admit') {
              $adv_pymt=$_POST['adv_pymt'];
              $mode_pymt=$_POST['mode_pymt'];
              $admtd_on=$_POST['admtd_on'];
              $cond_on=$_POST['cond_on'];
              $invstgtn_dn=$_POST['invstgtn_dn'];
              $attdnt_nm=$_POST['attdnt_nm'];
              $room_no=$_POST['room_no'];
              echo $pat_no;
              echo $adv_pymt;
              echo $mode_pymt;
```

```
echo $dept_name;
              echo $admtd_on;
               echo $cond_on;
              echo $treatment;
              echo $invstgtn_dn;
              echo $attdnt_nm;
               echo $room_no;
                      $querymain2="insert into pat_chkup (pat_no,doc_no,status,treatment) values
('$pat_no','$doc_no','$status','$treatment')";
              $querymainrun2=mysqli_query($con,$querymain2);
if ($querymainrun2) {
       # code...
       echo "adm1";
}
               $queryass="Insert INTO pat_admit
(pat_no,adv_pymt,mode_pymt,dept_name,admtd_on,cond_on,trmt_sdt,invstgtn_dn,attdnt_nm,room_
no) values
('$pat_no','$adv_pymt','$mode_pymt','$dept_name','$admtd_on','$cond_on','$treatment','$invstgtn_d
n','$attdnt_nm',$room_no)";
              $queryassrun=mysqli_query($con,$queryass);
              if ($queryassrun) {
                      echo "main runn";
                      # code...
              }
```

```
$queryadm1="Update room_detail set status='N', patient_name='$pat_name',
pat_no='$pat_no' where room_no=$room_no";
              $queryadm1run=mysqli_query($con,$queryadm1);
              if ($queryadm1run) {
                     echo "adm3";
                     # code...
              }
       }
}
?>
Patientdischarge.php:-
<?php
```

```
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
$query="Select pat_no from pat_admit";
$query1=mysqli_query($con,$query);
?>
<!DOCTYPE html>
<html>
<head>
       k href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOI7+AMvyTG2x"
crossorigin="anonymous">
       <style type="text/css">.add{
       background-color: blue;
       color: white;
       text-decoration: none;
       text-align: center;
       padding: 14px 25px;
       border-radius: 3px;
}</style>
       <title></title>
</head>
<body style="background-color: lightblue; ">
<h3 class="display-1" align="center">Patient Discharge Data</h3>
<a href="home.php" class="add" style="background-color: green;">Home</a><br><br>
<form action="dischargesubmit.php" method="post">
```

```
<label class="h5">Patient Number</label>
<select name="pat_no" class="form-select">
       <?php
while ($res= mysqli_fetch_array($query1)) {
<option><?php echo $res['pat_no'] ;?></option>
<?php } ?>
</select>
<label class="h5"> Treatment Advise</label>
<input type="text" name="tr_advs" class="form-control" id="exampleFormControlInput1">
<label class="h5">Treatment Given</label>
<input type="text" name="tr_gvn" class="form-control" id="exampleFormControlInput1">
<label class="h5">Medicines</label>
<input type="text" name="medicines" class="form-control" id="exampleFormControlInput1">
<label class="h5">Payment Given</label>
<input type="text" name="pymt_gv" class="form-control" id="exampleFormControlInput1">
<label class="h5">Discharge On </label>
<input type="Date" name="dis_on" class="form-control" id="exampleFormControlInput1"><br>
<input type="submit" name="submit" class="btn btn-primary">
</form>
</body>
</html>
Dischargesubmit.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_POST['submit'])) {
```

```
$pat_no=$_POST['pat_no'];
       $tr_advs=$_POST['tr_advs'];
       $tr_gvn=$_POST['tr_gvn'];
       $medicines=$_POST['medicines'];
       $pymt_gv=$_POST['pymt_gv'];
       $dis_on=$_POST['dis_on'];
       $query="insert into pat_dis (pat_no,tr_advs,tr_gvn,medicines,pymt_gv,dis_on)
values('$pat_no','$tr_advs','$tr_gvn','$medicines','$pymt_gv','$dis_on')";
       $queryrun=mysqli_query($con,$query);
       $queryadm="Delete from pat_admit where pat_no='$pat_no'";
       $queryadmrun=mysqli_query($con,$queryadm);
       $queryadm1="Delete from pat_entry where pat_no='$pat_no'";
       $queryadmrun1=mysqli_query($con,$queryadm1);
       $queryroo="update room_detail set status='y', patient_name='Null', pat_no='Null' where
pat_no='$pat_no'";
       $queryroorun=mysqli query($con,$queryroo);
       if ($queryroorun) {
               echo "hello";
               # code...
       }
}
?>
```

```
Roomdetails.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
?>
<!DOCTYPE html>
<html>
<head>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
integrity="sha384-+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOI7+AMvyTG2x"
crossorigin="anonymous">
       <style type="text/css">.add{
       background-color: blue;
       color: white;
       text-decoration: none;
       text-align: center;
       padding: 14px 25px;
       border-radius: 3px;
}</style>
       <title></title>
</head>
<body style="background-color: lightblue; ">
<h2 class="display-1" align="center">Room Details</h2>
```

```
<form action="roomsubmit.php" method="post">
<label class="h5">Room Number</label>
<input type="number" name="room_no" class="form-control" id="exampleFormControlInput1">
<label class="h5">Type Of Room</label>
<select name="type" class="form-select"><option value="G">General</option>
<option value="P">Private</option></select>
<label class="h5">Status</label>
<select name="status" class="form-select">
      <option value="N">Occupied</option>
      <option value="Y" selected="">Available
</select>
<label class="h5">Room Daily Charges</label>
<input type="text" name="rm_dl_cg" class="form-control" id="exampleFormControlInput1">
<br>
<input type="submit" name="submit" class="btn btn-primary">
</form>
</body>
</html>
Roomsubmit.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_POST['submit'])) {
```

```
$room_no=$_POST['room_no'];
       $type=$_POST['type'];
       $status=$_POST['status'];
       $rm_dl_cg=$_POST['rm_dl_cg'];
       $patient_name=$_POST['patient_name'];
       $pat_no=$_POST['pat_no'];
       $query="Insert into room_detail (room_no,type,status,rm_dl_crg,patient_name,pat_no)values
($room_no,'$type','$status',$rm_dl_cg,'$patient_name','$pat_no')";
       $queryrun=mysqli_query($con,$query);
       # code...
}
header("location:showrooms.php");
?>
Doctoredit.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
$dept="select d_name from department";
$query_dep=mysqli_query($con,$dept);
$dep="select d_name from department";
$query_dept=mysqli_query($con,$dep);
```

```
if (isset($_GET['edit'])) {
       $id=$_GET['edit'];
       if (substr($id, 0, 3) === "DR-") {
               $query="Select * from doc_reg where doc_no='$id'";
               $query_edit=mysqli_query($con,$query);
               $editdoc=mysqli_fetch_assoc($query_edit);
               ?>
<!DOCTYPE html>
<html>
<head>
       link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOl7+AMvyTG2x"
crossorigin="anonymous">
       <title></title>
</head>
<body style="background-color: lightblue; ">
       <h2 class="display-1" align="center"> Doctor Edit Form</h2>
       <form action="doctoreditsubmit.php" method="post">
               <label class="h5">Registeration Number</label><input type="text" name="doc no"</pre>
value="<?php echo $editdoc['doc_no']; ?>" readonly class="form-control"
id="exampleFormControlInput1">
               <div id="reg" style="display: block;">
<label class="h5">Qualification</label>
<input type="text" name="qualification" value="<?php echo $editdoc['qualification']; ?>" class="form-
control" id="exampleFormControlInput1">
```

```
<label class="h5">Salary</label>
<input type="text" name="salary" value="<?php echo $editdoc['salary']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Entry Time</label>
<input type="time" name="en_time" value="<?php echo $editdoc['en_time']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Exit Time</label>
<input type="time" name="ex_time" value="<?php echo $editdoc['ex_time']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Phone Number</label>
<input type="phone" name="ph_no" value="<?php echo $editdoc['ph_no']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Address</label>
<input type="text" name="address" value="<?php echo $editdoc['address']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Date of Join</label>
<input type="date" name="doj" value="<?php echo $editdoc['doj']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Department</label>
<select name="d_name" class="form-select">
       <?php
while ($res= mysqli_fetch_array($query_dep)) {
?>
<option><?php echo $res['d_name']; ?></option>
<?php } ?>
</select>
</div>
<input type="submit" name="submit" class="btn btn-primary">
```

```
<?php }
else
{
       $query="Select * from doc_on_call where doc_no='$id'";
               $query_edit=mysqli_query($con,$query);
               $editdoc1=mysqli_fetch_assoc($query_edit);
               ?>
               <form action="doctoreditsubmit.php" method="post">
               <label>Registeration Number</label><input type="text" name="doc_no" value="<?php</pre>
echo $editdoc1['doc_no']; ?>" readonly>
<label class="h5">Qualification</label>
<input type="text" name="qualificationcall" value="<?php echo $editdoc1['qualification']; ?>" >
<label class="h5">Fees Per Call</label>
<input type="text" name="fs_pr_clcall" value="<?php echo $editdoc1['fs_pr_cl']; ?>">
<label class="h5">Payment Due</label>
```

</form>

```
<input type="text" name="pymt_ducall" value="<?php echo $editdoc1['pymt_du']; ?>">
<label class="h5">Address</label>
<input type="text" name="addresscall" value="<?php echo $editdoc1['address']; ?>">
<label class="h5">Phone Number</label>
<input type="phone" name="ph_nocall" value="<?php echo $editdoc1['ph_no']; ?>">
<label class="h5">Department</label>
<select name="d_namee" >
       <?php
while ($re= mysqli_fetch_array($query_dept)) {
?>
<option><?php echo $re['d_name']; ?></option>
<?php } ?>
</select>
</div>
<input type="submit" name="submit">
</body>
</html>
<?php }
}
```

```
?>
Oprpatient.php"-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_POST['submit'])) {
       $pat_no=$_POST['pat_no'];
       $date_opr=$_POST['date_opr'];
       $in_cond=$_POST['in_cond'];
       $afop_cond=$_POST['afop_cond'];
       $ty_operation=$_POST['ty_operation'];
       $medicines=$_POST['medicinesop'];
       $opth_no=$_POST['opth_no'];
       $other_sug=$_POST['other_sug'];
       $doc_no=$_POST['doc_no'];
       $pat_name=$_POST['pat_name'];
$pt_age=$_POST['pt_age'];
$city=$_POST['city'];
$ph_no=$_POST['ph_no'];
$rfd=$_POST['rfd'];
$address=$_POST['address'];
$diagonosis=$_POST['diagonosis'];
$chkupdt=$_POST['chkkup_dt'];
```

```
$qq="update pat_entry set
pat_name='$pat_name',pt_age=$pt_age,city='$city',ph_no='$ph_no',rfd='$rfd',address='$address',chku
p_dt='$chkupdt',diagonosis='$diagonosis' where pat_no='$pat_no' ";
$qp=mysqli_query($con,$qq);
       $q="update pat opr set
date_opr='$date_opr',in_cond='$in_cond',afop_cond='$afop_cond',ty_operation='$ty_operation',medic
ines='$medicines',opth_no='$opth_no',doc_no='$doc_no' where pat_no='$pat_no'";
       $qq=mysqli_query($con,$q);
       $qu="update pat_chkup set doc_no='$doc_no' where status='operation' and
pat_no='$pat_no'";
       $quu=mysqli_query($con,$qu);
       header("location:showpatients.php");
       # code...
}
Patdelete.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_GET['delet'])) {
       $pat_no=$_GET['delet'];
       echo $pat_no;
       $q="delete from pat_entry where pat_no='$pat_no'";
       $qq=mysqli_query($con,$q);
       if ($qq) {
```

```
# code...
       echo "as";
       }
       # code...
}
?>
Patedit.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_GET['edit'])) {
       $pat=$_GET['edit'];
       $queryo="select status from pat_chkup where pat_no='$pat'";
       $queryorun=mysqli_query($con,$queryo);
       $res= mysqli_fetch_array($queryorun);
       $queryr="Select room_no,type,status from room_detail where status='Y'";
$queryro=mysqli_query($con,$queryr);
$dep11="select d_name from department";
$query_dep11=mysqli_query($con,$dep11);
?>
<!DOCTYPE html>
<html>
```

```
<head>
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"</pre>
rel="stylesheet" integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOl7+AMvyTG2x"
crossorigin="anonymous">
       <title></title>
</head>
<body style="background-color: lightblue; ">
<?php
       if ($res['status'] == 'Admit') {
               $q="Select * from pat admit where pat no='$pat'";
               $qu=mysqli_query($con,$q);
               $ress= mysqli_fetch_array($qu);
               $doc="select department from pat_entry where pat_no='$pat'";
               $qdp=mysqli_query($con,$doc);
               $dc= mysqli_fetch_array($qdp);
               $doctor=$dc['department'];
               $doccom="Select doc_no from all_doctors where department='$doctor'";
```

```
$doctorcome=mysqli_query($con,$doccom);
               $e=mysqli_fetch_array($doctorcome);
               ?>
<h3 class="display-1" align="center">Admit Patients</h3>
       <form action="admitpatient.php" method="post">
               <label class="h5">Patient Number</label><input type="text" name="pat no"</pre>
value="<?php echo $ress['pat_no'] ?>"; readonly class="form-control" id="exampleFormControlInput1">
               <label class="h5">Doctor Number</label>
               <select name="doc_no" class="form-select">
       <?php
       $id=$ress['pat_no'];
$sqlq="Select * from pat_entry where pat_no='$pat'";
$sqlqrun=mysqli_query($con,$sqlq);
$sqll= mysqli_fetch_array($sqlqrun);
while ($resss= mysqli_fetch_array($doctorcome)) {
?>
<option><?php echo $resss['doc_no']; ?></option>
<?php } ?>
</select>
<label class="h5">Patient Name</label>
```

```
<input type="text" name="pat_name" value="<?php echo $sqll['pat_name']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Patient Age</label>
<input type="text" name="pt age" value="<?php echo $sqll['pt age']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Sex</label>
<SELECT name="sex" class="form-select"><option value="M">Male</option>
<option value="F">Female</option>
</SELECT>
<label class="h5">Entry Date</label>
<input type="date" name="chkkup dt" value="<?php echo $sqll['chkup dt']; ?>" class="form-control"
id="exampleFormControlInput1" ">
<label class="h5">Diagonosis</label>
<input type="text" name="diagonosis" value="<?php echo $sqll['diagonosis']; ?>" class="form-control"
id="exampleFormControlInput1" >
<label class="h5">City</label>
<input type="text" name="city" value="<?php echo $sqll['city']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Phone No.</label>
<input type="phone" name="ph no" value="<?php echo $sqll['ph no']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Referred </label>
<input type="text" name="rfd" value="<?php echo $sqll['rfd']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Address</label>
<input type="text" name="address" value="<?php echo $sqll['address']; ?>" class="form-control"
id="exampleFormControlInput1">
```

```
<input type="text" name="adv_pymt" value="<?php echo $ress['adv_pymt'] ?>;" class="form-
control" id="exampleFormControlInput1">
       <label class="h5">Mode Of Payment</label>
       <input type="text" name="mode pymt" value="<?php echo $ress['mode pymt'] ?>;"
class="form-control" id="exampleFormControlInput1">
<label class="h5" >Admitted On</label>
<input type="date" name="admtd on" value="<?php echo $ress['admtd on'] ?>;" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Cndition</label>
<input type="text" name="cond_on" value="<?php echo $ress['cond_on'] ?>;" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Investigating Doctor Numbers</label>
<input type="text" name="invstgtn_dn" value="<?php echo $ress['invstgtn_dn'] ?>;" class="form-
control" id="exampleFormControlInput1">
<label class="h5">Attendent Numbers</label>
<input type="text" name="attdnt_nm" value="<?php echo $ress['attdnt_nm'] ?>;" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Room Number</label>
<select name="room_no" class="form-select">
       <?php
while ($resro= mysqli_fetch_array($queryro) ){
?>
<option value="<?php echo $resro['room_no']?>"> <?php echo $resro['room_no']?> </option>
<?php } ?>
</select>
```

```
</div><br>
<input type="submit" name="submit" class="btn btn-primary">
</form>
<?php
               # code...
       }
        else if ($res['status'] == 'Regular') {
               $q="Select * from pat_reg where pat_no='$pat'";
               $qu=mysqli_query($con,$q);
               $ress= mysqli_fetch_array($qu);
               $i=$ress['pat_no'];
               $doc="select department from pat_entry where pat_no='$i'";
               $qdp=mysqli_query($con,$doc);
               $dc= mysqli_fetch_array($qdp);
               $doctor=$dc['department'];
               $doccom="Select doc_no from all_doctors where department='$doctor'";
               $doctorcome=mysqli_query($con,$doccom);
```

```
?>
               <h3 class="display-1" align="center"> Regular Patient</h3>
               <form action="regpatient.php" method="post">
                       <label class="h5">Patient Number</label><input type="text" name="pat_no"</pre>
value="<?php echo $ress['pat_no'] ?>"; readonly class="form-control" id="exampleFormControlInput1">
               <label class="h5">Doctor</label>
               <select name="doc_no" class="form-select">
       <?php
       $id=$ress['pat_no'];
$sqlq="Select * from pat_entry where pat_no='$id'";
$sqlqrun=mysqli_query($con,$sqlq);
$sqll= mysqli_fetch_array($sqlqrun);
while ($resss= mysqli_fetch_array($doctorcome)) {
?>
<option><?php echo $resss['doc_no']; ?></option>
<?php } ?>
</select>
<label class="h5">Patient Name</label>
<input type="text" name="pat_name" value="<?php echo $sqll['pat_name']; ?>" class="form-control"
id="exampleFormControlInput1">
```

```
<label class="h5">Patient Age</label>
<input type="text" name="pt_age" value="<?php echo $sqll['pt_age']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Sex</label>
<SELECT name="sex" class="form-select"><option value="M">Male</option>
<option value="F">Female</option>
</SELECT>
<label class="h5">Entry Date</label>
<input type="date" name="chkkup_dt" value="<?php echo $sqll['chkup_dt']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Diagonosis</label>
<input type="text" name="diagonosis" value="<?php echo $sqll['diagonosis']; ?>" class="form-control"
id="exampleFormControlInput1" >
<label class="h5">City</label>
<input type="text" name="city" value="<?php echo $sqll['city']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Phone No.</label>
<input type="phone" name="ph_no" value="<?php echo $sqll['ph_no']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Referred </label>
<input type="text" name="rfd" value="<?php echo $sqll['rfd']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Address</label>
<input type="text" name="address" value="<?php echo $sqll['address']; ?>" class="form-control"
id="exampleFormControlInput1">
               <label>Date Visit</label>
<input type="Date" name="dat_vis" value="<?php echo $ress['dat_vis']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Condition</label>
<input type="text" name="conditio" value="<?php echo $ress['conditio']; ?>" class="form-control"
id="exampleFormControlInput1">
```

```
<label class="h5">Medicines</label>
<input type="text" name="medicines" value="<?php echo $ress['medicines']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Payment</label>
<input type="text" name="paymt" value="<?php echo $ress['pamyt']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Treatment</label>
<input type="text" name="treatment" value="<?php echo $ress['treatment']; ?>" class="form-control"
id="exampleFormControlInput1"><br>
<input type="submit" name="submit" class="btn btn-primary">
               </form>
       <?php # code...
       }
       else if ($res['status'] == 'Operation') {
$q="Select * from pat_opr where pat_no='$pat'";
               $qu=mysqli_query($con,$q);
               $ress= mysqli_fetch_array($qu);
               $i=$ress['pat_no'];
               $doc="select department from pat entry where pat no='$i'";
               $qdp=mysqli_query($con,$doc);
               $dc= mysqli_fetch_array($qdp);
```

```
$doccom="Select doc_no from all_doctors where department='$doctor'";
               $doctorcome=mysqli_query($con,$doccom);
               $q="Select * from pat_opr where pat_no='$pat'";
               $qu=mysqli_query($con,$q);
               $ress= mysqli_fetch_array($qu);
               $dv=$ress['doc_no'];
               ?>
               <h3 class="display-1" align="center">Operation Patients</h3>
               <form action="oprpatient.php" method="post">
                      <label class="h5">Patient Number</label><input type="text" name="pat_no"
value="<?php echo $ress['pat_no'] ?>"; readonly class="form-control" id="exampleFormControlInput1">
                      <label class="h5">Doctor Number</label>
                      <select name="doc_no" class="form-select">
       <?php
$id=$ress['pat_no'];
$sqlq="Select * from pat_entry where pat_no='$id'";
$sqlqrun=mysqli_query($con,$sqlq);
$sqll= mysqli_fetch_array($sqlqrun);
while ($resss= mysqli_fetch_array($doctorcome)) {
?>
<option><?php echo $resss['doc_no']; ?></option>
```

\$doctor=\$dc['department'];

```
<?php } ?>
</select>
<label class="h5">Patient Name</label>
<input type="text" name="pat_name" value="<?php echo $sqll['pat_name']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Patient Age</label>
<input type="text" name="pt_age" value="<?php echo $sqll['pt_age']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Sex</label>
<SELECT name="sex" class="form-select"><option value="M">Male</option>
<option value="F">Female</option>
</SELECT>
<label class="h5">Entry Date</label>
<input type="date" name="chkkup_dt" class="form-control" id="exampleFormControlInput1"
value="<?php echo $sqll['chkup_dt']; ?>">
<label class="h5">Diagonosis</label>
<input type="text" name="diagonosis" value="<?php echo $sqll['diagonosis']; ?>" class="form-control"
id="exampleFormControlInput1" >
<label class="h5">City</label>
<input type="text" name="city" value="<?php echo $sqll['city']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Phone No.</label>
<input type="phone" name="ph_no" value="<?php echo $sqll['ph_no']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Referred </label>
<input type="text" name="rfd" value="<?php echo $sqll['rfd']; ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Address</label>
```

```
id="exampleFormControlInput1">
<input type="Date" name="date_opr" value="<?php echo $ress['date_opr'] ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">In Condition Before Operation</label>
<input type="text" name="in_cond" value="<?php echo $ress['in_cond'] ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">After Operation Cndition</label>
<input type="text" name="afop_cond" value="<?php echo $ress['afop_cond'] ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Type Of Operation</label>
<input type="text" name="ty_operation" value="<?php echo $ress['ty_operation'] ?>" class="form-
control" id="exampleFormControlInput1">
<label class="h5">Medicines</label>
<input type="text" name="medicinesop" value="<?php echo $ress['medicines'] ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Operation Theatre Number</label>
<input type="text" name="opth no" value="<?php echo $ress['opth no'] ?>" class="form-control"
id="exampleFormControlInput1">
<label class="h5">Other Surgeons</label>
<input type="text" name="other_sug" value="<?php echo $ress['other_sug'] ?>" class="form-control"
id="exampleFormControlInput1"><br>
<input type="submit" name="submit" class="btn btn-primary"></form>
       <?php # code...
       }
```

<input type="text" name="address" value="<?php echo \$sqll['address']; ?>" class="form-control"

```
}
?>
</body>
</html>
Patientdis.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
$query="Select pat_no from pat_admit";
$query1=mysqli_query($con,$query);
?>
<!DOCTYPE html>
<html>
<head>
       <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"</pre>
rel="stylesheet" integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOI7+AMvyTG2x"
crossorigin="anonymous">
       <style type="text/css">.add{
       background-color: blue;
       color: white;
       text-decoration: none;
       text-align: center;
```

```
padding: 14px 25px;
       border-radius: 3px;
}</style>
       <title></title>
</head>
<body style="background-color: lightblue; ">
<h3 class="display-1" align="center">Patient Discharge Data</h3>
<form action="dischargesubmit.php" method="post">
<label class="h5">Patient Number</label>
<select name="pat_no" class="form-select">
       <?php
while ($res= mysqli_fetch_array($query1)) {
?>
<option><?php echo $res['pat_no'] ;?></option>
<?php } ?>
</select>
<label class="h5"> Treatment Advise</label>
<input type="text" name="tr_advs" class="form-control" id="exampleFormControlInput1">
<label class="h5">Treatment Given</label>
<input type="text" name="tr gvn" class="form-control" id="exampleFormControlInput1">
<label class="h5">Medicines</label>
<input type="text" name="medicines" class="form-control" id="exampleFormControlInput1">
<label class="h5">Payment Given</label>
<input type="text" name="pymt_gv" class="form-control" id="exampleFormControlInput1">
<label class="h5">Discharge On </label>
<input type="Date" name="dis_on" class="form-control" id="exampleFormControlInput1"><br>
<input type="submit" name="submit" class="btn btn-primary">
```

```
</form>
</body>
</html>
Regpatient.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_POST['submit']) )
{
$pat_no=$_POST['pat_no'];
$doc_no=$_POST['doc_no'];
$dat_vis=$_POST['dat_vis'];
$conditio=$_POST['conditio'];
$medicines=$_POST['medicines'];
$paymt=$_POST['paymt'];
$treatment=$_POST['treatment'];
$pat_name=$_POST['pat_name'];
$pt_age=$_POST['pt_age'];
$city=$_POST['city'];
$ph_no=$_POST['ph_no'];
$rfd=$_POST['rfd'];
$address=$_POST['address'];
$diagonosis=$_POST['diagonosis'];
$chkupdt=$_POST['chkkup_dt'];
```

```
$qq="update pat_entry set
pat_name='$pat_name',pt_age=$pt_age,city='$city',ph_no='$ph_no',rfd='$rfd',address='$address',chku
p_dt='$chkupdt',diagonosis='$diagonosis' where pat_no='$pat_no' ";
$qp=mysqli_query($con,$qq);
$q="update pat_reg set dat_vis= '$dat_vis',
conditio='$conditio',treatment='$treatment',medicines='$medicines',pamyt='$paymt',doc_no='$doc_no
'where pat_no='$pat_no' and treatment='$treatment'";
$qu=mysqli_query($con,$q);
$qu="update pat_chkup set doc_no='$doc_no' where status='regular' and pat_no='$pat_no'";
       $quu=mysqli_query($con,$qu);
       # code...
}
?>
Roomdelete.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_GET['delet'])) {
```

```
$room_no=$_GET['delet'];
$query="Delete from pat_admit where room_no='$room_no' ";
       $queryrun=mysqli_query($con,$query);
       $query1="Delete from room_detail where room_detail.room_no='$room_no'";
       $query1run=mysqli_query($con,$query1);
       # code...
}
header("location:showrooms.php");
?>
Roomeditsubmit.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_POST['submit'])) {
       $room_no=$_POST['room_no'];
       $type=$_POST['type'];
       $status=$_POST['status'];
       $rm_dl_cg=$_POST['rm_dl_cg'];
```

```
$query="Update room_detail set type='$type',status='$status',rm_dl_crg='$rm_dl_cg' where
room_no=$room_no";
       $queryrun=mysqli_query($con,$query);
       header("location:showrooms.php");
       # code...
}
Showdepartment.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
$query="Select * from department";
$query_dept=mysqli_query($con,$query)
?>
<!DOCTYPE html>
<html>
<head>
       <style type="text/css">
               #customers {
font-family: Arial, Helvetica, sans-serif;
 border-collapse: collapse;
width: 100%;
}
```

```
#customers td, #customers th {
border: 1px solid #ddd;
padding: 8px;
}
#customers tr:nth-child(even){background-color: #f2f2f2;}
#customers tr:hover {background-color: #ddd;}
#customers th {
padding-top: 12px;
 padding-bottom: 12px;
text-align: left;
background-color: #4CAF50;
color: white;
}
input{
       width: 50%;
       height: 30px;
       border-radius: 3px;
}
.idd{
       background-color:
                               #C8C8C8;
}
#us,#fn,#do{
       background-color:
                               #F0E68C;
}
.edit{
       background-color: orange;
```

```
color: white;
       text-decoration: none;
       text-align: center;
       padding: 7px 15px;
       border-radius: 3px;
}
.add{}
       background-color: blue;
       color: white;
       text-decoration: none;
       text-align: center;
       padding: 14px 25px;
       border-radius: 3px;
}
       </style>
</head>
<body style="background-color: lightblue; ">
       <h3>Department Records </h3>
       <a href="departmententry.php" class="add">Add Department</a>
       <a href="home.php" class="add" style="background-color: green;">Home</a>
Department Name
       Location
       Facilities
```

```
Delete
<?php
while ($res= mysqli_fetch_array($query_dept)) {
      ?>
      <?php echo $res['d_name'];?>
            <?php echo $res['d_location'];?>
            <?php echo $res['facilities'];?>
            <a class="edit" style="background-color: red;" href="deptdelete.php?delete=<?php
echo $res['d_name'];?>">Delete</a>
      <br>
      <?php
}
?>
</body>
</html>
Showdischarge.php:-
<?php
```

```
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
$query="Select * from pat_dis";
$query_dept=mysqli_query($con,$query)
?>
<!DOCTYPE html>
<html>
<head>
       <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"</pre>
rel="stylesheet" integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOI7+AMvyTG2x"
crossorigin="anonymous">
       <title></title>
               <style type="text/css">
               #customers {
font-family: Arial, Helvetica, sans-serif;
 border-collapse: collapse;
width: 100%;
}
#customers td, #customers th {
border: 1px solid #ddd;
padding: 8px;
}
#customers tr:nth-child(even){background-color: #f2f2f2;}
```

```
#customers th {
padding-top: 12px;
padding-bottom: 12px;
text-align: left;
background-color: #4CAF50;
color: white;
}
input{
       width: 50%;
        height: 30px;
        border-radius: 3px;
}
.idd{
        background-color:
                               #C8C8C8;
}
#us,#fn,#do{
        background-color:
                               #F0E68C;
}
.edit{
        background-color: orange;
        color: white;
        text-decoration: none;
        text-align: center;
        padding: 7px 15px;
        border-radius: 3px;
}
.add{
```

```
background-color: blue;
      color: white;
      text-decoration: none;
      text-align: center;
      padding: 14px 25px;
      border-radius: 3px;
}
      </style>
</head>
<body style="background-color: lightblue; ">
      <h3 class="display-1" align="center">Discharge Patients Record </h3>
      <a href="patientdis.php" class="add">Add Discharge Patient</a>
      <a href="home.php" class="add" style="background-color: green;">Home</a>
      <br>>Br>
Patient Number
      Treatment Advise
      Treatment Given
      Medicines
      Payment Given
      Discharge On Date
      <TH></TH>
<?php
```

```
while ($res= mysqli_fetch_array($query_dept)) {
      ?>
      <?php echo $res['pat_no'];?>
             <?php echo $res['tr_advs'];?>
             <?php echo $res['tr_gvn'];?>
             <?php echo $res['medicines'];?>
             <?php echo $res['pymt_gv'];?>
             <?php echo $res['dis_on'];?>
             <a class="edit" style="background-color: red;" href="disdelete.php?delete=<?php
echo $res['pat_no'];?>">Delete</a>
      <br>
      <?php
}
?>
</body>
</html>
Showdoctors.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
```

```
$query="Select all_doctors.doc_no,all_doctors.department,COALESCE(doc_reg.qualification,
doc_on_call.qualification) as
qualification,doc_reg.salary,COALESCE(doc_reg.address,doc_on_call.address) as
address,COALESCE(doc_reg.ph_no,doc_on_call.ph_no) as
phone,doc_reg.doj,doc_reg.en_time,doc_reg.ex_time,doc_on_call.fs_pr_cl,doc_on_call.pymt_du from
all_doctors LEFT join doc_on_call on all_doctors.doc_no=doc_on_call.doc_no left JOIN doc_reg ON
all_doctors.doc_no=doc_reg.doc_no ";
$query_dept=mysqli_query($con,$query);
?>
<!DOCTYPE html>
<html>
<head>
       k href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOI7+AMvyTG2x"
crossorigin="anonymous">
       <style type="text/css">
              #customers {
font-family: Arial, Helvetica, sans-serif;
border-collapse: collapse;
width: 100%;
}
#customers td, #customers th {
border: 1px solid #ddd;
padding: 8px;
}
```

```
#customers tr:nth-child(even){background-color: #f2f2f2;}
#customers tr:hover {background-color: #ddd;}
#customers th {
padding-top: 12px;
 padding-bottom: 12px;
text-align: left;
background-color: #4CAF50;
color: white;
}
input{
       width: 50%;
       height: 30px;
       border-radius: 3px;
}
.idd{
       background-color:
                               #C8C8C8;
}
#us,#fn,#do{
       background-color:
                               #F0E68C;
}
.edit{
       background-color: orange;
       color: white;
       text-decoration: none;
       text-align: center;
       padding: 7px 15px;
       border-radius: 3px;
```

```
}
.add{}
      background-color: blue;
      color: white;
      text-decoration: none;
      text-align: center;
      padding: 14px 25px;
      border-radius: 3px;
}
      </style>
</head>
<body style="background-color: lightblue; ">
      <h2 class="display-1" align="center">Doctors Data</h2>
      <a href="doctorform.php" class="add">Add Doctors</a>
      <a href="home.php" class="add" style="background-color: green;">Home</a>
Doctor Number
      Department
      Qualification
      Salary
      Address
      Phone
      Date Of Join
      Entry Time
      Exit Time
```

```
Payment Due
     <?php
while ($res= mysqli_fetch_array($query_dept)) {
     ?>
     <?php echo $res['doc_no'];?>
           <?php echo $res['department'];?>
           <?php echo $res['qualification'];?>
           <?php echo $res['salary']; ?>
           <?php echo $res['address']; ?>
           <?php echo $res['phone']; ?>
           <?php echo $res['doj']; ?>
           <?php echo $res['en_time']; ?>
           <?php echo $res['ex_time']; ?>
           <?php echo $res['pymt_du']; ?>
```

```
<a class="edit" href="doctoredit.php?edit=<?php echo
$res['doc_no'];?>">Edit</a>
              <a class="edit" style="background-color: red;"
href="doctordelete.php?delet=<?php echo $res['doc no'];?>">Delete</a>
       <br>
       <?php
}
?>
<br>
</body>
</html>
Showpatients.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
$query= "SELECT COUNT(pat chkup.pat no) as
visited_times,pat_entry.pat_no,pat_entry.pat_name,pat_entry.chkup_dt,pat_entry.pt_age,pat_entry.se
x,pat_entry.diagonosis,pat_entry.address,pat_entry.ph_no,pat_entry.department,COALESCE(pat_reg.tr
eatment,pat_admit.trmt_sdt) as treatment,COALESCE(pat_reg.medicines,pat_opr.medicines) as
medicines,pat_reg.pamyt,pat_opr.date_opr,COALESCE(pat_opr.in_cond,pat_admit.cond_on) as
condtion,pat opr.afop cond,pat opr.ty operation,COALESCE(pat opr.doc no,pat reg.doc no,pat chk
up.doc_no) as
doc_no,pat_admit.adv_pymt,pat_chkup.status,pat_admit.admtd_on,pat_admit.invstgtn_dn,pat_admit.
attdnt_nm,pat_admit.room_no FROM pat_entry left JOIN pat_reg ON
pat entry.pat no=pat reg.pat no left JOIN pat opr ON pat entry.pat no=pat opr.pat no left JOIN
pat_admit ON pat_entry.pat_no=pat_admit.pat_no LEFT JOIN pat_chkup ON
pat_entry.pat_no=pat_chkup.pat_no GROUP BY pat_chkup.pat_no";
$qeuryrun=mysqli query($con,$query);
```

```
<!DOCTYPE html>
<html>
<head>
       <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"</pre>
rel="stylesheet" integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOI7+AMvyTG2x"
crossorigin="anonymous">
       <style type="text/css">
               #customers {
font-family: Arial, Helvetica, sans-serif;
 border-collapse: collapse;
width: 100%;
}
#customers td, #customers th {
 border: 1px solid #ddd;
padding: 8px;
}
#customers tr:nth-child(even){background-color: #f2f2f2;}
#customers tr:hover {background-color: #ddd;}
#customers th {
 padding-top: 12px;
 padding-bottom: 12px;
 text-align: left;
```

```
background-color: #4CAF50;
color: white;
}
input{
       width: 50%;
        height: 30px;
        border-radius: 3px;
}
.idd{
        background-color:
                               #C8C8C8;
}
#us,#fn,#do{
        background-color:
                               #F0E68C;
}
.edit{
        background-color: orange;
        color: white;
       text-decoration: none;
       text-align: center;
        padding: 7px 15px;
        border-radius: 3px;
}
.add{
        background-color: blue;
        color: white;
        text-decoration: none;
        text-align: center;
        padding: 14px 25px;
        border-radius: 3px;
```

```
}
     </style>
</head>
<body style="background-color: lightblue; ">
     <h2 class="display-1" align="center">Patient Data</h2>
     <a href="patiententry.php" class="add">Add Patient</a>
     <a href="home.php" class="add" style="background-color: green;">Home</a>
     <br><br><
Visited CountingPatient Number
     Patient Name
     Check Up Date
     Patient Age
     Sex
     Diagonosis
     Address
     Phone No
     Department
     Treatment
     Medicines
     Payment
     Operation Date
     Condition
     After Operation Condition
```

```
Operation Type
     Doctor Number
     Advance Payment
     Status
     Admitted Date
     Investigating Doctors Count
     Attendants COunt
     Room Number
     <?php
while ($res= mysqli_fetch_array($qeuryrun)) {
     $a=$res['visited_times'];
     ?>
     <?php echo round(sqrt($a)); ?>
          <?php echo $res['pat_no'];?>
          <?php echo $res['pat_name'];?>
          <?php echo $res['chkup_dt']; ?>
          <?php echo $res['pt_age']; ?>
          <?php echo $res['sex']; ?>
          <?php echo $res['diagonosis']; ?>
          <?php echo $res['address']; ?>
```

```
<?php echo $res['ph_no']; ?>
            <?php echo $res['department']; ?>
            <?php echo $res['treatment']; ?>
            <?php echo $res['medicines']; ?>
            <?php echo $res['pamyt']; ?>
            <?php echo $res['date_opr']; ?>
            <?php echo $res['condtion']; ?>
            <?php echo $res['afop_cond']; ?>
            <?php echo $res['ty_operation']; ?>
            <?php echo $res['doc_no']; ?>
            <?php echo $res['adv_pymt']; ?>
            <?php echo $res['status']; ?>
            <?php echo $res['admtd_on']; ?>
            <?php echo $res['invstgtn_dn']; ?>
            <?php echo $res['attdnt_nm']; ?>
            <?php echo $res['room_no']; ?>
            <a class="edit" href="patedit.php?edit=<?php echo
$res['pat_no'];?>">Edit</a>
            <a class="edit" style="background-color: red;" href="patdelete.php?delet=<?php
echo $res['pat_no'];?>">Delete</a>
      <br>
      <?php
```

}

?>

```
</body>
</html>
Showrooms.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
$query="Select * from room_detail";
$query_dept=mysqli_query($con,$query)
?>
<!DOCTYPE html>
<html>
<head>
       <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"</pre>
rel="stylesheet" integrity="sha384-
+0n0xVW2eSR5OomGNYDnhzAbDsOXxcvSN1TPprVMTNDbiYZCxYbOOl7+AMvyTG2x"
crossorigin="anonymous">
       <style type="text/css">
               #customers {
font-family: Arial, Helvetica, sans-serif;
 border-collapse: collapse;
width: 100%;
```

```
#customers td, #customers th {
border: 1px solid #ddd;
padding: 8px;
}
#customers tr:nth-child(even){background-color: #f2f2f2;}
#customers tr:hover {background-color: #ddd;}
#customers th {
padding-top: 12px;
padding-bottom: 12px;
text-align: left;
background-color: #4CAF50;
color: white;
}
input{
       width: 50%;
       height: 30px;
       border-radius: 3px;
}
.idd{
       background-color:
                               #C8C8C8;
}
#us,#fn,#do{
       background-color:
                               #F0E68C;
}
.edit{
```

```
background-color: orange;
       color: white;
       text-decoration: none;
       text-align: center;
       padding: 7px 15px;
       border-radius: 3px;
}
.add{
       background-color: blue;
       color: white;
       text-decoration: none;
       text-align: center;
       padding: 14px 25px;
       border-radius: 3px;
}
       </style>
</head>
<body style="background-color: lightblue; ">
       <h3 class="display-1" align="center">Room Records </h3>
       <a href="roomdetails.php" class="add">Add Room</a>
       <a href="home.php" class="add" style="background-color: green;">Home</a><br><br>
Room Number
       Type
```

```
Status
      Per Day Charger
      Patient Name
           Patient Number
           <?php
while ($res= mysqli_fetch_array($query_dept)) {
      ?>
      <?php echo $res['room_no'];?>
           <?php echo $res['type'];?>
           <?php echo $res['status'];?>
           <?php echo $res['rm_dl_crg'];?>
           <?php echo $res['patient_name'];?>
           <?php echo $res['pat_no'];?>
           <a class="edit" href="roomedit.php?edit=<?php echo
$res['room_no'];?>">Edit</a>
           <a class="edit" style="background-color: red;" href="roomdelete.php?delet=<?php
echo $res['room_no'];?>">Delete</a>
      <br>
      <?php
}
```

```
?>
</body>
</html>
Admitpatient.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_POST['submit'])) {
       # code...
       $pat_no=$_POST['pat_no'];
       $doc_no=$_POST['doc_no'];
       $adv_pymt=$_POST['adv_pymt'];
       $mode_pymt=$_POST['mode_pymt'];
       $admtd_on=$_POST['admtd_on'];
       $cond_on=$_POST['cond_on'];
       $invstgtn_dn=$_POST['invstgtn_dn'];
       $attdnt_nm=$_POST['attdnt_nm'];
       $room_no=$_POST['room_no'];
       $pat_name=$_POST['pat_name'];
$pt_age=$_POST['pt_age'];
$city=$_POST['city'];
$ph_no=$_POST['ph_no'];
$rfd=$_POST['rfd'];
$address=$_POST['address'];
```

```
$diagonosis=$_POST['diagonosis'];
$chkupdt=$_POST['chkkup_dt'];
$qq="update pat_entry set
pat_name='$pat_name',pt_age=$pt_age,city='$city',ph_no='$ph_no',rfd='$rfd',address='$address',chku
p_dt='$chkupdt',diagonosis='$diagonosis' where pat_no='$pat_no' ";
$qp=mysqli_query($con,$qq);
       $up="update pat_admit set
adv_pymt='$adv_pymt',mode_pymt='$mode_pymt',admtd_on='$admtd_on',cond_on='$cond_on',invst
gtn_dn='$invstgtn_dn',attdnt_nm='$attdnt_nm',room_no='$room_no' where pat_no='$pat_no'";
$uprun=mysqli_query($con,$up);
$qu="update pat_chkup set doc_no='$doc_no' where status='admit' and pat_no='$pat_no'";
       $quu=mysqli_query($con,$qu);
}
Departmenteditsubmit.php:-
<?php
$con=mysqli_connect("localhost","root","");
```

```
$db=mysqli_select_db($con,"hospital");
if (isset($_POST['deptsubmit'])) {
       $d_name1=$_POST['d_name'];
       $d_location1=$_POST['d_location'];
       $facilities1=$_POST['facilities'];
        $query1="update doc_on_call set d_name='d_name1' where d_name='$d_name1'";
        $query1run=mysqli_query($con,$query1);
        if ($query1run) {
               echo "call";
               # code...
        }
       $query3="Update doc_reg Set d_name='$d_name1' where d_name='$d_name1'";
        $query3run=mysqli_query($con,$query3);
        if ($query3run) {
               echo "reg";
               # code...
        }
       $query123="Update department Set d_location='$d_location1',facilities='$facilities1' where
d_name='$d_name1'";
       $query123run=mysqli_query($con,$query123);
       if ($query123run) {
               echo "dept";
               # code...
       }
```

```
# code...
}
?>
Deptdelete.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_GET['delete'])) {
       $d_name=$_GET['delete'];
       $query="Delete from department where d_name='$d_name'";
       $query1=mysqli_query($con,$query);
       }
       header("location:showdepartment.php");
?>
Deptedit.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
```

```
if (isset($_GET['edit'])) {
       $d_name=$_GET['edit'];
       $query="Select * from department where d_name='$d_name'";
       $query1=mysqli_query($con,$query);
       $edi=mysqli_fetch_assoc($query1);
?>
<!DOCTYPE html>
<html>
<head>
       <title></title>
</head>
<body>
<h2>Department Entry</h2>
<a href="home.php" class="add" style="background-color: green;">Home</a>
<form action="departmenteditsubmit.php" method="post">
       <label>Department name</label>
       <input type="text" name="d_name" value=" <?php echo $edi['d_name'] ?>" readonly>
<label>Department Location</label>
<input type="text" name="d_location" value="<?php echo $edi['d_location'] ?>">
<label>Facilities</label>
<input type="text" name="facilities" value="<?php echo $edi['facilities'] ?>">
<input type="submit" name="deptsubmit">
```

```
</form>
</body>
</html>
<?php
}
?>
Disdelete.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_GET['delete'])) {
       # code...
$pat_no=$_GET['delete'];
$query="delete from pat_dis where pat_no='$pat_no'";
$queryruin=mysqli_query($con,$query);
header("location:showdischarge.php");
}
```

?>

```
Doctordelete.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_GET['delet'])) {
$id=$_GET['delet'];
if (substr($id, 0, 3) === "DR-"){
       $query="Delete from doc_reg where doc_no='$id' ";
       $queryrun=mysqli_query($con,$query);
       $query1="Delete from all_doctors where all_doctors.doc_no='$id'";
       $query1run=mysqli_query($con,$query1);
}
else{
       $query="Delete from doc_on_call where doc_no='$id'";
       $queryrun=mysqli_query($con,$query);
       $query1="Delete from all_doctors where all_doctors.doc_no='$id'";
       $query1run=mysqli_query($con,$query1);
}
}
header("location:showdoctors.php");
```

```
?>
Doctoreditdubmit.php:-
<?php
$con=mysqli_connect("localhost","root","");
$db=mysqli_select_db($con,"hospital");
if (isset($_POST['submit'])) {
       if (substr($_POST['doc_no'], 0, 3) === "DR-")
       {
               $doc_no=$_POST['doc_no'];
               $salary=$_POST['salary'];
               $en_time=$_POST['en_time'];
               $ex_time=$_POST['ex_time'];
               $address=$_POST['address'];
               $ph_no=$_POST['ph_no'];
               $doj=$_POST['doj'];
               $d_name=$_POST['d_name'];
               $qualification=$_POST['qualification'];
                      $query="Update all_doctors SET department='$d_name' where
doc_no='$doc_no'";
               $queryrun=mysqli_query($con,$query);
               $query1="Update doc_reg SET
qualification='$qualification',salary='$salary',en_time='$en_time',ex_time='$ex_time',address='$address
',ph_no='$ph_no',doj='$doj',d_name='$d_name' where doc_no='$doc_no'";
```

\$query1run=mysqli_query(\$con,\$query1);

```
if ($query1run) {
               # code...
               echo "2 run";
       }
       }
       if(substr($_POST['doc_no'], 0, 3) === "DC-"){
               $doc_no=$_POST['doc_no'];
               $d_name=$_POST['d_namee'];
               $qualification=$_POST['qualificationcall'];
               $fs_pr_cl=$_POST['fs_pr_clcall'];
               $pymt_du=$_POST['pymt_ducall'];
               $address=$_POST['addresscall'];
               $ph_no=$_POST['ph_nocall'];
               $query="Update all_doctors set department='$d_name' where doc_no='$doc_no'";
               $queryrun=mysqli_query($con,$query);
               $query1="Update doc_on_call set
d_name='$d_name',qualification='$qualification',fs_pr_cl='$fs_pr_cl',pymt_du='$pymt_du',address='$a
ddress',ph_no='$ph_no' where doc_no='$doc_no'";
               $query1run=mysqli_query($con,$query1);
```

}

```
} header("location:showdoctors.php")
```

?>