




TRIKNO 
CHOCOLATE & SWEETS MACHINERY



Trikno - your idea,
our solution

We supply our machines to
confectionery manufacturers
around the world



Our mission:
Together we engineer
your success.






Table of contents



About us	4
Fields of expertise	5
Shells and hollow figures	6
Decoration	7
Nuts & Fruit	8
One-Shot	9
Free Dressing	10
Sandwich	11
Intelligent Modular System	12
Product portfolio overview	13
Omega compact	14
Omega	14
Alpha compact	15
Alpha	16
Eta	17
ColdPress	18
Spinnig machine	18
Conditioning spiral	19
Vibration table	19
Handling system	20
Vision control	20
R&D Lab	21
Retrofit	22
Service and spare parts	23
Contact details	back side

About us

Trikno

Trikno, formerly known as Knobel, is committed to be the first choice of confectionery manufacturers: Whether with small moulding machines to support artisan production or with complete lines for the largest chocolate manufacturers worldwide.

Our extensive product portfolio includes innovative machines for decorating, nuts & fruit, one shot, free-dressing and sandwich applications, as well as our unique ColdPress process. We also operate a unique Research and Development and Test laboratory and offer comprehensive retrofit solutions.



Our global vision:

**"Trikno - your idea,
our solution!"**



"The world associates Switzerland in particular with high-quality chocolate and fine confectionery. That is not enough for us. We have the ambition that - on an international level - Trikno AG becomes a synonym for the most efficient and innovative way of producing fine confectionery products. We want our technologies, our process engineering and our machines to become the global gold standard in the industry."



Executive Board Trikno AG (from left to right): Andreas Schällebaum (COO) and Marc Fuchs (CEO)



Fields of expertise



Only with Trikno

Shells and hollow figures

Our unique process for various chocolates, chocolate bars, hollow figures, semi-finished products in blisters, chocolates with wafers or biscuits.



For extremely detailed fine work

Decoration

Detailed design of hollow figures, chocolates, chocolate bars or lollies. Highly accurate filling and shaping of cakes, sponge cakes and pastries.



For large inclusions

Nuts & Fruit

Our technology for the reliable processing of masses with large-sized contents, such as whole nuts and almonds, dried fruit, rice crispies or marshmallows.



Efficiency from a single deposit

One-Shot

The efficient and repeatable simultaneous moulding of shell and filling in one operation for chocolates, bars and tablets.



For small pieces of art

Free Dressing

For direct deposit without a mould on a cooling belt for products with an artistic, high-quality and creative look, limited only by your imagination.



For macarons and co.

Sandwich

For precise and flexible production of sandwich products entirely according to your requirements and wishes.

 α η 

Only with Trikno

Shells and hollow figures

ColdPress refers to our unique process for producing perfect, thin and uniform shells with exact rims and tight lids. Complex products can easily be produced through a customised stamp design. The ColdPress process ensures an even wall thickness of the shells (from 1.0 mm) at every point, regardless of the product design.

Possible applications include:

- Chocolates
- Chocolate bars
- Open shell chocolates
- Hollow figures
- Surprise eggs
- Semi-finished products in blisters
- Assorted chocolates
- Chocolates with wafers or biscuits
- Chocolates with whole nuts or cherries



ColdPress enables you to process different fillings, such as aerated masses or liqueurs, as well as simultaneously filling shells with multiple fillings. Our unique ColdPress system is suitable for retrofitting into your existing line.

 α η 

For extremely detailed work

Decoration

Our decorating machines are perfect for carefully crafting detailed designs on hollow figures, individual chocolates, bars or lollipops. They can also be used for filling and decorating cakes, biscuits and pastries as an addition to a bakery production line. Thanks to RFID technology and mould recognition, you can decorate different products at the same time, because the machine automatically recognises the respective product and loads the appropriate decorating programme.

Possible areas of application include:

- Hollow figures (3-D)
- Raised decorations on chocolates / bars
- Lollipops
- Pre-decorated products (2-D)



Also suitable for the smallest, most intricate decorative dots, such as the eyes of an Easter bunny.

 α η 

For large inclusions

Nuts & Fruit

Confectionery with whole nuts, fruit pieces or other large inclusions is and remain popular. Feeding the desired mixing ratio via the hopper, our programmable agitator system guarantees reliable mixing and processing of masses with large inclusions.

Possible areas of application include:

- Chocolates with wafer or biscuits
- Chocolates with chopped nuts
- Rice crispies and puffed rice
- Cluster
- Dried fruit
- Mini marshmallows
- Whole hazelnuts, almonds or pistachios
- Jelly and gummy masses



Did you know that you can also combine a wide variety of inclusions?



Efficiency from a single deposit

One-Shot

Do you want to create filled products efficiently? Do you want to produce chocolates, bars or slabs with a particularly high filling content? Do you want to process liquid or highly viscous masses whilst being able to switch quickly between different products? If yes, you need the high pouring accuracy that our one-shot depositor can offer.

With our Trikno machines, you deposit shell and filling in one operation and Trikno is the first choice when accuracy, speed, maximum repeatability and flexibility are required.

Possible areas of application include:

- Filled chocolates
- Filled chocolate tablets
- Filled chocolate bars
- Assorted filled chocolates
- Triple and quatro shot chocolates



In our R&D laboratory you can test and try out our machines for your specific application.

 α η 

For small pieces of art

Free Dressing


Free-dressing: this means that you deposit different masses directly onto a base without any mould. There are almost no limits to your possibilities. With this process, you can create real pieces of art that look almost identical to handmade confectionery. The machine can be easily adjusted to different sizes and shapes and can also process highly viscous masses such as marzipan or pastry dough.

Possible areas of application include:

- “Non-moulded” chocolates
- One-shot filled chocolates
- Multi-layered products



Other uses: The production of chips or drops is also possible. Combined with the “Nuts & Fruit” option, the processing of large inclusions such as chopped nuts or dried fruit is also possible without any problems. Let your imagination run wild ...



For macarons and co.

Sandwich

Flexibility is a top priority here. Depending on your volume needs a batch- or continuous production solution will be chosen. Together with your oven system supplier, our engineering experts will design a complete production line for you, from dosing the pastry dough to filling and covering your sandwich products.

Possible areas of application include:

- Macarons
- Alfajores
- Oven band biscuits



Use our handling system and you will produce fully automatic macarons of impressive quality.




Modular principle

Intelligent Modular System

On a large and small scale

To give you the greatest flexibility, both our machines and systems are modular in design. Our modular approach offers you many benefits including reduced lead times, end product flexibility, and quick and easy integration through plug-and-play. Our retrofit systems can cope with even the tightest of spaces, and should you want to realise new ideas, you are welcome to test them in our R&D laboratory.



Modular, powerful and expandable

Product portfolio overview


Our depositors



Omega compact




Omega



Alpha compact



Alpha



Eta

Our system periphery



Vibration table



ColdPress



Spinning machine



Conditioning spiral



Handling system



Vision control



The perfect entry depositor

Omega compact



New!

The Omega compact is the new generation of Omega, perfect made for artisanal confectioneries.

Z model

Technical data

Machine types:	TCM 9 (single side) / TCM 9/18 (Boxer)
Z-axis:	100 mm
Piston stroke:	52 mm
Cylinder liners:	35 mm (105 mm as block of 3)
Pistons-ø:	10, 17, 25 and 30 mm
Options:	customised nozzle plates and nozzle dimension



Small, handy, mobile


Omega

The Omega is the perfect tool for the confectioner. It is mobile thanks to its wheels.

Z model


Technical data

Machine types:	TCM 9 (single side) / TCM 9/18 (Boxer)
Z-axis:	100 mm
Piston stroke:	32 mm
Cylinder liners:	35 mm
Pistons-ø:	10, 20 and 25 mm
Options:	customised nozzle plates and nozzle dimension, water drop lubrication system



Space-saving

Alpha compact




This depositor is the next larger model to the Omega. It's the ideal confectioner's tool to produce e.g. one-shot filled products. It is the space-saving version of the Alpha model and is ideally suited for confectioners and R&D laboratories.

Z model

Technical data

Machine types:	TCM 9 up to 24 (single side) / TCM 9/18 up to 24/48 (Boxer)	
Z-Axis:	100 mm	
Piston stroke:	52 mm	60 mm
Cylinder liners	35 mm	45 mm (also 45/2* mm)
Pistons-ø:	10, 17, 25 and 30 mm	10, 17, 25** and 30** mm
Options: customised nozzle plates and nozzle dimension, water drop lubrication system, band extensions, hopper agitations		



* multiple piston in one cylinder liner: e.g. 45/2 has 2 pistons in the same liner
** not available on multiple pistons



Designed for the highest flexibility

Alpha



New design!

The Alpha models are versatile. The depositors are used in confectionery businesses as well as in the industrial sector, depending on requirements. Thanks to the unique single-rotary piston system, the greatest possible moulding accuracy can be achieved.

Z/X model


Technical data

Machine types:	TCM 9 up to 96 (single side) / TCM 9/18 up to 96/192 (Boxer)		
Z-Axis / X-Axis:	150 mm / 300 mm		
Piston stroke:	52 mm	60 mm	60 mm
Cylinder liners:	35 mm	30/2* mm	45 mm (also 45/2* and 45/4* mm)
Pistons-ø:	6, 8, 10, 17, 25 and 30 mm	6, 8, 10 and 16 mm	6, 8, 10, 20, 25**, 30** and 40** mm

Z/X model for Nuts (inclusions)

Technical data

Machine types:	TCM 9 up to 24 (single side) / TCM 9/18 up to 24/48 (Boxer)		
Z-Axis / X-Axis:	150 mm / 300 mm		
Piston stroke:	70 mm		
Cylinder liners:	45 mm (also 45/2* and 90 mm)		
Pistons-ø:	20, 30**, 40**, 50**, 60** and 70** mm		



CAD model

Technical data

Machine types:	TCM 9 up to 96 (single side) / TCM 9/18 up to 96/192 (Boxer)		
Z-axis / X-axis / Y-axis:	150 mm / 300 mm / 150 mm		
Piston stroke:	52 mm	60 mm	60 mm
Cylinder liners:	35 mm	30/2* mm	45 mm (also 45/2*, 45/4* and 90 mm)
Pistons-ø:	6, 8, 10, 17, 25 and 30 mm	6, 8, 10 and 16 mm	6, 8, 10, 20, 25**, 30** and 40** mm
Options: customised nozzle plates and nozzle dimension, water drop lubrication system, band extensions, split hopper, hopper agitations, level sensors and many other can be added			

Designed to retrofit or upgrades of 3rd party suppliers

Eta

The Eta, as a replacement for old depositing machines in the industrial sector, can be used for solid deposits, decorations and one-shot products. It is designed to be placed on existing conveyor belts or third-party equipment. This allows obsolete models to be replaced without much effort. Eta can be equipped with 3 axes (CAD), thus allowing the casting head to move in all directions. Thanks to the unique single-rotary piston system, the greatest possible moulding accuracy can be achieved.

Z/X model

Technical data

Machine types:	TCM 9 up to 96 (single side) / TCM 9/18 up to 96/192 (Boxer)		
Z-Axis / X-Axis:	150 mm / 300 mm		
Piston stroke:	52 mm	60 mm	60 mm
Cylinder liners:	35 mm	30/2* mm	45 mm (also 45/2* and 45/4* mm)
Pistons-ø:	6, 8, 10, 17, 25 and 30 mm	6, 8, 10 and 16 mm	6, 8, 10, 20, 25**, 30** and 40** mm

Z/X model for Nuts (inclusions)

Technical data

Machine types:	TCM 9 up to 24 (single side) / TCM 9/18 up to 24/48 (Boxer)	
Z-axis / X-axis:	150 mm / 300 mm	
Piston stroke:	70 mm	
Cylinder liners:	45 mm (also 45/2* and 90 mm)	
Pistons-ø:	20, 30**, 40**, 50**, 60** and 70** mm	

CAD model

Technical data

Machine types:	TCM 9 up to 96 (single side) / TCM 9/18 up to 96/192 (Boxer)		
Z-axis / X-axis / Y-axis:	150 mm / 300 mm / 150 mm		
Piston stroke:	52 mm	60 mm	60 mm
Cylinder liners:	35 mm	30/2* mm	45 mm (also 45/2* and 45/4* mm)
Pistons-ø:	6, 8, 10, 17, 25 and 30 mm	6, 8, 10 and 16 mm	6, 8, 10, 20, 25**, 30** and 40** mm

Options: customised nozzle plates and nozzle dimension, water drop lubrication system, band extensions, split hopper, hopper agitations, level sensors and many other can be added



Depending on safety concept of the 3rd party supplier, also possible without safety housing

* multiple piston in one cylinder liner: e.g. 45/2 has 2 pistons in the same liner
** not available on multiple pistons



The unique system

ColdPress

The ColdPress-system enables the production of perfectly even and thin shells; the basis for any quality product. One of the most important advantages of the tools is the maintenance-free and uninterrupted use. Regardless of the shape of the item, we avoid moving parts on our stamps and can guarantee flawless shells with a perfect volume.

Technical data

Type of plant	TCP
Mould width	275 to 650 mm
Line speed	up to 24 moulds per minute
Shell thickness	from 1.0 mm upwards
Options: customised tooling plates, one or two plates	



New generation with ColdPress 2.0: no Rim-cutter needed



Artisanal alternative to ColdPress

Spinning machine

Central rotary drum with up to 24 moulds (6 arms on both sides with 2 magnetic holders each). Stainless steel frame. No lubrication necessary (maintenance-free). Drum speed, direction of rotation and arm speed can be adjusted independently. Electromagnetic vibration with adjustable intensity. Friction clutches for safe operation. Air suspension (no vibrations to the ground).

Technical data

Machine types:	TSM 1-sided or 2-sided
Mould width	up to 500 mm
Capacity:	up to 24 moulds





The ideal transport system

Conditioning spiral

The moulds are transported without fastening (loose mould system), which guarantees trouble-free and jam-free operation. In a spiral all moulds travel the same path and thus receiving uniform cooling or heating. The spiral is custom-built from standard components – in any conceivable length. It is suitable for industrial applications as well as for the confectionery shop. The insulated housing is available closed or with viewing windows. In the closed version you can choose between aluminium, stainless steel, or plastic and in the version with viewing windows in Makrolon or glass.

Technical data

System type	TCS
Conditioning section	9 to 500 m
Mould width	up to 650 mm
Options: housing material, LED Lights, additional doors, double tower	



individually configurable to
fit in your production hall

Quiet and effective

Vibration table



The high-efficiency vibration table is equipped with a special vibration plate developed by us. The vibration result is better than the conventional way and the noise level is below 85 dB. This makes it possible for the first time in our industry to operate a vibration table with only a Makrolon cover instead of a noise protection cover.

The vibration table can also be controlled via the touch panel of the depositor. This allows the vibration settings to be stored for each product. There is a bevel under the belt which ensures easy cleaning from the front.

Technical data

System type	TVT
Housing length	750, 1000, 1500 mm
unbalance bottom vibration: optimizes distribution for solid and one-shot products	
Electromagnetic bottom vibration: ideal for decor products	
Magnetic side vibration: high frequent, distributes inclusions better	
Pneumatic side vibration: even better for solid and one-shot products	





Flexible and high speed mould and product handling

Handling system

Gearless linear servo robot system for all handling operations in a single sheet line with a precision better than 0.1 mm. Edge trimming, base stripping and demoulding of products, insertion of products in a final pack. Demoulding – the ultimate low-maintenance “pick-and-place” robot for limitless flexibility.

Technical data

System type	THS
Housing lengths	2100/2450/2960/3960 mm
Enclosure type	single / double mould handling
Tool weight	max. 100 kg
Options: every demoulding station is individual and customised	



Here shown as a demoulding unit



Empty mould control

Vision control

Live monitoring of the moulds with automatically generated grids and positions of each cavity. Different chocolate colours possible in one program. Easy operation on 15" touch-screen. Shape recognition by RFID possible.

Magazine for 25 moulds each as storage for moulds that have not been completely demoulded and for new, empty moulds. This function can also be used during a mould change: “old moulds” out and “new moulds” in.

Technical data

Machine types:	TVC
Capacity:	up to 24 moulds/min
Options:	one or two up-stacker or down-stacker





Contact our R&D lab at process@trikno.ch, to make an appointment for a demonstration or to carry out specific tests. We look forward to your visit.

Innovative and practical think tank

R&D Lab

Do you have exciting ideas and you want to develop new products?

Do you want to realise a brand new product? Are you looking for a solution for a specific task? No problem. At Trikno, we do everything to make your dreams and ideas come true - with the highest quality and efficiency.

Visit our research and development laboratory. Together we will carry out tests to realise your desired products and show you the unique possibilities of our machines.

And if your ideas cannot be fully implemented with existing process technology, our experienced engineering experts will develop a solution for your application.

Our laboratory offers the possibility to simulate all processes. The following equipment is available at all times:

- 3-D moulding machine for decorations
- One-shot moulding machine
- Nut moulding machine especially for masses with large inclusions
- ColdPress to produce chocolate shells
- Tempering machines with thermometer and process mixer

From engineering to production and assembly, we offer you all services from a single source.

Trikno – your idea, our solution!

Upgrading with Trikno

Retrofit

Realise new products. Optimise existing product processes.
Increase quality.

You can upgrade, expand or modernise your existing third-party equipment with various Trikno machines. This concept allows you to combine your existing and still well-functioning peripherals with the latest production technologies. Thanks to the lower investment costs, many customers have been able to significantly upgrade their existing plant and considerably expand their production possibilities.

Typical retrofit projects from the past:

- replacement of existing 3rd party depositors by a Trikno depositor with the aim to achieve higher precision, deposit large inclusions, to generate artistic decorations or free dressing, ...
- implement ColdPress and Rim-cutting into an existing line
- replace a conventional Shell line with a ColdPress solution
- or add a demoulding unit to an existing manual line



Our machines can be integrated into existing third-party lines, on a oven band or in a coating line, regardless of the age of the existing line.

Alpha was successfully integrated into an old plant.

Expert, fast and customer-friendly

Service and spare parts

Your partner for first-class service in the confectionery industry

Our wide range of services includes everything you need to ensure that your machines and plants run smoothly and your business remains successful. We guarantee high machine availability with our extensive spare parts inventory and upgrade solutions, including retrofit options.

Our services at a glance:

- Product development
- Trainings
- Process consulting & optimisation
- Commissioning
- Maintenance contracts & repairs
- Spare parts delivery
- Retrofit

Our service department is available to you world-wide. Our experienced service technicians offer comprehensive maintenance services for depositors and their peripherals, both on-site and via remote access.

Our maintenance contracts: expert, fast and customer-friendly

Is maximum availability important to you? Then we recommend our customised maintenance contracts. With them you have a guarantee that your machines are always in top condition.

Our promise

Our goal is not only to supply the best machines, but also to be the best service provider in the industry. We set the highest standards for quality, efficiency and customer satisfaction. Contact our dedicated service team today to find out how we can help you keep your equipment in top shape. Service is our business because your satisfaction is our top priority.

Rely on us to meet your requirements and keep your production at the highest level.

Transparent billing

Transparency is of outmost importance to us. Our billing is based on time and effort or on previously agreed fixed prices, so that you always have control over your service costs.



Contact our Service team by mail at
service@trikno.ch
or by phone at
+41 52 766 25 90

We help you to keep your production at the highest level.





Contact us

TRIKNO AG
Marksteinstrasse 5
8552 Felben-Wellhausen
Switzerland

☎ +41 52 766 25 25

✉ info@trikno.ch

🌐 www.trikno.ch



No guarantee for the technical specifications with regard to completeness and correctness. Specifications are subject to change in the course of product modifications and improvements. | © TRIKNO AG. All rights reserved. | | 08/2026-EN-V5