

Lab 6 db

Kairzhan Khamza


1 task


No limit
Query
Query History
SELECT f.*
FROM flights f
JOIN airlines a ON f.airline_id = a.airline_id
WHERE a.airline_name = 'Air Astana';
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 1
Page No: 1
of 1
flight_id [PK] integer
flight_number character varying (20)
airline_id integer
departure_airport_id integer
arrival_airport_id integer
departure_time timestamp without time zone
arrival_time timestamp without time zone
1 1 KC-901 1 1 3 2026-06-10 08:00:00 2026-06-10 14:00:00


2 task


No limit
Query
File
SELECT f.flight_number, ap.airport_name AS departure_airport, f.departure_time
FROM flights f
JOIN airports ap ON f.departure_airport_id = ap.airport_id;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 4
Page No: 1
of 1
flight_number character varying (20)
departure_airport character varying (100)
departure_time timestamp without time zone
1 KC-901 Almaty International Airp... 2026-06-10 08:00:00
2 KC-902 Astana International Airp... 2026-06-11 10:00:00
3 LH-647 Frankfurt Airport 2026-06-12 15:00:00
4 EK-372 Almaty International Airp... 2026-06-15 02:00:00
Successfully run. Total query runtime: 118 msec. 4 rows affected.


3 task


Query
Query History
SELECT a.airline_name
FROM airlines a
WHERE a.airline_id NOT IN (
SELECT DISTINCT airline_id
FROM flights
WHERE departure_time >= DATE_TRUNC('month', CURRENT_DATE + INTERVAL '1 month')
AND departure_time < DATE_TRUNC('month', CURRENT_DATE + INTERVAL '2 month')
);
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 5
Page No: 1
of 1
airline_name
character varying (100)
Air Astana
FlyArystan
Lufthansa
Emirates
Ghost Airlines
Successfully run. Total query runtime: 80 msec. 5 rows affected.

4 task


Query
Query History
SELECT p.full_name, p.passport_number, f.flight_number
FROM passengers p
JOIN tickets t ON p.passenger_id = t.passenger_id
JOIN flights f ON t.flight_id = f.flight_id
WHERE f.flight_number = 'KC-901';
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 2
Page No: 1
of 1
full_name character varying (150)
passport_number character varying (50)
flight_number character varying (20)
1 Иван Иванов N1234567 KC-901
2 Алия Смагулова N7654321 KC-901
Successfully run. Total query runtime: 84 msec. 2 rows affected.

5 task


No limit
Query
Query History
SELECT f.flight_number,
AVG(t.price) AS avg_price,
SUM(t.price) AS total_price,
MAX(t.price) AS max_price,
MIN(t.price) AS min_price
FROM flights f
JOIN tickets t ON f.flight_id = t.flight_id
GROUP BY f.flight_number;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 4
Page No: 1
of 1
flight_number character varying (20)
avg_price numeric
total_price numeric
max_price numeric
min_price numeric
1 LH-647 210000.000000000000 210000.00 210000.00 210000.00
2 KC-902 45000.000000000000 45000.00 45000.00 45000.00
3 EK-372 180000.000000000000 180000.00 180000.00 180000.00
4 KC-901 135000.000000000000 270000.00 150000.00 120000.00
Successfully run. Total query runtime: 81 msec. 4 rows affected.

6 task

Query Query History

```sql
SELECT f.flight_number, a.airline_name, ap_arr.country AS destination_country
FROM flights f
JOIN airlines a ON f.airline_id = a.airline_id
JOIN airports ap_arr ON f.arrival_airport_id = ap_arr.airport_id
WHERE ap_arr.country = 'Germany';
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	flight_number character varying (20)	airline_name character varying (100)	destination_country character varying (100)
1	KC-901	Air Astana	Germany

Successfully run. Total query runtime: 65 msec. 1 rows affected.

7 task

Query | Query History

```sql
SELECT p.full_name,
       EXTRACT(YEAR FROM AGE(p.date_of_birth)) AS age,
       ap_arr.city AS arrival_city,
       ap_arr.country AS arrival_country
FROM passengers p
JOIN tickets t ON p.passenger_id = t.passenger_id
JOIN flights f ON t.flight_id = f.flight_id
JOIN airports ap_arr ON f.arrival_airport_id = ap_arr.airport_id
WHERE EXTRACT(YEAR FROM AGE(p.date_of_birth)) < 18;
```

Data Output | Messages | Notifications

SQL | Showing rows: 1 to 2 | Page No: 1 of 1

	full_name character varying (150)	age numeric	arrival_city character varying (100)	arrival_country character varying (100)
1	Алия Смагулова	14	Frankfurt	Germany
2	Анна Петрова	11	Almaty	Kazakhstan

Successfully run. Total query runtime: 66 msec. 2 rows affected.

8 task

Query | Query History

```
SELECT p.full_name, p.passport_number, f.flight_number, f.arrival_time
FROM passengers p
JOIN tickets t ON p.passenger_id = t.passenger_id
JOIN flights f ON t.flight_id = f.flight_id;
```


Data Output | Messages | Notifications

Showing rows: 1 to 5 | Page No: 1 of 1

	full_name character varying (150)	passport_number character varying (50)	flight_number character varying (20)	arrival_time timestamp without time zone
1	Иван Иванов	N1234567	KC-901	2026-06-10 14:00:00
2	Алия Смагулова	N7654321	KC-901	2026-06-10 14:00:00
3	John Smith	US998877	KC-902	2026-06-11 12:00:00
4	Анна Петрова	N1122334	LH-647	2026-06-12 23:00:00
5	Иван Иванов	N1234567	EK-372	2026-06-15 06:00:00

Successfully run. Total query runtime: 90 msec. 5 rows affected.

9 task


Query
Query History
SELECT ap_dep.country AS departure_country, COUNT(f.flight_id) AS flight_count
FROM flights f
JOIN airlines a ON f.airline_id = a.airline_id
JOIN airports ap_dep ON f.departure_airport_id = ap_dep.airport_id
WHERE a.home_country = ap_dep.country
GROUP BY ap_dep.country;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 2
Page No: 1
of 1
departure_country
character varying (100)
flight_count
bigint
1 Germany 1
2 Kazakhstan 2
Successfully run. Total query runtime: 89 msec. 2 rows affected.

10 task

Query Query History

```
SELECT f.flight_number,
       a.airline_name,
       ap_dep.airport_name AS departure_airport,
       ap_arr.airport_name AS arrival_airport
FROM flights f
JOIN airlines a ON f.airline_id = a.airline_id
JOIN airports ap_dep ON f.departure_airport_id = ap_dep.airport_id
JOIN airports ap_arr ON f.arrival_airport_id = ap_arr.airport_id;
```

Data Output Messages Notifications

Showing rows: 1 to 4 Page No: 1 of 1

	flight_number character varying (20)	airline_name character varying (100)	departure_airport character varying (100)	arrival_airport character varying (100)
1	KC-901	Air Astana	Almaty International Airp...	Frankfurt Airport
2	KC-902	FlyArystan	Astana International Airp...	Almaty International Airp...
3	LH-647	Lufthansa	Frankfurt Airport	Almaty International Airp...
4	EK-372	Emirates	Almaty International Airp...	Dubai International Airport

Successfully run. Total query runtime: 65 msec. 4 rows affected.

Total rows: 4 Query complete 00:00:00.065 CRLF Ln 8, Col 66

11 task

Query | Query History

```sql
SELECT p.full_name, f.flight_number, a.airline_name
FROM passengers p
JOIN tickets t ON p.passenger_id = t.passenger_id
JOIN flights f ON t.flight_id = f.flight_id
JOIN airlines a ON f.airline_id = a.airline_id
WHERE a.airline_name = 'Air Astana';
```

Data Output | Messages | Notifications

Showing rows: 1 to 2 | Page No: 1 of 1

	full_name character varying (150)	flight_number character varying (20)	airline_name character varying (100)
1	Иван Иванов	KC-901	Air Astana
2	Алия Смагулова	KC-901	Air Astana

Successfully run. Total query runtime: 70 msec. 2 rows affected.

12 task

Query | Query History

```sql
SELECT f.flight_number, ap_arr.country AS destination_country, COUNT(t.passenger_id) AS passenger_count
FROM flights f
JOIN airports ap_arr ON f.arrival_airport_id = ap_arr.airport_id
LEFT JOIN tickets t ON f.flight_id = t.flight_id
GROUP BY f.flight_number, ap_arr.country;
```


Data Output | Messages | Notifications

Showing rows: 1 to 4 | Page No: 1 of 1

	flight_number character varying (20)	destination_country character varying (100)	passenger_count bigint
1	EK-372	UAE	1
2	KC-901	Germany	2
3	KC-902	Kazakhstan	1
4	LH-647	Kazakhstan	1

Successfully run. Total query runtime: 76 msec. 4 rows affected.

13 task


Query
Query History
SELECT p.*
FROM passengers p
LEFT JOIN tickets t ON p.passenger_id = t.passenger_id
WHERE t.ticket_id IS NULL;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 1
Page No: 1
of 1
passenger_id
[PK] integer
full_name
character varying (150)
passport_number
character varying (50)
date_of_birth
date
1
5
Тихоня Безбилетников
N0000000
1995-01-01
Successfully run. Total query runtime: 102 msec. 1 rows affected.
Total rows: 1
Query complete 00:00:00.102
CRLF
Ln 4, Col 27

14 task

Query Query History

```
1  SELECT a.airline_name, COUNT(f.flight_id) AS total_flights
2  FROM airlines a
3  LEFT JOIN flights f ON a.airline_id = f.airline_id
4  GROUP BY a.airline_name;
```

Data Output Messages Notifications


Showing rows: 1 to 5 Page No: 1 of 1

	airline_name character varying (100)	total_flights bigint
1	Lufthansa	1
2	FlyArystan	1
3	Air Astana	1
4	Ghost Airlines	0
5	Emirates	1

Successfully run. Total query runtime: 72 msec. 5 rows affected.

Total rows: 5 Query complete 00:00:00.072 CRLF Ln 4, Col 25

15 task


Query
Query History
SELECT a.airline_name, f.flight_number, ap_dep.city AS departure_city
FROM flights f
JOIN airlines a ON f.airline_id = a.airline_id
JOIN airports ap_dep ON f.departure_airport_id = ap_dep.airport_id
WHERE ap_dep.country = 'Kazakhstan';
Data Output
Messages
Notifications
Showing rows: 1 to 3
Page No: 1
of 1
airline_name character varying (100)
flight_number character varying (20)
departure_city character varying (100)
1 Air Astana KC-901 Almaty
2 FlyArystan KC-902 Astana
3 Emirates EK-372 Almaty
Successfully run. Total query runtime: 66 msec. 3 rows affected.