


HAMZA KACED Q AND A WEBSITE

I have implemented a Q and A programming website with a account recovery using a security question, admin accounts and an upvote/downvote system.



The screenshot shows a web interface for a Q&A site. At the top, it says "YOU ARE LOGGED IN AS admin!" with a "Log out" button. Below that is a welcome message: "WELCOME TO QUEUE UNDERFLOW! WHERE ALL YOUR PROGRAMMING QUESTIONS ARE ANSWERED!". The main content is a table with four columns: "Question", "Asked by", "Views", and "Action". The table contains three rows of questions. The first two questions, "When is new year's?" and "What time is Barca vs real madrid?", are marked as inappropriate. The third question, "What is incrementation?", is a programming question. Below the table, there is a form to "Add your Question" and a link to "Rank by most viewed question".

Question	Asked by	Views	Action
When is new year's?	admin	2	View Remove
What time is Barca vs real madrid?	sara	2	View Remove
What is incrementation?	masta	9	View Remove

[Add your Question](#)

[Rank by most viewed question](#)

Here you can see that there are 2 inappropriate questions for a programming forum: "When is new year's?" and "What time is Barca vs real madrid?". So the admin can login, and remove the questions that he sees unfitting.

[Back to questions](#)

THE QUESTION IS: What time is Barca vs real madrid?

Answer	Upvotes	Downvotes	Answered by	Action
It is in december 1st	0	0	admin	Upvote Downvote Remove
It is on 8:00 PM Dubai time	0	0	masta	Upvote Downvote Remove
Give me money pl0x	0	0	admin	Upvote Downvote Remove

[Add your answer](#)

The same function is there with answers, if there was any unfitting answer in the thread, the admin has the option to remove it from the system.


[Back to questions](#)

THE QUESTION IS: What time is Barca vs real madrid?


Answer	Upvotes	Downvotes	Answered by	Action
It is in december 1st	1	0	admin	Upvote Downvote Remove
It is on 8:00 PM Dubai time	0	0	masta	Upvote Downvote Remove
Give me money pl0x	0	1	admin	Upvote Downvote Remove

[Add your answer](#)

There upvote/downvote system enables users to upvote and downvote the answers they want.

A screenshot of a password recovery form on a black background. The form contains three input fields: 'Username:', 'New Password:', and 'Answer to your secret question:'. The 'Answer to your secret question:' field has a placeholder text 'type your answer here'. Below the input fields are two buttons: 'Submit' and 'Go back to login page'.

The user is taken to this page if he wants to recover his account, the password will only be changed if the answer is correct to the secret question which is set in the registration page.

A screenshot of a registration form on a black background. The form contains three input fields: 'Username:', 'Password:', and 'Secret question:'. The 'Secret question:' field has a dropdown menu with the text 'Whats your mum's name?' and a downward arrow. Below the input fields are two buttons: 'Submit' and 'Go back to login page'.

For security, I have used post to send the information and I used prepare statements to prevent sql injection. Percentages were used in the css for responsive web design. (The other functions such as add your answer or add your Question I think are self explanatory, so I did not explain them in the report).