

MAD Analysis 5

The LaTeX report

Generated by hamzeh-khanpour on 07 December 2025, 21:14:49

This report has been generated automatically by MADANALYSIS 5.

Please cite:

E. Conte, B. Fuks and G. Serret,
MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology,
Comput. Phys. Commun. **184** (2013) 222-256,
arXiv:1206.1599 [hep-ph].

To contact us:

<http://madanalysis.irmp.ucl.ac.be>
ma5team@iphc.cnrs.fr

Contents

1	Setup	2
1.1	Command history	2
1.2	Configuration	2
2	Datasets	3
2.1	run_01	3
3	Histos and cuts	4
3.1	Histogram 1	4
3.2	Histogram 2	5
3.3	Histogram 3	6
3.4	Histogram 4	7
3.5	Histogram 5	8
3.6	Histogram 6	9
3.7	Histogram 7	10
3.8	Histogram 8	11
3.9	Histogram 9	12
3.10	Histogram 10	13
3.11	Histogram 11	14
3.12	Histogram 12	15
3.13	Histogram 13	16
3.14	Histogram 14	17
3.15	Histogram 15	18
3.16	Histogram 16	19
3.17	Histogram 17	20
3.18	Histogram 18	21
3.19	Histogram 19	22
3.20	Histogram 20	23
3.21	Histogram 21	24
3.22	Histogram 22	25
3.23	Histogram 23	26
3.24	Histogram 24	27
3.25	Histogram 25	28
3.26	Histogram 26	29
3.27	Histogram 27	30
3.28	Histogram 28	31

1 Setup

1.1 Command history

```
ma5>import /home/hamzeh-khanpour/MG5_aMC_v3_6_6/muLHC_DIS_tqH_FCNC/bin/internal/ufomodel
ma5>import /home/hamzeh-khanpour/MG5_aMC_v3_6_6/muLHC_DIS_tqH_FCNC/Events/run_01/-unweighted_events.lhe.gz as run_01
ma5>define vl = 12 14 16
ma5>define vl = -16 -14 -12
ma5>define invisible = ve ve vm vt vm vt vl vl
ma5>set main.graphic_render = root
ma5>plot THT 40 0 500 [logY]
ma5>plot MET 40 0 500 [logY]
ma5>plot SQRTS 40 0 500 [logY]
ma5>plot PT(mu+[1]) 40 0 500 [logY]
ma5>plot ETA(mu+[1]) 40 -10 10 [logY]
ma5>plot PT(p[1]) 40 0 500 [logY]
ma5>plot ETA(p[1]) 40 -10 10 [logY]
ma5>plot PT(t[1]) 40 0 500 [logY]
ma5>plot ETA(t[1]) 40 -10 10 [logY]
ma5>plot PT(h[1]) 40 0 500 [logY]
ma5>plot ETA(h[1]) 40 -10 10 [logY]
ma5>plot M(mu+[1] h[1]) 40 0 500 [logY ]
ma5>plot M(mu+[1] p[1]) 40 0 500 [logY ]
ma5>plot M(mu+[1] p[1] h[1]) 40 0 500 [logY ]
ma5>plot M(mu+[1] p[1] t[1]) 40 0 500 [logY ]
ma5>plot M(mu+[1] p[1] t[1] h[1]) 40 0 500 [logY ]
ma5>plot M(mu+[1] t[1]) 40 0 500 [logY ]
ma5>plot M(mu+[1] t[1] h[1]) 40 0 500 [logY ]
ma5>plot M(p[1] h[1]) 40 0 500 [logY ]
ma5>plot M(p[1] t[1]) 40 0 500 [logY ]
ma5>plot M(p[1] t[1] h[1]) 40 0 500 [logY ]
ma5>plot M(t[1] h[1]) 40 0 500 [logY ]
ma5>plot DELTAR(mu+[1],h[1]) 40 0 10 [logY ]
ma5>plot DELTAR(mu+[1],p[1]) 40 0 10 [logY ]
ma5>plot DELTAR(mu+[1],t[1]) 40 0 10 [logY ]
ma5>plot DELTAR(p[1],h[1]) 40 0 10 [logY ]
ma5>plot DELTAR(p[1],t[1]) 40 0 10 [logY ]
ma5>plot DELTAR(t[1],h[1]) 40 0 10 [logY ]
ma5>submit /home/hamzeh-khanpour/MG5_aMC_v3_6_6/muLHC_DIS_tqH_FCNC/MA5_PARTON_ANALYSIS_analysis1
```

1.2 Configuration

- MadAnalysis version 1.9.60 (2025-11-27).
- Histograms given for an integrated luminosity of 10fb^{-1} .

2 Datasets

2.1 run_01

- Sample consisting of: signal events.
- Generated events: 100000 events.
- Normalization to the luminosity: 1+/- 1 events.
- Ratio (event weight): 1e-05 .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
muLHC_DIS_tqH_FCNC/- Events/run_01/- unweighted_events.lhe.gz	100000	0.00015 @ 0.092%	0.0

3 Histos and cuts

3.1 Histogram 1

* Plot: THT

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	116.167	178.5	0.0	5.836

3.2 Histogram 2

* Plot: MET

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	4.04253e-09	3.483e-09	0.0	0.0

3.3 Histogram 3

* Plot: SQRTS

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	1428.37	637.3	0.0	97.23

3.4 Histogram 4

* Plot: PT (mu+[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	128.919	173.2	0.0	5.233

3.5 Histogram 5

* Plot: ETA (mu+[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	-2.00854	1.343	0.0	0.0

3.6 Histogram 6

* Plot: PT (p[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	116.167	178.5	0.0	5.836

3.7 Histogram 7

* Plot: ETA (p[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	1.30618	1.509	0.0	0.0

3.8 Histogram 8

* Plot: PT (t[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	241.621	188.6	0.0	10.45

3.9 Histogram 9

* Plot: ETA (t[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	0.821161	1.294	0.0	0.0

3.10 Histogram 10

* Plot: PT (h[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	219.407	173.8	0.0	7.844

3.11 Histogram 11

* Plot: ETA (h[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	0.800348	1.255	0.0	0.0

3.12 Histogram 12

* Plot: M (h[1] mu+[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	661.564	412.3	0.0	56.13

3.13 Histogram 13

* Plot: M (mu+[1] p[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	406.731	331.5	0.0	29.75

3.14 Histogram 14

* Plot: M (h[1] mu+[1] p[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	901.846	492.1	0.0	75.41

3.15 Histogram 15

* Plot: M (mu+[1] p[1] t[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	977.137	527.2	0.0	80.13

3.16 Histogram 16

* Plot: M (h[1] mu+[1] p[1] t[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	1428.37	637.3	0.0	97.23

3.17 Histogram 17

* Plot: M (mu+[1] t[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	719.781	411.2	0.0	62.72

3.18 Histogram 18

* Plot: M (h[1] mu+[1] t[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	1197.29	543.0	0.0	93.19

3.19 Histogram 19

* Plot: M (h[1] p[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	340.225	269.0	0.0	18.78

3.20 Histogram 20

* Plot: M (p[1] t[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	426.162	343.8	0.0	23.43

3.21 Histogram 21

* Plot: M (h[1] p[1] t[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	834.024	475.2	0.0	70.63

3.22 Histogram 22

* Plot: M (h[1] t[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	614.725	317.5	0.0	50.95

3.23 Histogram 23

* Plot: DELTAR (mu+[1] , h[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	3.74746	1.407	0.0	0.009

3.24 Histogram 24

* Plot: DELTAR (mu+[1] , p[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	3.95787	1.657	0.0	0.009

3.25 Histogram 25

* Plot: DELTAR (mu+[1] , t[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	3.74715	1.471	0.0	0.011

3.26 Histogram 26

* Plot: DELTAR (p[1] , h[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	2.40926	1.066	0.0	0.0

3.27 Histogram 27

* Plot: DELTAR (p[1] , t[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	2.54591	1.065	0.0	0.0

3.28 Histogram 28

* Plot: DELTAR (t[1] , h[1])

Dataset	Integral	Entries per event	Mean	RMS	% underflow	% overflow
run_01	1.5	1.0	2.72713	0.9835	0.0	0.0