

FLAGSHIP INTERACTIVE COLLABORATION SOLUTION

# Interactive Whiteboard 75" — 4K Ultra HD

*Where Every Idea Comes to Life.*

Zero-bonding 4K display • 20-point touch • Android 13 • Optional Windows OPS • Optional 13MP Camera



## INTRODUCTION

We are an intelligent scenario solution provider, partnering with leading global manufacturers to bring proven, high-performance technology to Indonesian schools, universities, government institutions, and enterprises. We do not simply supply hardware — we deliver complete, fit-for-purpose collaboration environments backed by sourcing expertise, tender-ready documentation, and dependable after-sales support.

The Interactive Whiteboard 75" is our flagship interactive collaboration solution. Built around a zero-bonding 4K Ultra HD panel and high-precision infrared touch, it transforms any classroom or meeting room into a hub of dynamic, two-way collaboration. The writing experience is so fluid and natural it feels like putting pen to paper — letting teachers, students, and teams sketch, annotate, and brainstorm without ever thinking about the technology.

### Key Value Propositions

---

- **Stunning 4K Clarity** — a 4K Ultra HD canvas with zero-bonding technology for low parallax, wider viewing angles, and natural pen-to-paper writing.
- **Effortless Multi-User Interaction** — 20-point Android touch and 40-point Windows touch with  $\leq 5\text{ms}$  response and  $\pm 1\text{mm}$  accuracy let multiple people contribute at once.
- **Hybrid Learning, Built In** — an optional 13MP high-resolution camera turns the board into a complete video-conferencing and hybrid-learning station.
- **A Full PC When You Need It** — an optional Windows OPS module turns the whiteboard into a full Windows 11 Pro PC, with no external computer required.
- **Installation Flexibility** — wall mount included as standard, with an optional floor stand for movable, room-to-room deployment without drilling.
- **Local-Ready & Tender-Friendly** — 19-language OSD including Indonesian and Korean, with sourcing, documentation, and support managed end-to-end by APEX.

## TECHNICAL SPECIFICATIONS

# Full Specifications

All specifications below are drawn from the manufacturer datasheet. Optional items are marked accordingly.

| DISPLAY            |                                     |
|--------------------|-------------------------------------|
| LCD Size           | 75"                                 |
| Resolution         | 3840 (H) × 2160 (V) — 4K Ultra HD   |
| Aspect Ratio       | 16 : 9                              |
| Max Visual Area    | 1872.6 (H) × 1053.6 (V) mm          |
| Frequency          | 60 Hz                               |
| Response Time      | 8 ms                                |
| Display Colour     | 1.07B (8-bit)                       |
| Colour Gamut (Typ) | 72%                                 |
| Viewing Angle      | 178° (H/V)                          |
| Back Light Unit    | DLED                                |
| Brightness (Typ)   | Up to 350 cd/m <sup>2</sup>         |
| Backlight Life     | ≥50,000 hrs                         |
| Surface            | 4mm AG tempered glass, zero-bonding |

| TOUCH & WRITING  |                                                |
|------------------|------------------------------------------------|
| Touch Technology | Infrared (IR) Touch                            |
| Touch Points     | 20-point Android touch, 40-point Windows touch |
| Supported OS     | Windows 11/10, Android                         |
| Min. Object Size | 2 mm                                           |
| Input Mode       | Finger, passive IR pen                         |
| Response Time    | ≤5 ms                                          |
| Touch Accuracy   | ±1 mm                                          |
| Writing Height   | ≤3 mm                                          |
| Writing Mode     | Stylus pen, fingers                            |
| Touch Resolution | 32767 (W) × 32767 (D)                          |

## System, Connectivity & Camera

| SYSTEM (ANDROID) |                                                         |
|------------------|---------------------------------------------------------|
| Chip Solution    | CVT 9679                                                |
| System Version   | Android 13.0                                            |
| CPU              | Quad-core ARM Cortex-A55                                |
| GPU              | ARM Mali-G52 MP2 (2EE)                                  |
| RAM + ROM        | 8 + 128 GB                                              |
| OSD Languages    | 19 languages incl. Indonesian, Korean, English, Chinese |

| CONNECTIVITY      |                                                                                                                      |
|-------------------|----------------------------------------------------------------------------------------------------------------------|
| Wi-Fi             | 802.11 ac/b/g/n/ax (Wi-Fi 6), 2.4/5 GHz, built-in                                                                    |
| Bluetooth         | 5.2, 2.4 GHz, built-in                                                                                               |
| Front Interface   | USB 3.0 ×2, HDMI-in ×1, Touch USB ×1, USB-C ×1 (USB-only; optional full-function with 65W PD), Power button          |
| Onboard Interface | USB 2.0 ×1, USB 3.0 ×1, Touch USB ×1, HDMI-in ×2 (1 ARC), RS232 ×1, Line-out ×1, SPDIF ×1, 3.5mm jack ×1, RJ45-in ×1 |

| CAMERA (OPTIONAL) |                                        |
|-------------------|----------------------------------------|
| Camera            | 13MP high-resolution camera — optional |
| Use               | Video conferencing & hybrid learning   |

## Audio, Power & Physical Dimensions

| AUDIO & MICROPHONE    |                                         |
|-----------------------|-----------------------------------------|
| Speakers              | 2.0 soundtrack, 2 × 15W                 |
| Microphone (Optional) | 8-mic array, pickup 0–8 m, 0–180° angle |

| POWER & PHYSICAL          |                          |
|---------------------------|--------------------------|
| Voltage                   | 100–240V ~ 50/60Hz, 2.8A |
| Max Power Consumption     | 285 W                    |
| Standby Power             | ≤0.5 W                   |
| Bare Dimension            | 1951.6 × 1179.4 × 104 mm |
| Packing Dimension         | 2040 × 205 × 1255 mm     |
| Thickness (incl. bracket) | 104 mm                   |
| Net Weight                | 54.5 kg                  |
| Gross Weight              | 69 kg                    |
| Working Temp / Humidity   | 0°C–40°C / 10%–90% RH    |

## OPTIONAL OPS MODULE

# Turn Your Whiteboard into a Full Windows PC

## INTEGRATED PC OPTION

### Powerful Windows OPS Module

*Turn Your Interactive Whiteboard into a Full PC*



Slot the optional Windows OPS module directly into the board and the APEX Interactive Whiteboard 86" becomes a complete, self-contained Windows 11 Pro computer — just power on and work in full Windows immediately, with no external PC, no separate tower, and no clutter.

## What the Module Delivers

- **Windows 11 Pro** for a familiar, enterprise-grade desktop environment.
- **Intel Core i5 / i7 CPU** — 12th-generation Intel Core i5 standard, with optional Intel Core i7 upgrade for heavier workloads.
- **8GB RAM + 128GB SSD** for smooth multitasking and fast application loading.
- **Wi-Fi 6 support** for reliable wireless connectivity at the front of the room.

## OPS MODULE SPECIFICATIONS

|                  |                                                                                                            |
|------------------|------------------------------------------------------------------------------------------------------------|
| <b>System</b>    | Windows 11 Pro                                                                                             |
| <b>CPU</b>       | Intel Core i5 (12th Gen) standard — Intel Core i7 optional upgrade                                         |
| <b>Memory</b>    | 8GB RAM                                                                                                    |
| <b>Storage</b>   | 128GB SSD                                                                                                  |
| <b>Wireless</b>  | Wi-Fi 6                                                                                                    |
| <b>OPS Ports</b> | USB 2.0 ×2 • USB 3.0 ×4 • HDMI out ×1 • DP out ×1 • Mic in ×1 • Earphone ×1 • RJ45 ×1 • Power-on button ×1 |

## One Board. Every Application.

Run full Windows applications directly on the whiteboard — Microsoft Office, video-conferencing platforms, browsers, learning-management systems, and specialised educational software — all without an external PC. For procurement teams, that means fewer devices to buy, deploy, secure, and maintain, and a cleaner, simpler room for every user.

## OPTIONS & ACCESSORIES

# Configure for Every Scenario

| ACCESSORIES & OPTIONS          |                                                                        |
|--------------------------------|------------------------------------------------------------------------|
| In Box                         | Power cord ×1, Stylus pen ×2, Wall mount ×1, User manual ×1, Remote ×1 |
| Wall Mount                     | Included as standard                                                   |
| Standing Bracket / Floor Stand | Optional — flexible, movable installation without wall mounting        |
| 48MP Camera                    | Optional — video conferencing & hybrid learning                        |
| Microphone Array               | Optional — 8-mic far-field pickup                                      |
| Windows OPS Module             | Optional — Windows 11 Pro, Intel Core i5/i7                            |



Optional Standing Bracket

### Flexible Installation Options

The wall mount is included in the box for permanent installation. For environments that need to share one board across multiple rooms — or rooms where wall modification is not possible — the **optional standing bracket (floor stand)** provides a fully movable, drill-free deployment on lockable casters.