Literature Review

Project Name: Beyond the Dose
Project Track: Data Analysis
The doctor said it looks good and approved it, so we can finalize it.

References That Helped Us Understand the Project

https://www.fda.gov/drugs/surveillance-post-drug-approval-activities/fda-adverse-event-monitoring-system-aems?
FDA adverse event monitoring helps identify potential drug safety concerns and patterns in reported adverse events. However, an adverse event report does not necessarily mean that the drug caused the event. The data may also contain duplicate reports and differences in reporting practices.
How It Informs the Project:
This source helps guide the project's data cleaning and analysis process. We will identify unique report IDs, check for duplicate records, and clearly explain the limitations of adverse event data when presenting our findings.

https://clinicaltrials.gov/?
ClinicalTrials gov is a searchable database of clinical studies. Depending on the study record, it provides information about study interventions, phases, recruitment status, study dates, sponsors, and participant numbers.
How It Informs the Project:
This source helps us understand and evaluate the clinical_trials.csv dataset. We will examine the available fields and analyze clinical trial counts by phase, status, and sponsor when the required data is available.

https://www.fda.gov/drugs/questions-and-answers-fdas-adverse-event-reporting-system-faers
The FDA Adverse Event Reporting System (FAERS) collects reports of suspected adverse events and medication-related problems. These reports have important limitations because reporting is not complete or uniform. Raw report counts alone cannot determine the actual incidence of adverse events or establish the true comparative risk of different medications.
How It Informs the Project:
This source helps us interpret our results responsibly. We will avoid concluding that a medication is more dangerous simply because it has more reported adverse events. Our findings will describe patterns in reported data rather than prove causation or calculate actual adverse event rates among all medication users.