```
import { Link } from 'react-router-dom';
import { motion } from 'framer-motion';

const ROLES = [
  {
    key: 'student',
    label: 'Student',
    emoji: '🎮',
    description: 'View your own game progress, badges, and achievements!',
    gradient: 'from-rose-400 via-pink-500 to-orange-400',
    bg: 'bg-rose-50',
    border: 'border-rose-200',
    link: '/student',
    cta: 'Enter Student Dashboard',
  },
  {
    key: 'parent',
    label: 'Parent',
    emoji: '👨‍👩‍👧',
    description: "Track your child's learning journey and celebrate their wins together.",
    gradient: 'from-teal-400 via-cyan-500 to-blue-500',
    bg: 'bg-teal-50',
    border: 'border-teal-200',
    link: '/parent',
    cta: 'Enter Parent Dashboard',
  },
  {
    key: 'teacher',
    label: 'Teacher',
    emoji: '👩‍🏫',
    description: 'Monitor all students across programs and add observations.',
    gradient: 'from-purple-400 via-violet-500 to-indigo-500',
    bg: 'bg-purple-50',
    border: 'border-purple-200',
    link: '/teacher',
    cta: 'Enter Teacher Dashboard',
  },
];

export default function RoleSelect() {
  return (
    <div className="min-h-screen flex flex-col items-center justify-center px-4 py-12"
style={{ backgroundColor: '#F8F6FF' }}>
      {/* Hero */}
```

```
      <motion.div
        initial={{ opacity: 0, y: -20 }}
        animate={{ opacity: 1, y: 0 }}
        transition={{ duration: 0.5 }}
        className="text-center mb-12"
      >
        <div className="flex justify-center mb-4">
          <div className="w-20 h-20 rounded-3xl bg-gradient-to-br from-purple-500
to-pink-500 flex items-center justify-center shadow-2xl shadow-purple-300 text-4xl">
            🧠
          </div>
        </div>
        <h1 className="text-5xl font-display font-black bg-gradient-to-r from-purple-600
via-pink-500 to-orange-400 bg-clip-text text-transparent mb-3">
          LearnQuest
        </h1>
        <p className="text-gray-500 text-lg font-semibold max-w-md mx-auto">
          A learning adventure dashboard for students, parents & teachers
        </p>
      </motion.div>

      {/* Role Cards */}
      <div className="w-full max-w-4xl grid grid-cols-1 md:grid-cols-3 gap-6">
        {ROLES.map((role, i) => (
          <motion.div
            key={role.key}
            initial={{ opacity: 0, y: 30 }}
            animate={{ opacity: 1, y: 0 }}
            transition={{ duration: 0.45, delay: i * 0.12 }}
            whileHover={{ y: -6, transition: { duration: 0.2 } }}
          >
            <Link to={role.link} className="block h-full">
              <div className={`h-full rounded-3xl border-2 ${role.border} ${role.bg} p-8
shadow-lg hover:shadow-2xl transition-all duration-200 flex flex-col items-center
text-center gap-5`}>
                <div className={`w-20 h-20 rounded-2xl bg-gradient-to-br ${role.gradient}
flex items-center justify-center text-4xl shadow-lg`}>
                  {role.emoji}
                </div>
                <div>
                  <h2 className="text-2xl font-display font-black text-gray-800
mb-2">{role.label}</h2>
                  <p className="text-sm text-gray-500 font-medium
leading-relaxed">{role.description}</p>
```

```
              </div>
              <div className={`mt-auto w-full py-3 rounded-xl bg-gradient-to-r
${role.gradient} text-white font-black text-sm shadow-md`}>
                {role.cta}
              </div>
            </div>
          </Link>
        </motion.div>
      ))}
    </div>

    {/* Footer note */}
    <motion.p
      initial={{ opacity: 0 }}
      animate={{ opacity: 1 }}
      transition={{ delay: 0.7 }}
      className="mt-10 text-xs text-gray-400 font-semibold"
    >
      Designed for learners with ASD, ADHD, Dyslexia & Cognitive differences ✨
    </motion.p>
  </div>
 );
}
```

That's the complete RoleSelect.jsx file — dependencies are react-router-dom and framer-motion.