


fastq_len_dist

```
SRR25630305_R1 = read.table("./dist_SRR25630305_cut_fpair.txt")
SRR25630305_R2 = read.table("./dist_SRR25630305_cut_rpair.txt")

SRR25630305 = full_join(SRR25630305_R1, SRR25630305_R2, by = "V2") %>%
  rename(R1 = V1.x, R2 = V1.y, Length = V2) %>%
  select(Length, R1, R2) %>%
  pivot_longer(
    cols = c(R1, R2)
  )
SRR25630305
```

```
## # A tibble: 232 x 3
##   Length name  value
##   <int> <chr> <int>
## 1     61 R1      807
## 2     61 R2      991
## 3     62 R1      832
## 4     62 R2     1084
## 5     63 R1      874
## 6     63 R2     1108
## 7     58 R1      885
## 8     58 R2     1015
## 9     64 R1      898
## 10    64 R2     1044
## # i 222 more rows
```

```
ggplot(SRR25630305, aes(x = Length, y = value, fill = name)) +
  geom_col(position = "dodge", width = 1) +
  ylab("Frequency") +
  xlab("Length")
```



```
SRR25630397_R1 = read.table("./dist_SRR25630397_cut_fpair.txt")
SRR25630397_R2 = read.table("./dist_SRR25630397_cut_rpair.txt")

SRR25630397 = full_join(SRR25630397_R1, SRR25630397_R2, by = "V2") %>%
  rename(R1 = V1.x, R2 = V1.y, Length = V2) %>%
  select(Length, R1, R2) %>%
  pivot_longer(
    cols = c(R1, R2)
  )
SRR25630397
```

```
## # A tibble: 232 x 3
##   Length name  value
##   <int> <chr> <int>
## 1     67 R1      859
## 2     67 R2     1412
## 3     60 R1      875
## 4     60 R2     1192
## 5     62 R1      886
## 6     62 R2     1332
## 7     61 R1      887
## 8     61 R2     1290
## 9     66 R1      887
## 10    66 R2     1336
## # i 222 more rows
```

```
ggplot(SRR25630397, aes(x = Length, y = value, fill = name)) +
  geom_col(position = "dodge", width = 1) +
  ylab("Frequency") +
  xlab("Length")
```

