## Set up branch rules for GitHub repository. Scribe





1 Navigate to <a href="https://github.com/<sua-conta">https://github.com/<sua-conta</a> /<seu-repositorio</a> /settings

2 Click "Branches" 🕸 General General Repository name AR Collaborators pipelines-ada-maio-2024 Rename 😡 Moderation options Template repository Template repositories let users generate new repositories with the Code and automation ₽ Branches Require contributors to sign off on web-based commits Enabling this setting will require contributors to sign off on comm **₽** Rules Actions Default branch 🔏 Webhooks The default branch is considered the "base" branch in your r □ Codespaces commits are automatically made, unless you specify a differ


3 Click "Add branch ruleset" 1 Pull requests 1 • Actions ☐ Wiki ① Security 🗠 Insights Settings Branch protection rules ③ General Access You haven't protected any of your branches R Collaborators Define branch rules to disable force pushing, prevent branches from being deleted, or merging. Learn more about <u>repository rules</u> and <u>protected branches</u>. Moderation options Add branch ruleset Add classic branch protection rule Code and automation **Branches**  Tags - Rules Actions ß Webhooks Environments

4 Type "block-main"






## O make a ruleset for? Which branches will be protected by this ruleset. Use inclusion patterns to expand the eset. Use exclusion patterns to exclude branches. Add target Tranch targeting has not been configured



**9** Type "main"

10 Click "Add Inclusion pattern"



Click the "Require a pull request before merging" field.

Require linear history
Prevent merge commits from being pushed to matching refs.

Require deployments to succeed
Choose which environments must be successfully deployed to before refs

Require signed commits
Commits pushed to matching refs must have verified signatures.

Require a pull request before merging
require all commits be made to a non-target branch and submitted via a

Require status checks to pass
Choose which status checks must pass before the ref is updated. When er where the checks pass.

Block force pushes
Prevent users with push access from force pushing to refs.

Require code scanning results

