

Handpoint

Hi5 NFC





The Handpoint Hi5 brings the mobile payments experience to your customers. Featuring a built-in printer, it's perfect for service companies looking to take their mobile first experience to the next level. Combine with Handpoint's tip adjustment or onscreen tipping for your ideal EMV tableside solution.

The Hi5 is semi-integrated with P2PE Security, which minimizes your PCI burden AND protects your customers

Activated in minutes - with remote support direct to your card reader, no matter where you take it in the field or in your store.

EMV (Chip & PIN, Chip & Signature) + NFC + MSR ISO 7810, EMV L1+2 certified PCI-PTS 3.x (SRED) Certified Remote Key Injection & updates Bluetooth connectivity Rechargeable Li-Ion Battery 7.4V/1300 mAh L: 110mm W: 69mm H: 17mm; Weight: 320 grams > 500 EMV transactions on a single charge

Handpoint

Hi5 NFC



Certifications & Payment Types

- Chip & PIN, Chip & Signature, triple track bidirectional MSR. & NFC
- EMV Level 3 certified on TSYS, EVO, & Vantiv
- ISO 7810, CE, FCC, PCI PTS 3.x (SRED), EMV Level 1+2, EMV Level 1 Contactless

OS Compatibility & Connectivity

- iOS, Android, and Windows compatible with Handpoint's SDK and P2PE payment application with 3DES and DUKPT security
- · Semi-integrated architecture for POS
- Bluetooth communication

Battery & Charging

- Rechargeable Li-Ion Battery 7.4 V, 1300 mAh
- DC 9V via mini USB cord, 1 A through power jack

Screen, Dimensions, & Weight

- 128 x 64 Monochrome LCD, backlight
- Color LCD 220 x 176 (optional)
- L:172mm W:76mm H:49mm
- 320 grams

Durability & Lifecyle

- Drop Tested: 1.5 m, 6 faces + 4 edges on concrete
- Operational Range: -10 °C to +40 °C /5 to 90% RH
- Storage Range: -15 °C to +50 °C / 5 to 90% RH
- 500,000 chip card cycles
- 1,000,000 magnetic card swipes
- 1,000,000 button clicks