

TROGARZO™ is a prescription medicine that is used with other antiretroviral medicines to treat Human Immunodeficiency Virus-1 (HIV-1) infection in adults who:

- · have received several anti-HIV-1 regimens in the past, and
- · have HIV-1 virus that is resistant to many antiretroviral medicines, and
- are failing their current antiretroviral therapy

Please see Important Safety Information inside, and the enclosed Patient Information for TROGARZO $^{\rm m}$.



Your guide to TROGARZO™

(ibalizumab-uiyk) Injection

This guide contains useful information on TROGARZOTM, what to expect with your infusions, and how the THERA patient supportTM program can help you.

If you need more information at any time, do not hesitate to ask your health care provider or call the THERA patient support™ program at 1-833-23-THERA (1-833-238-4372).

∵ THERA patient support □



What is TROGARZO™?

TROGARZO™ is a prescription medicine that is used with other antiretroviral medicines to treat Human Immunodeficiency Virus-1 (HIV-1) infection in adults who:

- have received several anti-HIV-1 regimens in the past, and
- have HIV-1 virus that is resistant to many antiretroviral medicines, and
- are failing their current antiretroviral therapy

HIV-1 is the virus that causes Acquired Immune Deficiency Syndrome (AIDS).

It is not known if TROGARZO™ is safe and effective in children

How will I receive TROGARZO™?

TROGARZO™ is administered as an intravenous (IV) infusion over 15 to 30 minutes, every 2 weeks.



What is an IV infusion?

An IV infusion is a way of delivering medication directly into a person's bloodstream. It involves the slow delivery of liquid medication through the vein using a needle.

THERA patient support™ is here to help

You will be receiving a welcome call from your dedicated Patient Care Coordinator. They will manage your coverage assessment and can help schedule your infusion appointments throughout the course of your treatment.



You can receive infusions at a location that's most convenient for you.



Your Patient Care Coordinator can organize your preferred infusion location, making any changes during therapy to ensure it remains convenient for you.

They are also available by phone to answer any questions you may have about your treatment.

What to expect with your infusions

Before your infusion

- Ask your health care provider or Patient Care Coordinator if you need to have any documents ready for your infusion appointment (for example, your insurance information).
- If you have any concerns about IV infusions, ask your health care provider for tips on how you can cope with it.

During your infusion

- Your infusion will take between 15 and 30 minutes.
- You will be monitored during this time. If you feel unwell at any time, talk to the health care provider right away.

After your infusion

 You will be monitored after your infusion for a short period of time to ensure that you have no infusion-related side effects.



Frequently asked questions about TROGARZO™ (ibalizumab-uiyk) Injection

How long will my TROGARZO™ infusion take?

Your TROGARZO™ infusion will last from 15 to 30 minutes. After your infusion, you will also be monitored for a short period of time.

Do I need to continue taking my other HIV medications?

TROGARZO™ is used in combination with other antiretroviral medications. Therefore, you should continue to take all your other HIV medications as prescribed by your doctor.

Do not change or stop taking any of your medications unless your doctor tells you to do so.

What if I want to change the location of my infusion?

Your doctor or Patient Care Coordinator can assist you in choosing a location that is most convenient for you, whether it is your local infusion center, your doctor's office, or your own home.

What if I will be out of town during one of my appointments?

It is important to stay on top of your treatment. Talk to your doctor or Patient Care Coordinator about alternative arrangements for your TROGARZO $^{\text{\tiny{TM}}}$ infusion while you are away.

What should I do if I miss a scheduled TROGARZO™ infusion?

If you miss any scheduled TROGARZO^{\top} infusions, talk to your health care provider, or call the THERA patient support^{\top} program (1-833-238-4372) right away.

Important Safety Information

Before you receive TROGARZO™

Tell your health care provider about all of your medical conditions, including if you are:

- Pregnant or plan to become pregnant. It is not known if TROGARZO™ may harm your unborn baby. Tell your health care provider if you become pregnant during treatment with TROGARZO™.
- Breastfeeding or plan to breastfeed. Do not breastfeed if you are receiving TROGARZO™ or have HIV-1. Talk with your health care provider about the best way to feed your baby during treatment.

Tell your health care provider about all the medications you take, including all prescription and over-the-counter medications, vitamins, and herbal supplements.

Possible side effects of TROGARZO™

TROGARZO™ can cause serious side effects, including changes in your immune system. Immune Reconstitution Inflammatory Syndrome can happen when you start taking HIV-1 medications. Your immune system might get stronger and begin to fight infections that have been hidden in your body for a long time. Tell your health care provider right away if you experience new symptoms after starting TROGARZO™.

Rash

The most common side effects of TROGARZO™ include:

- Diarrhea
 Dizziness
 Nausea
- Tell your health care provider if you have any side effect that bothers you or that does not go away.

These are not all the possible side effects of TROGARZO $^{\text{\tiny M}}$. For more information or medical advice about side effects, ask your doctor.

You may report side effects to the FDA at 1-800-FDA-1088 or the THERA patient support™ program at 1-833-238-4372.

Please see the enclosed Patient Information for TROGARZO™.

** • THERA patient support

If you have any questions, call the THERA patient support™ program at 1-833-23-THERA (1-833-238-4372), Monday-Friday, 8AM-8PM ET.

Please see Important Safety Information inside, and the enclosed Patient Information for TROGARZO $^{\rm m}$.





