

Day 6 (05/11/2025)

Conditional statements are used to check the conditions

In the Programming to display the result,

if

if else

if else if ladder / conditions.

nested if else

If - If the condition evaluates to True, the block of code inside the if statement is executed.

Syntax of If

```
If (condition):  
    statements
```

# eligibility criteria to vote in India.

```
age = int(input())
```

```
country = input()
```

```
if (age >= 18 and country == "india"):
```

```
    print("You are eligible for voting")
```

inp  $\Rightarrow$  45  
india

o/p  $\Rightarrow$  You are eligible  
for voting.

Suppose if they given input as "India" instead of india. & we have to put lower case.

```
age = int(input())
```

```
country = input()
```

```
pc = country.lower()
```

```
print(pc)
```

```
if (age >= 18 and pc == "india"):
```

```
    print("You are eligible for voting")
```

inp  $\Rightarrow$  35

India

india

o/p  $\Rightarrow$


india

You are eligible for voting.



If-else statement -

When the If condition is False. If the condition in the if statement is not true, the else block will be executed.



Syntax of If-else -

if (condition):

Statements of if

else:

statements of else

ex- age = int(input())

country = input()

if (age >= 18 and country == "india");

print ("you are eligible for voting")

else: print ("you are not eligible for voting")

o/p => you are not eligible for voting.

Q) Write a Program to check the given number is even (or) odd?

num = int(input())

if (num % 2) == 0:

print (f"{num} is Even number")

i/p => 89

o/p => 89 is odd number

else:

print (f"{num} is Odd number")



Q) Write a Program to calculate discount amount up to 5000rs shopping -10% discount  
more than 5000rs shopping 20% discount  
display there payment amount?

$\text{Purs-amnt} = 3000$

$\text{Purs-amnt} \leq 5000$

$\text{da} = \text{purs-amnt} * 0.1$

$\text{Pay-amnt} = \text{purs-amnt} - \text{da}$

$\text{purs-amnt} > 5000$

$\text{da} = \text{purs-amnt} * 0.2$

$\text{Pay-amnt} = \text{purs-amnt} - \text{da}$

A)  $\text{purs-amnt} = \text{float}(\text{input}())$   
if ( $\text{purs-amnt} \leq 5000$ ):  
     $\text{da} = \text{purs-amnt} * 0.1$   
     $\text{Pay-amnt} = \text{purs-amnt} - \text{da}$

else:

$\text{da} = \text{purs-amnt} * 0.2$

$\text{Pay-amnt} = \text{purs-amnt} - \text{da}$

print (f"the discount amount: {da} \n the pay amount is: {Pay-amnt}")

i/p  $\Rightarrow 6900$

o/p  $\Rightarrow$  the discount amount : 1380.0

the pay amount is : 5520.0



If else if (ladder) -

Syntax -

```
if (condition 1);  
    statements of condition 1
```

else :

```
    if (condition 2);
```

```
        statements of condition 2
```

else :


```
    if (condition 3);
```

```
        statements of condition 3
```

else :

```
    default statements.
```

If - elif  $\rightarrow$  If - elif statements is a shortcut for chaining multiple if - else conditions. while using if - elif statement at the end else block is added which is performed if none of the above if - elif statement is true.





Syntax of elif -

if (condition1):

Statements of condition 1

elif (condition2):

Statements of condition 2

elif (condition3):

Statements of condition 3

...

else:  
default statements

Q) Write a program to check the given number is positive, negative or zero.

```
n = int(input())
```

```
if (n > 0):
```

```
    print(f"{n} is a positive number")
```

```
elif (n < 0):
```

```
    print(f"{n} is a negative number")
```

i/p  $\Rightarrow$  8

```
else:
```

```
    print(f"{n} is a zero")
```

o/p  $\Rightarrow$  8 is a positive number.