
PLAN HISTORY								
DATE	REV. NO.	DESCRIPTION	DRAWN	CHKD	APPR0			
2022.06.14	0	제작용으로 도면 작성, 배포함-적용호선 : 8060/8061.	김병우	최재영	박성범			

* NOTE

보호 도장 기능기준(Performance Standard for Protective Coating)관련 모든 모서리를 "RC"

- RC GRINDING DETAIL: 1 PASS GRINDING + BURR 제거(SMOOTH GRINDING)



(표지 포함 DEP'T SHIP NO. SHIP TYPE 8060/8061 153,000 TEU CLASS CONTAINER CARRIER B128 SAMHO SHIP DESIGN OFFICE PURCHASE ORDER SPECIFICATION FOR TEL. 2952 전 장 선 실 설 계 부

S. B. PARK (박성범) APPROVED BY

VERITCAL LADDER

CHECKED BY

J. Y. CHOI (최 재 영)>

DRAWN BY

DWG NO.

H12C0F30596A-0

HYUNDAI SAMHO HEAVY INDUSTRIES CO., LTD. P.O.R NO. SAMHO SHIPYARD, KOREA

R10

P-1

8060/8061 (VERT	8060/8061 PAINTING SPEC. (VERTICAL LADDER)						
PAINTING ITEM	TOP SUFACE	SHOP PRIMER	SURF- PREPAR ATION	BRAND NAME OF PAINT (COLOR)	DF7 (µm)	REMARK	
VERTICAL LADDER	STEEL	NS	ТЗ	1. EP1760 (GREY 1135) 2. UT6582 (CREAM 3305)	100		
VERTICAL LADDER (TYPE-CI)	STEEL	NS	T2	EPINGO GREYIISE	5 75	וט	

HYUNDAI SAMHO HEAVY INDUSTRIES (주) 한진기공

	SE		N 3. L	.ADDER		***************************************	***************************************		SHIP NO.	8060/8061
			1-2. LIST OF VERTICAL LADDER						DWG. NO.	3W-8160-001
DECK	BLOCK	MARK NO.	TYPE	DECK HEIGHT +CAMBER	"["	"W"	"D/D1"	"P"	WEIGHT (KG)	REMARK
NAV.	H19C0	AVLN01	A1	ı	1580	350	250	340	27	FOR COMPASS DECK
υ	PIBPO	AVLUOI	CI)	1150	350	P-5	340	22	FIOR ELEVATOR
A	HIZCO	AVLAOI	CI	ì	3570	350	11	340	54	11
В	1113(0	AVLBOI	CI	-	3380	350	"	340	54	11
С	H1460	AVLCOI	CI	-	3380	350	11	340	54	11
D	H15 Co	AVLDOI	CI	-	3380	3 <u>t</u> 0	11	340	54	"
i	H16 CO	AVLEOI	CI	0	3380	350	"	340	54	STRIES
Fi	HITCO	AVLFIOI	CI		3380	350	"	340	54	
G	111800	AVLGOI	CI	-	3450	320	11	340	55	tr
7	111900	AVLNO2.	CI	-	1150	350	"	340	22	f (
						,				
					5					
				*						
	TOTAL 1 SETS/SHIP							490	KG/SHIP	




SECTION 3. LADDER

HS NO.	7161	47/
REV. DATE		

3. Vertical Ladder (Type-A1)

No.	Description	Size	Material	Weight	Remark
1	Side frame	65x9t F.BAR	SS 400	4.59 kg/m	Painted
2	Step	22 SQ. BAR	SS 400	3.80 kg/m	Painted
3	Lug	65x9t F.BAR	SS 400	4.59 kg/m	Painted



Note

1.Application: FOR COMPASS DECK

MARK NO. AVLNOI OHLY




SECTION 3. LADDER


	HS	NO.	716	1 470
REV.	DATE		/	

3. Vertical ladder (Type-C1)


No.	Description	Size	Mat'l	Weight	Remark
1	Side frame	65x9t F.bar	SS 400	4.59 kg/m	Painted
2	Step	22 SQ. bar	SS 400	3.80 kg/m	Painted
3	Lug	65x9t F.Bar	SS 400	4.59 kg/m	Painted





P-5




P-6








PI



P-8 - GND-



Mark no. AVL G01

1) 양쪽 Side frame은 "A" Plan 확인 후 반영
2) 총 Step 수량: 10, PITCH: 340mm
3) Side Frame 설치 위치
- 중앙부 Frame

STRIFE

STRIFE

STRIFE

SE-372(내),SA-222(의)

TYP.

TYP.

G - DECK