



C Piscine

Day 05

Staff 42 pedago@42.fr

Summary: This document is the subject for Day05 of the C Piscine @ 42.

Contents

I	Instructions	3
II	Foreword	5
III	Exercise 00 : ft_putstr	6
IV	Exercise 01 : ft_putnbr	7
V	Exercise 02 : ft_atoi	8
VI	Exercise 03 : ft_strcpy	9
VII	Exercise 04 : ft_strncpy	10
VIII	Exercise 05 : ft_strstr	11
IX	Exercise 06 : ft_strcmp	12
X	Exercise 07 : ft_strncmp	13
XI	Exercise 08 : ft_strupcase	14
XII	Exercise 09 : ft_strlowercase	15
XIII	Exercise 10 : ft_strcapitalize	16
XIV	Exercise 11 : ft_str_is_alpha	17
XV	Exercise 12 : ft_str_is_numeric	18
XVI	Exercise 13 : ft_str_is_lowercase	19
XVII	Exercise 14 : ft_str_is_uppercase	20
XVIII	Exercise 15 : ft_str_is_printable	21
XIX	Exercise 16 : ft_strcat	22
XX	Exercise 17 : ft_strncat	23
XXI	Exercise 18 : ft_strlcat	24
XXII	Exercise 19 : ft_strlcpy	25
XXIII	Exercise 20 : ft_putnbr_base	26

XXIV	Exercise 21 : ft_atoi_base	28
XXV	Exercise 22 : ft_putstr_non_printable	30
XXVI	Exercise 23 : ft_print_memory	31

Chapter I

Instructions

- Only this page will serve as reference: do not trust rumors.
- Watch out! This document could potentially change up to an hour before submission.
- Make sure you have the appropriate permissions on your files and directories.
- You have to follow the submission procedures for all your exercises.
- Your exercises will be checked and graded by your fellow classmates.
- On top of that, your exercises will be checked and graded by a program called Moulinette.
- Moulinette is very meticulous and strict in its evaluation of your work. It is entirely automated and there is no way to negotiate with it. So if you want to avoid bad surprises, be as thorough as possible.
- Moulinette is not very open-minded. It won't try and understand your code if it doesn't respect the Norm. Moulinette relies on a program called **Norminator** to check if your files respect the norm. TL;DR: it would be idiotic to submit a piece of work that doesn't pass **Norminator**'s check.
- These exercises are carefully laid out by order of difficulty - from easiest to hardest. We **will not** take into account a successfully completed harder exercise if an easier one is not perfectly functional.
- Using a forbidden function is considered cheating. Cheaters get -42, and this grade is non-negotiable.
- If `ft_putchar()` is an authorized function, we will compile your code with our `ft_putchar.c`.
- You'll only have to submit a `main()` function if we ask for a program.

- Moulinette compiles with these flags: `-Wall -Wextra -Werror`, and uses `gcc`.
- If your program doesn't compile, you'll get 0.
- You cannot leave any additional file in your directory than those specified in the subject.
- Got a question? Ask your peer on your right. Otherwise, try your peer on your left.
- Your reference guide is called `Google / man / the Internet /`
- Check out the "C Piscine" part of the forum on the intranet.
- Examine the examples thoroughly. They could very well call for details that are not explicitly mentioned in the subject...
- By Odin, by Thor ! Use your brain !!!



Norminator must be launched with the `-R CheckForbiddenSourceHeader` flag. Moulinette will use it too.

Chapter II

Foreword

Here is a discuss extract from the Silicon Valley serie:

- I mean, why not just use Vim over Emacs? (CHUCKLES)
- I do use Vim over Emac.
- Oh, God, help us! Okay, uh you know what? I just don't think this is going to work. I'm so sorry. Uh, I mean like, what, we're going to bring kids into this world with that over their heads? That's not really fair to them, don't you think?
- Kids? We haven't even slept together.
- And guess what, it's never going to happen now, because there is no way I'm going to be with someone who uses spaces over tabs.
- Richard! (PRESS SPACE BAR MANY TIMES)
- Wow. Okay. Goodbye.
- One tab saves you eight spaces! - (DOOR SLAMS) - (BANGING)

. . .


(RICHARD MOANS)

- Oh, my God! Richard, what happened?
- I just tried to go down the stairs eight steps at a time. I'm okay, though.
- See you around, Richard.
- Just making a point.

Hopefully, you are not forced to use emacs and your space bar to complete the following exercices.

Chapter III

Exercise 00 : ft_putstr

	Exercise 00
ft_putstr	
Turn-in directory : <i>ex00/</i>	
Files to turn in : ft_putstr.c	
Allowed functions : ft_putchar	
Notes : n/a	


42 - Classics : Theses exercises are key assignments that do not earn points, but are mandatory to validate in order to access to the real assignments of the day.

- Create a function that displays a string of characters on the standard output.
- Here's how it should be prototyped :

```
void    ft_putstr(char *str);
```

Chapter IV

Exercise 01 : ft_putnbr

	Exercise 01
ft_putnbr	
Turn-in directory : <i>ex01/</i>	
Files to turn in : ft_putnbr.c	
Allowed functions : ft_putchar	
Notes : n/a	

42 - Classics : Theses exercises are key assignments that do not earn points, but are mandatory to validate in order to access to the real assignments of the day.


- Create a function that displays the number entered as a parameter. The function has to be able to display all possible values within an `int` type variable.
- Here's how it should be prototyped :

```
void ft_putnbr(int nb);
```

- For example:
 - `ft_putnbr(42)` displays "42".

Chapter V

Exercise 02 : ft_atoi

	Exercise 02
ft_atoi	
Turn-in directory : <i>ex02/</i>	
Files to turn in : ft_atoi.c	
Allowed functions : None	
Notes : n/a	


42 - Classics : Theses exercises are key assignments that do not earn points, but are mandatory to validate in order to access to the real assignments of the day.

- Reproduce the behavior of the function **atoi** (man atoi).
- Here's how it should be prototyped :

```
int    ft_atoi(char *str);
```

Chapter VI

Exercise 03 : ft_strcpy


	Exercise 03
ft_strcpy	
Turn-in directory : <i>ex03/</i>	
Files to turn in : ft_strcpy.c	
Allowed functions : None	
Notes : n/a	

- Reproduce the behavior of the function `strcpy` (man `strcpy`).
- Here's how it should be prototyped :

```
char *ft_strcpy(char *dest, char *src);
```

Chapter VII

Exercise 04 : ft_strncpy


	Exercise 04
ft_strncpy	
Turn-in directory : <i>ex04/</i>	
Files to turn in : ft_strncpy.c	
Allowed functions : None	
Notes : n/a	

- Reproduce the behavior of the function `strncpy` (man `strncpy`).
- Here's how it should be prototyped :

```
char      *ft_strncpy(char *dest, char *src, unsigned int n);
```

Chapter VIII

Exercise 05 : ft_strstr


	Exercise 05
ft_strstr	
Turn-in directory : <i>ex05/</i>	
Files to turn in : ft_strstr.c	
Allowed functions : None	
Notes : n/a	

- Reproduce the behavior of the function **strstr** (man strstr).
- Here's how it should be prototyped :

```
char *ft_strstr(char *str, char *to_find);
```

Chapter IX

Exercise 06 : ft_strcmp


	Exercise 06
ft_strcmp	
Turn-in directory : <i>ex06/</i>	
Files to turn in : ft_strcmp.c	
Allowed functions : None	
Notes : n/a	

- Reproduce the behavior of the function `strcmp` (man `strcmp`).
- Here's how it should be prototyped :

```
int      ft_strcmp(char *s1, char *s2);
```

Chapter X

Exercise 07 : ft_strncmp


	Exercise 07
ft_strncmp	
Turn-in directory : <i>ex07/</i>	
Files to turn in : ft_strncmp.c	
Allowed functions : None	
Notes : n/a	

- Reproduce the behavior of the function `strncmp` (man `strncmp`).
- Here's how it should be prototyped :

```
int      ft_strncmp(char *s1, char *s2, unsigned int n);
```

Chapter XI

Exercise 08 : ft_strupcase

	Exercise 08
ft_strupcase	
Turn-in directory : <i>ex08/</i>	
Files to turn in : ft_strupcase.c	
Allowed functions : None	
Notes : n/a	


- Create a function that transforms every letter of every word to uppercase.
- Here's how it should be prototyped :

```
char *ft_strupcase(char *str);
```

- It should return **str**.

Chapter XII

Exercise 09 : ft_strlowercase

	Exercise 09
	ft_strlowercase
Turn-in directory : <i>ex09/</i>	
Files to turn in : ft_strlowercase.c	
Allowed functions : None	
Notes : n/a	


- Create a function that transforms every letter of every word to lowercase.
- Here's how it should be prototyped :

```
char *ft_strlowercase(char *str);
```

- It should return **str**.

Chapter XIII

Exercise 10 : ft_strcapitalize

	Exercise 10
ft_strcapitalize	
Turn-in directory : <i>ex10/</i>	
Files to turn in : ft_strcapitalize.c	
Allowed functions : None	
Notes : n/a	

- Create a function that capitalizes the first letter of each word and transforms all other letters to lowercase.
- A word is a string of alphanumeric characters.
- Here's how it should be prototyped :

```
char      *ft_strcapitalize(char *str);
```

- It should return `str`.
- For example:


```
salut, comment tu vas ? 42mots quarante-deux; cinquante+et+un
```

- Becomes:

```
Salut, Comment Tu Vas ? 42mots Quarante-Deux; Cinquante+Et+Un
```

Chapter XIV

Exercise 11 : ft_str_is_alpha

	Exercise 11
ft_str_is_alpha	
Turn-in directory : <i>ex11/</i>	
Files to turn in : ft_str_is_alpha.c	
Allowed functions : None	
Notes : n/a	


- Create a function that returns 1 if the string given as a parameter contains only alphabetical characters, and 0 if it contains any other character.
- Here's how it should be prototyped :

```
int ft_str_is_alpha(char *str);
```

- It should return 1 if **str** is empty.

Chapter XV

Exercise 12 : ft_str_is_numeric

	Exercise 12
ft_str_is_numeric	
Turn-in directory : <i>ex12/</i>	
Files to turn in : ft_str_is_numeric.c	
Allowed functions : None	
Notes : n/a	


- Create a function that returns 1 if the string given as a parameter contains only digits, and 0 if it contains any other character.
- Here's how it should be prototyped :

```
int ft_str_is_numeric(char *str);
```

- It should return 1 if **str** is empty.

Chapter XVI

Exercise 13 : ft_str_is_lowercase

	Exercise 13
ft_str_is_lowercase	
Turn-in directory : <i>ex13/</i>	
Files to turn in : ft_str_is_lowercase.c	
Allowed functions : None	
Notes : n/a	


- Create a function that returns 1 if the string given as a parameter contains only lowercase alphabetical characters, and 0 if it contains any other character.
- Here's how it should be prototyped :

```
int      ft_str_is_lowercase(char *str);
```

- It should return 1 if **str** is empty.

Chapter XVII

Exercise 14 : ft_str_is_uppercase

	Exercise 14
ft_str_is_uppercase	
Turn-in directory : <i>ex14/</i>	
Files to turn in : ft_str_is_uppercase.c	
Allowed functions : None	
Notes : n/a	


- Create a function that returns 1 if the string given as a parameter contains only uppercase alphabetical characters, and 0 if it contains any other character.
- Here's how it should be prototyped :

```
int ft_str_is_uppercase(char *str);
```

- It should return 1 if **str** is empty.

Chapter XVIII

Exercise 15 : ft_str_is_printable

	Exercise 15
ft_str_is_printable	
Turn-in directory : <i>ex15/</i>	
Files to turn in : ft_str_is_printable.c	
Allowed functions : None	
Notes : n/a	


- Create a function that returns 1 if the string given as a parameter contains only printable characters, and 0 if it contains any other character.
- Here's how it should be prototyped :

```
int ft_str_is_printable(char *str);
```

- It should return 1 if **str** is empty.

Chapter XIX

Exercise 16 : ft_strcat


	Exercise 16
ft_strcat	
Turn-in directory : <i>ex16/</i>	
Files to turn in : ft_strcat.c	
Allowed functions : None	
Notes : n/a	

- Reproduce the behavior of the function **strcat** (man strcat).
- Here's how it should be prototyped :

```
char *ft_strcat(char *dest, char *src);
```

Chapter XX

Exercise 17 : ft_strncat


	Exercise 17
ft_strncat	
Turn-in directory : <i>ex17/</i>	
Files to turn in : ft_strncat.c	
Allowed functions : None	
Notes : n/a	

- Reproduce the behavior of the function `strncat` (man `strncat`).
- Here's how it should be prototyped :

```
char *ft_strncat(char *dest, char *src, int nb);
```


Chapter XXI

Exercise 18 : ft_strlcat


	Exercise 18
ft_strlcat	
Turn-in directory : <i>ex18/</i>	
Files to turn in : ft_strlcat.c	
Allowed functions : None	
Notes : n/a	

- Reproduce the behavior of the function `strlcat` (man `strlcat`).
- Here's how it should be prototyped :

```
unsigned int ft_strlcat(char *dest, char *src, unsigned int size);
```

Chapter XXII

Exercise 19 : ft_strlcpy


	Exercise 19
ft_strlcpy	
Turn-in directory : <i>ex19/</i>	
Files to turn in : ft_strlcpy.c	
Allowed functions : None	
Notes : n/a	

- Reproduce the behavior of the function `strlcpy` (man `strlcpy`).
- Here's how it should be prototyped :

```
unsigned int ft_strlcpy(char *dest, char *src, unsigned int size);
```

Chapter XXIII

Exercise 20 : ft_putnbr_base

	Exercise 20
ft_putnbr_base	
Turn-in directory : <i>ex20/</i>	
Files to turn in : <code>ft_putnbr_base.c</code>	
Allowed functions : <code>ft_putchar</code>	
Notes : n/a	


- Create a function that displays a number in a base system onscreen.
- This number is given in the shape of an `int`, and the radix in the shape of a `string` of characters.
- The base-system contains all useable symbols to display that number :
 - 0123456789 is the commonly used base system to represent decimal numbers ;
 - 01 is a binary base system ;
 - 0123456789ABCDEF an hexadecimal base system ;
 - poneyvif is an octal base system.
- The function must handle negative numbers.
- If there's an invalid argument, nothing should be displayed. Examples of invalid arguments :
 - base is empty or size of 1;
 - base contains the same character twice ;

- base contains + or - ;
- etc.
- Here's how it should be prototyped :

```
void ft_putnbr_base(int nbr, char *base);
```

Chapter XXIV

Exercise 21 : ft_atoi_base


	Exercise 21
	ft_atoi_base
Turn-in directory : <i>ex21/</i>	
Files to turn in : ft_atoi_base.c	
Allowed functions : None	
Notes : n/a	

- Create a function that returns a number. This number is shaped as a **string of characters**.
- The string of characters reveals the number in a specific base, given as a second parameter.
- The function must handle negative numbers.
- The function must handle signs like `man atoi`.
- If there's an invalid argument, the function should return 0. Examples of invalid arguments :
 - str is an empty string ;
 - the base is empty or size of 1;
 - str contains characters that aren't part of the base, or aren't + nor - ;
 - the base contains the same character twice ;
 - the base contains + or - ;
 - etc.
- Here's how it should be prototyped :

```
int      ft_atoi_base(char *str, char *base);
```

Chapter XXV

Exercise 22 : ft_putstr_non_printable

	Exercise 22
ft_putstr_with_non_printable	
Turn-in directory : <i>ex22/</i>	
Files to turn in : <code>ft_putstr_non_printable.c</code>	
Allowed functions : <code>ft_putchar</code>	
Notes : n/a	

- Create a function that displays a string of characters onscreen. If this string contains characters that aren't printable, they'll have to be displayed in the shape of hexadecimals (lowercase), preceded by a "backslash".
- For example :

```
Coucou\ntu vas bien ?
```

- The function should display :


```
Coucou\0atu vas bien ?
```

- Here's how it should be prototyped :

```
void ft_putstr_non_printable(char *str);
```

Chapter XXVI

Exercise 23 : ft_print_memory

	Exercise 23
ft_print_memory	
Turn-in directory : <i>ex23/</i>	
Files to turn in : <code>ft_print_memory.c</code>	
Allowed functions : <code>ft_putchar</code>	
Notes : n/a	

- Create a function that displays the memory area onscreen.
- The display of this memory area should be split into three columns :
 - The hexadecimal address of the first line's first character ;
 - The content in hexadecimal ;
 - The content in printable characters.
- If a character is non-printable, it'll be replaced by a dot.
- Each line should handle sixteen characters.
- If `size` equals to 0, nothing should be displayed.

- Example:

```
guilla_i@seattle $> ./ft_print_memory
00000000: 5361 6c75 7420 6c65 7320 616d 696e 6368 Salut les aminch
00000010: 6573 2063 2765 7374 2063 6f6f 6c20 7368 es c'est cool sh
00000020: 6f77 206d 656d 206f 6e20 6661 6974 2064 ow mem on fait d
00000030: 6520 7472 7563 2074 6572 7269 626c 6500 e truc terrible.
00000040: 2e00 0102 0304 0506 0708 090e 0f1b 7f .....
guilla_i@seattle $> ./ft_print_memory | cat -te
00000000: 5361 6c75 7420 6c65 7320 616d 696e 6368 Salut les aminch$
00000010: 6573 2063 2765 7374 2063 6f6f 6c20 7368 es c'est cool sh$
00000020: 6f77 206d 656d 206f 6e20 6661 6974 2064 ow mem on fait d$
00000030: 6520 7472 7563 2074 6572 7269 626c 6500 e truc terrible.$
00000040: 2e00 0102 0304 0506 0708 090e 0f1b 7f .....$
guilla_i@seattle $>
```

- Here's how it should be prototyped :

```
void      *ft_print_memory(void *addr, unsigned int size);
```

- It should return addr.