Class BTraceUtils.Sys.Env

java.lang.Object com.sun.btrace.BTraceUtils.Sys.Env

Enclosing class:

BTraceUtils.Sys

public static class BTraceUtils.Sys.Env
extends java.lang.Object

Constructor Summary

Constructors

Constructor and Description

Env()

Method Summary

| All Method | Static Methods | Concrete Methods | | |
|-------------------|--|-----------------------------------|-----|--|
| Modifier and Type | | | | Method and Description |
| static lo | | 区回JVM可用的处理器数 | 星 | availableProcessors() Returns the number of processors available to the Java virtual machine. |
| static ja | va.util. <u>Map</u> <java.l 返回当前系统环境的</java.l | lang.String,java.l 一个不可变的字符串Ma | | Returns an unmodifiable string map view of the current system environment. |
| static ja | va.lang.String | | | <pre>getenv(java.lang.String name) Gets the value of the specified environment variable.</pre> |
| static vo | | " 所有的系统环境变量值 | 直 " | <pre>printEnv() Prints all system environment values.</pre> |
| static vo | | " 所有系统属性 " 信息 | | <pre>printProperties()</pre> Prints all Sys properties. |
| static ja | va.util.Properties | 3 | | properties() Returns all Sys properties. |
| static ja | va.lang.String | | | <pre>property(java.lang.String key) Gets the system property indicated by the specified key.</pre> |

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait,