

```
1 #include <stdio.h>
2
3 int main() {
4     int age, marks;
5
6     printf("Enter student's age: ");
7     scanf("%d", &age);
8
9     printf("Enter student's marks: ");
10    scanf("%d", &marks);
11
12    if (age >= 18) {
13        if (marks >= 50) {
14            printf("Eligible for Admission");
15        } else {
16            printf("Not Eligible: Marks are below 50");
17        }
18    } else {
19        printf("Not Eligible: Age is below 18");
20    }
21
```

Output

Enter student's age: 18

Enter student's marks: 80

Eligible for Admission

=== Code Execution Successful ===

```
1 #include <stdio.h>
2
3 int main() {
4     int cnic, test;
5
6     printf("Do you have a CNIC? (1 = Yes, 0 = No): ");
7     scanf("%d", &cnic);
8
9     if (cnic == 1) {
10         printf("Have you passed the driving test? (1 = Yes, 0 = No): ");
11         scanf("%d", &test);
12
13         if (test == 1) {
14             printf("License Can Be Issued");
15         } else {
16             printf("License Cannot Be Issued: Driving test not passed");
17         }
18     } else {
19         printf("License Cannot Be Issued: CNIC is required");
20     }
21
22     return 0;
23 }
```

Output

```
Do you have a CNIC? (1 = Yes, 0 = No): 1  
Have you passed the driving test? (1 = Yes, 0 = No): 0  
License Cannot Be Issued: Driving test not passed  
  
=== Code Execution Successful ===
```

```
#include <stdio.h>
```

```
int main() {  
    int department, section;  
  
    printf("Select Department:\n");  
    printf("1 = Computer Science\n");  
    printf("2 = Information Technology\n");  
    printf("3 = Artificial Intelligence\n");  
    printf("Enter your choice: ");  
    scanf("%d", &department);  
  
    switch (department) {  
  
        case 1:  
            printf("Department: Computer Science\n");  
  
            printf("Select Section:\n");  
            printf("1 = Section A\n");  
            printf("2 = Section B\n");  
            printf("Enter your choice: ");  
            scanf("%d", &section);
```

```
switch (section) {  
    case 1:  
        printf("Section: A\n");  
        printf("Selected: Computer Science - Section A");  
        break;  
  
    case 2:  
        printf("Section: B\n");  
        printf("Selected: Computer Science - Section B");  
        break;  
  
    default:  
        printf("Invalid Section Choice");  
}  
break;  
  
case 2:  
    printf("Department: Information Technology\n");  
  
    printf("Select Section:\n");  
    printf("1 = Section A\n");  
    printf("2 = Section B\n");
```

```
printf("Select Section:\n");
printf("1 = Section A\n");
printf("2 = Section B\n");
printf("Enter your choice: ");
scanf("%d", &section);

switch (section) {
    case 1:
        printf("Section: A\n");
        printf("Selected: Information Technology - Section A");
        break;

    case 2:
        printf("Section: B\n");
        printf("Selected: Information Technology - Section B");
        break;

    default:
        printf("Invalid Section Choice");
}
break;
```

case 3:

```
printf("Department: Artificial Intelligence\n");
```

```
printf("Select Section:\n");
```

```
printf("1 = Section A\n");
```

```
printf("2 = Section B\n");
```

```
printf("Enter your choice: ");
```

```
scanf("%d", &section);
```

```
switch (section) {
```

```
    case 1:
```

```
        printf("Section: A\n");
```

```
        printf("Selected: Artificial Intelligence - Section A");
```

```
        break;
```

```
    case 2:
```

```
        printf("Section: B\n");
```

```
        printf("Selected: Artificial Intelligence - Section B");
```

```
        break;
```

```
    default:
```

```
        printf("Invalid Section Choice");
```

```
switch (section) {  
    case 1:  
        printf("Section: A\n");  
        printf("Selected: Artificial Intelligence - Section A");  
        break;  
  
    case 2:  
        printf("Section: B\n");  
        printf("Selected: Artificial Intelligence - Section B");  
        break;  
  
    default:  
        printf("Invalid Section Choice");  
}  
break;  
  
default:  
    printf("Invalid Department Choice");  
}  
  
return 0;
```

Output

Select Department:

1 = Computer Science

2 = Information Technology

3 = Artificial Intelligence

Enter your choice: 3

Department: Artificial Intelligence

Select Section:

1 = Section A

2 = Section B

→ Enter your choice: 1

Section: A

Selected: Artificial Intelligence - Section A

=== Code Execution Successful ===

```
1 #include <stdio.h>
2
3 int main() {
4     int marks;
5
6     printf("Enter student's marks: ");
7     scanf("%d", &marks);
8
9     printf("%s", marks >= 50 ? "Pass" : "Fail");
0
1     return 0;
2 }
```

Output

Enter student's marks: 80

Pass

=== Code Execution Successful ===

