

LAPORAN PRAKTIKUM BASIS DATA P3



DISUSUN OLEH :

HANIF NURFAJRI RAMADHAN

2502012

POLITEKNIK PURBAYA TEGAL

TEKNIK INFORMATIKA 2025/2026

A. Cara Masuk Mysql

Command Prompt - mysql -u root

```
Microsoft Windows [Version 10.0.19045.6466]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Win Demo>cd C:\xampp\mysql\bin

C:\xampp\mysql\bin>mysql -u root
ERROR 2002 (HY000): Can't connect to MySQL server on 'localhost' (10061)

C:\xampp\mysql\bin>mysql -u root
ERROR 2002 (HY000): Can't connect to MySQL server on 'localhost' (10061)

C:\xampp\mysql\bin>mysql -u root
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 20
Server version: 10.4.28-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> _
```

B. Create Databases

```
MariaDB [(none)]> create database penjualan_buah;
Query OK, 1 row affected (0.002 sec)
```

C. Lihat Database

```
MariaDB [(none)]> show databases;
+-----+
| Database |
+-----+
| information_schema |
| konter_baim |
| mysql |
| penjualan_ayam |
| penjualan_buah |
| penjualanbuah_hanif |
| performance_schema |
| phpmyadmin |
| test |
+-----+
9 rows in set (0.001 sec)
```

D. Masuk ke Database

```
MariaDB [(none)]> use penjualan_buah;
Database changed
MariaDB [penjualan_buah]>
```

E. Create Table

```
Command Prompt - mysql -u root

-> harga_per_kg decimal(65,0),
-> stok_kg decimal(65,0),
-> PRIMARY KEY (id_buah)
-> );
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'tabel buah(
id_buah INT(13),
nm_buah varchar(100),
harga_per_kg decimal(65,0)...' at line 1
MariaDB [penjualan_buah]> create table buah(
-> id_buah INT(13),
-> nm_buah varchar(100),
-> harga_per_kg decimal(65,0),
-> stok_kg decimal(65,0),
-> PRIMARY KEY (id_buah)
-> );
Query OK, 0 rows affected (0.020 sec)

MariaDB [penjualan_buah]> create table detail_penjualan(
-> id_detail INT(13),
-> id_penjualan int(13),
-> nm_buah varchar(100),
-> harga_per_kg decimal(65,0),
-> subtotal decimal(65,0),
-> PRIMARY KEY (id_detail)
-> );
Query OK, 0 rows affected (0.016 sec)

MariaDB [penjualan_buah]> _
```