

LAPORAN PRAKTIKUM BASIS DATA P4



DISUSUN OLEH :

HANIF NURFAJRI RAMADHAN

2502012

POLITEKNIK PURBAYA TEGAL

TEKNIK INFORMATIKA 2025/2026

A. Use mysql

```
Command Prompt - mysql -u root
C:\xampp\mysql\bin>mysql -u root
ERROR 2002 (HY000): Can't connect to MySQL server on 'localhost' (10061)

C:\xampp\mysql\bin>mysql -u root;
ERROR 2002 (HY000): Can't connect to MySQL server on 'localhost' (10061)

C:\xampp\mysql\bin>mysql -u root
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 8
Server version: 10.4.28-MariaDB mariadb.org binary distribution
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use mysql;
Database changed
MariaDB [mysql]> show tables
+-----+
| Tables_in_mysql |
+-----+
| column_stats    |
| columns_priv    |
| db               |
| event           |
| func            |
| general_log      |
| global_priv     |
| gtid_slave_pos   |
| help_category   |
| help_keyword    |
| help_relation   |
| help_topic      |
| index_stats     |
| innodb_index_stats |
| innodb_table_stats |
| plugin          |
| proc            |
| proc_priv       |
| proxies_priv    |
| roles_mapping    |
| servers         |
| slow_log        |
+-----+
```

B. Create User

```
Command Prompt - mysql -u root
MariaDB [mysql]> INSERT INTO user(host,user,password) VALUES('localhost','hanif',MD5('...')) at line 1
ERROR 1064 (42S22): Unknown column 'user' in 'field list'
MariaDB [mysql]> INSERT INTO user(host,user,password) VALUES('localhost','hanif',MD5('...')) at line 1
ERROR 1471 (HY000): The target table user of the INSERT is not insertable-into
MariaDB [mysql]> INSERT INTO user(host,user,password) VALUES('localhost','hanif',MD5('...')) at line 1
ERROR 1471 (HY000): The target table user of the INSERT is not insertable-into
MariaDB [mysql]> INSERT user(host,user,password) VALUES('localhost','hanif',MD5('...')) at line 1
ERROR 1471 (HY000): The target table user of the INSERT is not insertable-into
MariaDB [mysql]> INSERT user(host,user,password) VALUES('localhost','hanif',MD5('...')) at line 1
ERROR 1471 (HY000): The target table user of the INSERT is not insertable-into
MariaDB [mysql]> INSERT tables_in_mysql INTO user(host,user,password) VALUES('localhost','hanif',MD5('...')) at line 1
ERROR 1064 (42S22): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'INTO user(h
ost,user,password) VALUES('localhost','hanif',MD5('f1f17100e'))' at line 1
MariaDB [mysql]> INTO user(host,user,password) VALUES('localhost','hanif',MD5('...')) at line 1
ERROR 1064 (42S22): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'INTO user(h
ost,user,password) VALUES('localhost','hanif',MD5('f1f17100e'))' at line 1
MariaDB [mysql]> CREATE USER 'hanif'@'localhost' IDENTIFIED BY 'hanif';
Query OK, 0 rows affected (0.012 sec)

MariaDB [mysql]>
```

C. Desc User

```
Command Prompt - mysql -u root
ERROR 1064 (20000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'describe use
r' at line 1
MariaDB [mysql]> describe user;
```

Field	Type	Null	Key	Default	Extra
Host	char(60)	NO			
User	char(80)	NO			
Password	longtext	YES		NULL	
Select_priv	varchar(1)	YES		NULL	
Insert_priv	varchar(1)	YES		NULL	
Update_priv	varchar(1)	YES		NULL	
Delete_priv	varchar(1)	YES		NULL	
Create_priv	varchar(1)	YES		NULL	
Drop_priv	varchar(1)	YES		NULL	
Reload_priv	varchar(1)	YES		NULL	
Shutdown_priv	varchar(1)	YES		NULL	
Process_priv	varchar(1)	YES		NULL	
File_priv	varchar(1)	YES		NULL	
Grant_priv	varchar(1)	YES		NULL	
References_priv	varchar(1)	YES		NULL	
Index_priv	varchar(1)	YES		NULL	
Alter_priv	varchar(1)	YES		NULL	
Show_db_priv	varchar(1)	YES		NULL	
Super_priv	varchar(1)	YES		NULL	
Create_tmp_table_priv	varchar(1)	YES		NULL	
Lock_tables_priv	varchar(1)	YES		NULL	
Execute_priv	varchar(1)	YES		NULL	
Repl_slave_priv	varchar(1)	YES		NULL	
Repl_client_priv	varchar(1)	YES		NULL	
Create_view_priv	varchar(1)	YES		NULL	
Show_view_priv	varchar(1)	YES		NULL	
Create_routine_priv	varchar(1)	YES		NULL	
Alter_routine_priv	varchar(1)	YES		NULL	
Create_user_priv	varchar(1)	YES		NULL	
Event_priv	varchar(1)	YES		NULL	
Trigger_priv	varchar(1)	YES		NULL	
Create_tablespace_priv	varchar(1)	YES		NULL	
Delete_history_priv	varchar(1)	YES		NULL	
ssl_type	varchar(9)	YES		NULL	
ssl_cipher	longtext	NO			
x509_issuer	longtext	NO			
x509_subject	longtext	NO			
max_questions	bigint(20) unsigned	NO		0	

D. Akses Izin

```
Command Prompt - mysql -u root
MariaDB [mysql]> select user,select_priv,insert_priv,update_priv
-> delete_priv,create_priv,drop_priv
-> from user
-> ;
```

User	Select_priv	Insert_priv	delete_priv	Create_priv	Drop_priv
root	Y	Y	Y	Y	Y
hanif	N	N	N	N	N
root	Y	Y	Y	Y	Y
root	Y	Y	Y	Y	Y
pma	N	N	N	N	N

```
5 rows in set (0.002 sec)

MariaDB [mysql]> select user,reload_priv,shutdown_priv,process_priv
-> file_priv,grant_priv
-> from user
-> ;
```

User	Reload_priv	Shutdown_priv	file_priv	Grant_priv
root	Y	Y	Y	Y
hanif	N	N	N	N
root	Y	Y	Y	Y
root	Y	Y	Y	Y
pma	N	N	N	N

```
5 rows in set (0.001 sec)

MariaDB [mysql]>
```

E. Hasil Izin Akses

```
MariaDB [(none)]> use mysql
Database changed
MariaDB [mysql]> grant select,insert,update,delete,create
-> on latihdb1.*
-> to hanif;
Query OK, 0 rows affected (0.011 sec)

MariaDB [mysql]> select user,select_priv,update_priv,insert_priv,
-> delete_priv,create_priv
-> from db where user='hanif'
-> ;
+-----+-----+-----+-----+-----+-----+
| user | select_priv | update_priv | insert_priv | delete_priv | create_priv |
+-----+-----+-----+-----+-----+-----+
| hanif | Y           | Y           | Y           | Y           | Y           |
+-----+-----+-----+-----+-----+-----+
1 row in set (0.001 sec)

MariaDB [mysql]> _
```

F. Create Database di User

```
C:\xampp\mysql\bin>mysql -u hanif -p
Enter password: *****
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 14
Server version: 10.4.28-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> show databases;
+-----+
| Database |
+-----+
| information_schema |
| latihdb1 |
| test     |
+-----+
3 rows in set (0.001 sec)

MariaDB [(none)]> use latihdb1
Database changed
MariaDB [latihdb1]> create table karyawan(
-> id_karyawan INT(13),
-> nm_karyawan varchar(100),
-> alamat varchar(200),
-> PRIMARY KEY(id_karyawan)
-> );
Query OK, 0 rows affected (0.025 sec)

MariaDB [latihdb1]> show tables;
+-----+
| Tables_in_latihdb1 |
+-----+
| karyawan            |
+-----+
1 row in set (0.001 sec)

MariaDB [latihdb1]> _
```

G. Lihat User

```
Command Prompt - mysql -u root
ERROR 1054 (42S22): Unknown column 'user' in 'field list'
MariaDB [mysql]> user;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'user' at line 1
MariaDB [mysql]> select user,host,password from user;
+-----+-----+-----+
| User | Host | Password |
+-----+-----+-----+
| root | localhost | *F7693A4B8280385273809CABA7C4B5C33A02A333 |
| hanif | localhost | 127.0.0.1 |
| root | 127.0.0.1 |  |
| root | ::1 |  |
| pma | localhost |  |
+-----+-----+-----+
5 rows in set (0.002 sec)

MariaDB [mysql]>
```