

LAPORAN PRAKTIKUM BASIS DATA P7



DISUSUN OLEH :

HANIF NURFAJRI RAMADHAN

2502012

POLITEKNIK PURBAYA TEGAL

TEKNIK INFORMATIKA 2025/2026

A. Create View As select table

```
Command Prompt - mysql -u root
MariaDB [penjualan_buah]> select * from karyawan;
+-----+-----+-----+-----+
| id_karyawan | nm_karyawan | alamat          | jabatan |
+-----+-----+-----+-----+
| 1111        | Budi        | jl.baru,Slawi   | staff   |
| 1112        | anita       | jl.melati,Talang | kasir   |
+-----+-----+-----+-----+
2 rows in set (0.010 sec)

MariaDB [penjualan_buah]> CREATE VIEW view_buah_karyawan AS SELECT k.nm_karyawan, k.jabatan, b.nm_buah, b.stok FROM karyawan k, buah b;
Query OK, 0 rows affected (0.012 sec)

MariaDB [penjualan_buah]> select view view_buah_karyawan;
ERROR 1054 (42S22): Unknown column 'view' in 'field list'
MariaDB [penjualan_buah]> select * from view_buah_karyawan;
+-----+-----+-----+-----+
| nm_karyawan | jabatan | nm_buah | stok |
+-----+-----+-----+-----+
| Budi        | staff   | mangga  | 45   |
| anita       | kasir   | mangga  | 45   |
| Budi        | staff   | salak   | 35   |
| anita       | kasir   | salak   | 35   |
| Budi        | staff   | manggis | 20   |
| anita       | kasir   | manggis | 20   |
| Budi        | staff   | jeruk   | 35   |
| anita       | kasir   | jeruk   | 35   |
+-----+-----+-----+-----+
8 rows in set (0.002 sec)
```

B. Describe view

```
MariaDB [penjualan_buah]> describe view_buah_karyawan;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| nm_karyawan | varchar(100)  | YES  |     | NULL    |       |
| jabatan     | varchar(100)  | YES  |     | NULL    |       |
| nm_buah     | varchar(100)  | YES  |     | NULL    |       |
| stok        | int(11)       | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.025 sec)

MariaDB [penjualan_buah]>
```

C. Drop View

```
MariaDB [penjualan_buah]> drop view if exists view_buah_karyawan;
Query OK, 0 rows affected (0.001 sec)

MariaDB [penjualan_buah]>
```

D. Update View

```
MariaDB [penjualan_buah]> create view v_buah as select id_buah,nm_buah,stok,harga_perkg
-> from buah order by id_buah;
Query OK, 0 rows affected (0.013 sec)

MariaDB [penjualan_buah]> select * from v_buah;
+-----+-----+-----+-----+
| id_buah | nm_buah | stok | harga_perkg |
+-----+-----+-----+-----+
| 1 | mangga | 45 | 20000.00 |
| 2 | salak | 35 | 15000.00 |
| 3 | manggis | 20 | 25000.00 |
| 4 | jeruk | 35 | 20000.00 |
+-----+-----+-----+-----+
4 rows in set (0.002 sec)

MariaDB [penjualan_buah]> update v_buah set stok = stok + 5
-> where id_buah = 2;
Query OK, 1 row affected (0.012 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [penjualan_buah]> select * from v_buah;
+-----+-----+-----+-----+
| id_buah | nm_buah | stok | harga_perkg |
+-----+-----+-----+-----+
| 1 | mangga | 45 | 20000.00 |
| 2 | salak | 40 | 15000.00 |
| 3 | manggis | 20 | 25000.00 |
| 4 | jeruk | 35 | 20000.00 |
+-----+-----+-----+-----+
4 rows in set (0.001 sec)

MariaDB [penjualan_buah]> _
```