

SOFTWARE ENGINEERING
CSA1013
ASSESSMENT TOOL
CO5

NAME:M.HANIF RIYAZ

REG NO:192521123

QNO:26

Smart Airport Passenger Flow and Queue Management System

Airports are complex transportation environments where thousands of passengers move through different stages such as check-in, baggage handling, security screening, immigration, waiting areas, and boarding gates. Efficient management of passenger movement is essential for maintaining smooth airport operations and providing a satisfactory travel experience. As the number of air passengers continues to increase, airports face significant challenges in managing passenger flow and controlling congestion.

One of the major problems experienced in airports is the formation of long queues at check-in counters, security checkpoints, immigration counters, and boarding gates. During peak hours, a large number of passengers may arrive at the same location within a short period of time. This can result in increased waiting times, overcrowding, inefficient use of airport resources, and even delays in flight operations.

Traditional airport monitoring systems often depend on manual observations and fixed resource allocation. Although these approaches can provide basic information about airport operations, they may not be sufficient for handling rapidly changing passenger

conditions. Manual monitoring can also result in delayed decision-making because airport authorities may become aware of congestion only after the queue has already become large.

Recent developments in Artificial Intelligence (AI), Computer Vision, Internet of Things (IoT), Machine Learning, and Cloud Computing provide opportunities to develop smarter airport management systems.

Cameras can be used to monitor passenger movement and estimate passenger density, while IoT sensors can collect real-time information from different areas of the airport. AI-based techniques can then analyze this information to identify patterns and predict possible congestion.

A smart passenger-flow management system can therefore help airport authorities understand the current situation and take preventive actions before congestion becomes severe. For example, when the system predicts that a security checkpoint will become overcrowded, airport authorities can be alerted to open additional security lanes or allocate more staff.

The proposed Smart Airport Passenger Flow and Queue Management System aims to integrate these technologies into a unified platform. The system continuously monitors passenger movement, analyzes queue conditions, predicts congestion, recommends resource allocation, and generates real-time alerts. This can improve airport operational efficiency while reducing passenger waiting time and improving the overall passenger experience.

. Problem Statement

Airport congestion is a major operational challenge caused by inefficient passenger-flow and queue management. Long queues at check-in counters, security checkpoints, immigration areas, and boarding gates can significantly increase passenger waiting times.

Existing monitoring approaches may depend heavily on manual observations or isolated systems. Such approaches provide limited visibility into passenger movement across different areas of the airport. They may also have difficulty predicting future congestion and responding quickly to sudden changes in passenger volume.

For example, a sudden increase in passengers caused by multiple flights arriving or departing at nearly the same time can create heavy congestion at security checkpoints. If airport

authorities do not receive an early warning, the queue may continue to increase and passengers may experience delays.

Therefore, there is a need for an intelligent system capable of continuously monitoring passenger density, predicting congestion using AI techniques, optimizing queues, dynamically allocating airport resources, and providing real-time alerts to airport authorities.

The proposed system addresses this requirement by combining AI, Computer Vision, IoT, and cloud-based analytics to create an intelligent passenger-flow and queue management platform.

3. Aim of the Study

The main aim of this study is to analyze existing research approaches for airport passenger-flow monitoring and queue management and identify the technologies, methods, limitations, and research gaps associated with them.

The study further aims to propose an intelligent system that can monitor passenger movement in real time, predict congestion before it becomes severe, optimize queues, and support airport authorities in making data-driven operational decisions.

4. Objectives

The major objectives of the proposed system are:

4.1 Real-Time Passenger Monitoring

The system should continuously monitor passenger movement in important airport areas such as check-in counters, security checkpoints, immigration areas, waiting areas, and boarding gates.

4.2 Congestion Prediction

AI-based techniques should be used to analyze current and historical passenger-flow information and predict possible congestion in advance.

4.3 Queue Management

The system should monitor queue lengths and waiting times and identify areas where passengers are experiencing excessive delays.

4.4 Dynamic Resource Allocation

Airport resources such as counters, security lanes, and staff should be allocated according to real-time passenger demand.

4.5 Real-Time Alerts

The system should generate alerts when passenger density, queue length, or waiting time exceeds predefined limits.

4.6 Passenger Flow Analysis

Historical passenger-flow data should be analyzed to identify peak periods, recurring congestion points, and passenger movement patterns.

4.7 Security Checkpoint Efficiency

The system should help airport authorities identify overloaded security checkpoints and recommend suitable actions to distribute passenger flow more efficiently.

4.8 Passenger Satisfaction

By reducing waiting time and congestion, the system should improve the overall passenger experience and airport service quality.

5. Need for the Study

The increasing number of passengers using airports creates a strong requirement for efficient passenger management.

Airport operations involve multiple interconnected processes, and congestion at one location can affect other areas.

For example, if security screening becomes congested, passengers may spend more time waiting, reducing the amount of time available for them to reach their boarding gates. Similarly, congestion at check-in counters can create delays in subsequent processes.

A smart monitoring system can provide airport authorities with real-time information about passenger conditions.

Instead of waiting for manual reports, authorities can receive immediate information about increasing queue lengths and passenger density.

The use of AI can further improve the system by allowing it to predict future congestion instead of simply identifying existing congestion. This enables airport authorities to take preventive actions.

Therefore, the study is important because it focuses on moving airport management from manual and reactive monitoring toward intelligent, predictive, and data-driven management.

6. Literature Survey

The literature survey focuses on existing research related to passenger-flow prediction, computer-vision-based passenger monitoring, IoT-based monitoring, queue management, and AI-based airport resource optimization.

The assessment guidelines require relevant research papers to be reviewed based on their objectives, methodologies, technologies, datasets, findings, limitations, and research gaps.

6.1 Research Area 1 – Passenger Flow Prediction

Passenger-flow prediction is an important research area in airport management. The objective of passenger-flow prediction is to estimate the number of passengers expected to arrive at or move through a particular airport area during a specific period.

Existing research in this area uses historical passenger-flow information to identify patterns in passenger demand.

Machine-learning and statistical approaches can analyze factors such as passenger volume, time of day, flight schedules, and historical trends.

The predicted information can help airport authorities prepare resources before passenger congestion occurs. For example, if a system predicts a high passenger volume during a particular period, additional counters or security lanes can be prepared in advance.

Passenger-flow prediction can therefore improve operational planning and reduce the possibility of unexpected congestion.

Limitations

However, passenger-flow prediction can be affected by unexpected events. Flight cancellations, delays, sudden passenger arrivals, weather conditions, and changes in travel patterns may cause actual passenger volume to differ from predicted values.

Therefore, prediction based only on historical data may not always be sufficient.

Research Gap

There is a need to combine historical prediction with real-time passenger monitoring so that the system can continuously update its prediction according to the current airport situation.

7. Computer Vision-Based Passenger Monitoring

Computer Vision is another important technology for smart airport management. Cameras installed at different airport locations can capture information about passenger movement and density.

Computer-vision techniques can be used to detect and count passengers in a particular area. The system can analyze camera feeds and estimate the number of people present at check-in counters, security checkpoints, waiting areas, and other locations.

This approach reduces the dependence on manual passenger counting and allows airport authorities to receive continuous information.

For example, if the number of passengers detected in a security area increases beyond a predefined threshold, the system can identify the location as a potential congestion zone.

Computer Vision can also help analyze movement patterns and identify areas where passenger flow is slow.

Limitations

Despite its advantages, computer-vision-based monitoring faces several challenges. The accuracy of passenger detection can be affected by crowded environments, overlapping passengers, camera position, lighting conditions, and partial visibility.

Privacy is also an important consideration when cameras are used in public environments. A responsible system should therefore focus on operational information such as passenger

count and density rather than unnecessary personal identification.

Research Gap

Future systems should improve the robustness of passenger detection in crowded environments and integrate computer-vision information with other sources such as IoT sensors and flight schedules.

8. IoT-Based Passenger Flow Monitoring

Internet of Things technology enables physical sensors and devices to collect and transmit information in real time.

In an airport environment, IoT sensors can be deployed at different locations to collect information about passenger occupancy and movement. These sensors can communicate with a central platform where the collected information can be analyzed.

The major advantage of IoT-based monitoring is continuous data collection. Instead of relying entirely on manual observations, airport authorities can receive real-time information from multiple locations.

IoT data can also complement camera-based monitoring. For example, information from sensors can be combined with computer-vision data to improve the estimation of passenger density.

Cloud-based systems can further enable centralized storage and analysis of information collected from different airport locations.

Limitations

Large-scale IoT deployment requires appropriate infrastructure, reliable communication networks, sensor maintenance, and proper integration between devices.

If sensors fail or communication is interrupted, the quality of the collected information may decrease.

Research Gap

There is a need for integrated systems that combine IoT data, Computer Vision, and AI-based analytics to provide a more reliable understanding of airport passenger movement.

9. Intelligent Queue Management

Queue management is one of the most important aspects of airport passenger-flow optimization.

Passengers normally form queues at check-in counters, baggage-drop areas, security checkpoints, immigration counters, and boarding gates. When passenger arrival rates become higher than the service capacity of a particular location, queue length increases.

Intelligent queue-management systems can monitor the number of passengers waiting, estimate waiting times, and identify overloaded service points.

The collected information can be used to distribute passengers more efficiently. For example, passengers may be directed toward a less crowded checkpoint when multiple checkpoints are available.

Queue management can therefore reduce waiting time and improve the utilization of existing airport facilities.

Limitations

Many queue-management approaches focus on individual locations rather than considering the entire passenger journey.

Airport passenger movement is interconnected. Congestion at one checkpoint can influence passenger movement at another location.

Research Gap

A more comprehensive approach is required in which passenger flow is monitored across multiple airport stages and decisions are made using information from the entire passenger journey.

10. AI-Based Airport Resource Optimization

Artificial Intelligence can support airport authorities in making operational decisions based on passenger demand.

Instead of using fixed resource allocation, AI-based systems can analyze passenger-flow information and recommend how resources should be distributed.

Resources may include:

- Check-in counters
- Security screening lanes
- Immigration counters
- Airport staff
- Boarding gates
- Passenger-service facilities

For example, if passenger volume is predicted to increase at a security checkpoint, the system can recommend opening additional lanes or assigning additional staff.

AI-based resource optimization can therefore help airports use their available resources more efficiently.

Limitations

The effectiveness of AI-based decision-making depends strongly on the quality, quantity, and timeliness of available data.

If the system receives incomplete or delayed information, its recommendations may not accurately represent the current airport situation.

Research Gap

A major opportunity is to develop a system that combines real-time monitoring, AI prediction, queue analysis, and dynamic resource recommendations in a single platform.

11. Analysis of Existing Approaches

The reviewed research areas demonstrate that different technologies can solve different parts of the airport passenger-flow problem.

Passenger-flow prediction can provide information about future demand. Computer Vision can provide real-time information about passenger density. IoT sensors can collect information from different airport locations. Queue-management techniques can help reduce waiting times. AI-based optimization can assist with resource allocation.

However, these approaches are often studied or implemented as separate components.

A complete airport passenger-management solution should integrate these technologies. Real-time passenger information should be continuously collected, analyzed, and used for prediction and decision-making.

The system should also be capable of responding to unexpected situations rather than depending only on historical patterns.

12. Major Challenges

Several challenges need to be considered while developing a smart airport passenger-flow system.

12.1 High Passenger Volume

Airports can experience very large passenger volumes during peak periods. The system must be capable of processing large amounts of real-time information.

12.2 Real-Time Processing

Passenger conditions can change rapidly. Therefore, data processing and alerts should occur with minimum delay.

12.3 Prediction Accuracy

AI models should be able to handle variations in passenger behavior and unexpected events.

12.4 Crowded Environments

Computer Vision systems may experience difficulty when passengers overlap or when visibility is limited.

12.5 Data Integration

Data may originate from cameras, IoT sensors, flight schedules, and airport operational systems. Integrating these sources is challenging.

12.6 Scalability

The system should be capable of supporting small airport environments as well as large international airports.

12.7 Privacy and Responsible Use

Passenger-monitoring technologies should be designed responsibly and should avoid unnecessary collection or processing of personally identifiable information.

13. Research Gap

Based on the analysis of the existing approaches, several important research gaps can be identified.

The first major gap is the lack of a unified airport-wide passenger-flow management platform that combines multiple technologies.

The second gap is the limited integration of real-time monitoring and congestion prediction. Monitoring an existing queue is useful, but predicting congestion before it occurs can provide greater operational benefits.

The third gap is the limited integration between passenger-flow prediction and resource allocation. A prediction becomes more useful when it is directly connected to an operational recommendation.

Another research gap is the need for continuous monitoring across different stages of the passenger journey. Check-in, security, immigration, and boarding should not be treated as completely independent processes.

There is also a need for systems that can respond to unexpected events such as sudden passenger surges and flight schedule changes.

Therefore, the main research gap can be summarized as the need for an integrated, real-time, predictive, and intelligent airport passenger-flow and queue management system.

14. Proposed System

The proposed Smart Airport Passenger Flow and Queue Management System is designed to address the identified research gaps.

The system consists of several interconnected components.

Passenger Monitoring Layer

Cameras and IoT sensors continuously monitor passenger movement and density in different airport areas.

Data Collection Layer

The system collects passenger-flow information from check-in counters, security checkpoints, immigration areas, waiting areas, and boarding gates.

Data Processing Layer

The collected information is processed to determine passenger density, queue length, waiting time, and movement patterns.

AI Prediction Layer

AI-based models analyze current and historical data to predict possible congestion.

Queue Optimization Layer

The system analyzes queue conditions and identifies locations where passenger waiting times are increasing.

Resource Allocation Layer

Based on current and predicted passenger demand, the system recommends appropriate resource allocation.

Alert System

When congestion reaches a critical level, real-time alerts are generated for airport authorities.

Analytics Dashboard

A centralized dashboard can display passenger density, queue conditions, congestion predictions, alerts, and resource recommendations.

15. Working of the Proposed System

The working of the proposed system can be explained in the following sequence.

First, cameras and IoT sensors collect real-time information about passenger movement.

Second, the collected information is transmitted to the central processing system.

Third, the system analyzes passenger density, queue length, and waiting time for different airport areas.

Fourth, AI algorithms compare the current conditions with historical passenger-flow patterns and predict possible congestion.

Fifth, when congestion is detected or predicted, the system determines the appropriate response.

For example, if the security queue is expected to increase significantly, the system can recommend opening another security lane or allocating additional staff.

Finally, airport authorities receive real-time alerts and recommendations through the monitoring dashboard.

The collected data can also be stored for future analysis. This allows airport management to identify recurring congestion patterns and improve long-term operational planning.

16. Expected Outcomes

The proposed system is expected to provide several benefits.

Reduced Passenger Waiting Time

By identifying overloaded queues and distributing passenger flow more efficiently, the system can help reduce unnecessary waiting.

Improved Resource Utilization

Airport resources can be allocated according to actual passenger demand rather than relying only on fixed schedules.

Improved Operational Efficiency

Real-time information and AI-based recommendations can support faster operational decision-making.

Reduced Congestion

Early prediction of congestion allows airport authorities to take preventive action.

Better Passenger Experience

Reduced waiting time and smoother passenger movement can improve overall passenger satisfaction.

Reduced Operational Delays

Efficient passenger movement can help reduce delays caused by congestion at different airport checkpoints.

Data-Driven Decision Making

Historical and real-time information can support airport authorities in making informed operational decisions.

17. Future Scope

The proposed system can be further improved in several ways.

In the future, more advanced AI models can be developed to improve passenger-flow prediction accuracy. These models can consider additional factors such as flight schedules, passenger arrival patterns, weather conditions, and special events.

Computer Vision can also be improved to perform more accurately in highly crowded environments.

The system can be integrated with mobile applications so passengers can receive information about queue conditions and recommended routes inside the airport.

Another possible improvement is automatic resource allocation, where the system can directly coordinate with airport operational systems to adjust available resources according to predicted demand.

The system can also be expanded to support multiple airports through cloud-based infrastructure. This would allow airport organizations to compare passenger-flow patterns across different locations.

Privacy-preserving technologies can also be incorporated to ensure that passenger monitoring is performed responsibly.

18. Relevance to Software Engineering

The proposed system is highly relevant to Software Engineering because it involves the design and development of a complex software platform that integrates multiple technologies.

The system requires requirements analysis, system architecture, database management, user-interface design, AI integration, testing, security, scalability, maintenance, and continuous improvement.

Since airport operations are critical, the software must be reliable, maintainable, scalable, and capable of handling real-time data.

The system also demonstrates how emerging technologies can be integrated into software systems to solve real-world societal and operational problems. This directly aligns with the CO5 focus on evaluating emerging technologies and their societal impacts while maintaining and evolving software systems responsibly.

19. Conclusion

The literature survey demonstrates that airport passenger-flow management is an important area where emerging technologies can provide significant improvements.

Traditional monitoring approaches may not provide sufficient

real-time visibility or predictive capabilities for managing rapidly changing passenger conditions.

Artificial Intelligence can be used to predict congestion and support operational decisions. Computer Vision can provide automated passenger monitoring and density estimation. IoT sensors can collect real-time information from different airport locations, while cloud-based analytics can support centralized data processing and long-term analysis.

However, the analysis indicates that there is a need for better integration of these technologies. Existing approaches may focus on individual aspects such as passenger counting, prediction, queue management, or resource allocation.

The proposed Smart Airport Passenger Flow and Queue Management System addresses this gap by bringing these capabilities together into a unified platform. The system can continuously monitor passenger movement, analyze queue conditions, predict congestion, recommend dynamic resource allocation, and generate real-time alerts.

Therefore, the proposed solution has the potential to reduce passenger waiting time, improve resource utilization, enhance airport operational efficiency, reduce congestion, and improve passenger satisfaction. Further research and development can make the system more accurate, scalable, privacy-conscious, **and adaptable to different airport environments.**

20. REFERENCES

- [1] X. Guo, Y. Grushka-Cockayne, and B. De Reyck, “Forecasting Airport Transfer Passenger Flow Using Real-Time Data and Machine Learning,” *Manufacturing & Service Operations Management*, vol. 24, no. 6, pp. 3193–3214, 2022, doi: 10.1287/msom.2021.0975.
- [2] Á. Rodríguez-Sanz, A. Fernández de Marcos, J. A. Pérez-Castán, F. Gómez Comendador, R. Arnaldo Valdés, and Á. París Loreiro, “Queue Behavioural Patterns for Passengers at Airport Terminals: A Machine Learning Approach,” *Journal of Air Transport Management*, vol. 90, p. 101940, 2021, doi: 10.1016/j.jairtraman.2020.101940.
- [3] S. Alodhaibi, R. L. Burdett, and P. K. D. V. Yarlagadda, “Framework for Airport Outbound Passenger Flow Modelling,” *Procedia Engineering*, vol. 174, pp. 1100–1109, 2017, doi: 10.1016/j.proeng.2017.01.263.
- [4] M. Wang, “Application of the Queuing Theory in Characterizing and Optimizing the Passenger Flow at the Airport Security,” *Journal of Applied Mathematics and Physics*, vol. 5, no. 9, pp. 1800–1808, 2017, doi: 10.4236/jamp.2017.59134.

[5] P. M. Scala, M. A. Mujica Mota, R. S. Felix Patron, and A. Murrieta Mendoza, “Airport Passenger Flow Prediction Using Simulation Data Farming and Machine Learning,” *Aviation Management*, 2021.

[6] “Short-Term Forecasting Airport Passenger Flow During Periods of Volatility: Comparative Investigation of Time Series vs. Neural Network Models,” *Journal of Air Transport Management*, vol. 115, p. 102525, 2024, doi: 10.1016/j.jairtraman.2023.102525.

[7] “Analyzing Passenger Flows in an Airport Terminal: A Discrete Simulation Model,” *Computers*, vol. 12, no. 11, p. 223, 2024.

[8] “Application of Agent-Based Modelling for Evaluating Level of Service in Airports,” *Transportation Research Procedia*, vol. 75, pp. 151–160, 2023, doi: 10.1016/j.trpro.2023.12.018.