Langkah Membuat Akun dan Website Baru ISPConfig3

1. Buat akun baru

    1. ISPConfig > Client


    2. Client > Add new client

    3. Isi form > save

2. Tambah Site
    1. ISPConfig > Sites

    2. Add new website
    3. Isi form > Save

Web Domain

Domain	Redirect	SSL	Statistics	Backup	Options

Server: panel.freshon.co.id

Client: Blendi Moy :: blendimoy (blendimoy, C2)

IPv4-Address: 82.118.226.7

IPv6-Address:

Domain: blendimoy.com

Harddisk Quota: -1 MB

Traffic Quota: -1 MB

CGI: ☑

SSI: ☑

Perl: ☑

Ruby: ☑

Python: ☑

SuEXEC: ☑

Own Error-Documents: ☑

Auto-Subdomain: www.

SSL: ☑

Let's Encrypt SSL: ☑

PHP: Fast-CGI

PHP Version: Default

Web server config: -

Active: ☑

Save   Cancel

4. Pilih website yang baru dibuat untuk di-Edit

Websites

Add new website

ID	Active	Client	Server	Domain	
2	Yes	Blendi Moy :: blendimoy blendimoy (blendimoy, C2)	panel.freshon.co.id	blendimoy.com	🔗 📊 🗑

5. Pilih SSL

6. Isi form > save

State: Jawa Timur

Locality: Blitar

Organisation: Blendi Moy

Organisation Unit:

Country: Indonesia

SSL Domain: blendimoy.com

SSL Key:

SSL Request:

SSL Certificate:

SSL Bundle:

	🔍
None	
Save certificate	
Create certificate	
Delete certificate	

SSL Action: None

Save   Cancel

7.
3. Membuat DNS Zone
   1. ISPConfig > DNS > Add new DNS

2. Isi form > create dns record

4. HTTPS
   1. Sites > nama website

   2. Di tab Domain, Check ssl & let's encrypt ssl > save

3. Di tab redirect

5. Membuat Akun FTP
   1. Sites > Ftp-Accounts > Add new ftp user

2. Isi form > save

user ftp: namaclientftpusername

3.

6. Database

    1. Sites > Database Users > Add new User

2. Isi Form > Save

3. Sites > Databases > Add new Database

4. Isi Form > Save

Server:	panel.freshon.co.id
Site:	blendimoy.com :: panel.freshon.co.id
Type:	MySQL
tabase name:	c[CLIENTID] blendimoy
tabase quota:	-1 MB
atabase user:	c2blendimoy
atabase user:	
	optional
base charset:	DB-Default
mote Access:	
(separate by , blank for any):	
Active:	☑

Save   Cancel

7. SSH User
   1. Sites > shell-users > Add new shell-user

2. Isi Form > save

Site:	blendimoy.com :: panel.freshon.co.id	▾
ername:	blendimoy	ssh
ssword:	••••••••••••••	Generate Password
trength:	██████████ Very strong	
ssword:	••••••••••••••	
	The passwords do match.	
ot Shell:	None	▾
Quota:	-1	MB
for key-logins):		
Active:	☑	

Save   Cancel

3.

8. Email
    1. Email > Add new domain

    2. Isi Form > save

3. Mail > Email Mailbox > Add new Mailbox

4. Isi Form > Save

Name:	Administrator (Optional)
*Email:	admin @ blendimoy.com
Password:	•••••••••••••• Generate Password
word strength:	Very strong
eat Password:	••••••••••••••
	The passwords do match.
for unlimited):	0 MB
Send copy to:	(Optional) (Separate multiple email addresses with commas)
going copy to:	(Optional) (Separate multiple email addresses with commas)
Spamfilter:	Normal
able receiving:	☑
TP (sending):	☐
ble greylisting:	☐
Disable IMAP:	☐
Disable POP3:	☐
	Save Cancel

5. https://domain/webmail/

9.