

STANDARD OPERATING PROCEDURE · BY ROLE

Admin

For: Admin (the site's owner of the app) · Full Harvest Inventory

This procedure is for the one or two people who own the app at the site: who set it up, keep it running, make the logins, and are called when nothing else works. It is the only role that opens **Settings**. The counting itself, the floor and the numbers are other roles' procedures; this one is about everything those roles need to be in place.

Printed October 4, 2026

Contents

1 — What only an admin can do	3
2 — Deploying and keeping the server	4
3 — Logins and profiles	5
4 — The site: name, logo, look, Teams, pallet system	6
5 — Scanners	7
6 — Lists, racking and the inventory report	8
7 — The count session and its settings	9
8 — Count day: what the admin does	10
9 — Closing, the ERP file, backups and the log	11
10 — A year of housekeeping	12
11 — When something goes wrong	13

1 — What only an admin can do

Everything on the **Settings** page and its **Advanced** tab, which no other profile opens:

- create, rename and delete **supervisor logins**, and choose what each may do;
- the **site name**, the **logo**, the **Teams channel**, the **pallet system** address;
- register and reset **scanners**; choose which **jobs** the scanners offer;
- upload the **bin list**, pair the **racking blocks**, upload the **inventory report**;
- create the **count session**, set its options and thresholds, run and end a **trial**, **close** and **delete** counts;
- the **ERP layouts** and the ERP file; **backups**; the **adjustment reasons**; **the log**.

A *supervisor* login does everything else. Keep the admin logins to the few who need them: an admin can delete a count.

2 — Deploying and keeping the server

- The app runs from one Docker image on **Railway** (or on a PC in the warehouse with `docker compose`). The manual's Step 1 and 2 have the exact steps; the short version: attach a **volume**, point `DB_PATH` at it, set `SUPERADMIN_USER`, `SUPERADMIN_NAME` and `SUPERADMIN_PASSWORD`, and `SITE_TIMEZONE`.
- The **superadmin** is made from those variables the first time the app starts. If every admin login is ever lost, set `SUPERADMIN_USER` to a new name and restart: a fresh admin appears.
- A **domain of your own** goes on under Railway → the service → Settings → Networking → Custom Domain; a subdomain takes a CNAME, the bare name needs a DNS host with CNAME flattening. After the change, re-open each scanner's link on the new address: an installed app is tied to the address it came from.
- One instance carries the site: the load test put twenty teams and twenty thousand bins through it with the dashboard under a second a refresh. Scale the instance up before thinking about more of them; the database is on the instance's volume.
- The **bare address** opens the supervisor sign-in. Scanners open their own links.

3 — Logins and profiles

Settings → Advanced → Supervisor logins.

1. **Add a login:** username, full name, a starter password (or leave it blank to have one generated).
The first sign-in makes the person choose a real password.
2. Pick a **profile**, or tick pages and functions by hand:

PROFILE	PAGES	FUNCTIONS	FOR
Admin	everything, Settings included	all	you
Supervisor	everything but Settings	all	a senior supervisor
Inventory control	Dashboard, Testing Suite	approve adjustments, downloads	the inventory controller
Count supervisor	Dashboard, Teams & crew, Testing Suite	message the floor, answer SOS, queue aisles and raise second counts, downloads	whoever runs the floor
Warehouse jobs	Front bins, Not in Location, Cycle counts, Testing Suite	downloads	the day-to-day warehouse jobs
Cycle counter	Cycle counts, Testing Suite	—	a cycle counter at a desk
Custom	ticked by hand, down to a tab	ticked by hand	anything else

The **User guide** is open to every login whatever else it has.

1. A login's **tabs** can be narrower than its pages: *Dashboard → Progress and Reports* only, say. The checklist under each login shows every tab.
2. **Untick Active** to stop a login; its sign-ins end at once. **Reset password** gives a new starter password. Changing either ends every sign-in that login holds.
3. Sign-ins last 30 days from last use and survive a restart. **Log out** ends one.

Each role has a procedure of its own in [docs/roles/](#); hand a new login the right one.

4 — The site: name, logo, look, Teams, pallet system

All under **Settings → Advanced**.

- **Site name:** the app's name and the location under it. A change lands at once on every sidebar, the sign-in screen, the window titles, the scanner app's header, the office board and the installed app's manifest. Blank name = back to *Full Harvest Inventory*.
- **Logo:** PNG, JPEG, WebP, GIF or SVG under about 400 KB; across the top of the sidebar, and on the scanners if ticked.
- **Appearance:** themes, accents, text size, density, corners, sidebar width, contrast. Per computer, not per login.
- **Microsoft Teams channel:** a Workflows webhook address. SOS and stopped-scanning alerts post a card there as well as on the dashboard. **Send a test card** before count day; Microsoft is retiring the old *Incoming Webhook* connectors.
- **Pallet system:** the web address of the system the pallets live in. It is framed under the move desk on the Front bins page and on the gun's Front2Back screen. A system that refuses to be framed gets an *Open in a new tab* link instead.

5 — Scanners

Settings → Scanner screen.

- **Scanner setup:** add a scanner by name; open its link (`/?d=...`) on the device once, then install the app from Chrome's menu or the button on the sign-on screen. The link is a key: **Reset link** issues a new one and kills the old; removing a scanner stops it. **Print setup cards** gives one QR card per scanner for the cradles. A link used more than once is flagged, which is normal after a wipe and worth a look otherwise.
- **Jobs on the scanners:** which jobs the sign-on screen offers: full count, cycle count, Front2Back. On the morning of a wall-to-wall tick the full count alone; tick the rest back on after. At least one stays on; the practice gun always has all three.
- **How the counting screen is put together:** the order of the questions (pallet, quantity, lot, expiry, bin, comments), text size, language, the Keyboard button, *Keep it upright*, *Update itself after a deploy*, *Show the next bin in the aisle*. The preview is the real screen size.
- **What the scanners offer:** the one-tap comments and the override reasons.
- **SOS from a scanner:** the reasons a counter can pick.
- **DataWedge** on each Zebra sends ENTER (or TAB) after a scan; without it a scan does nothing. The manual's DataWedge section has the profile.

Settings reach a running gun within about half a minute, between pallets. A new version of the app needs a reload: with *Update itself after a deploy* on it does that by itself.

6 — Lists, racking and the inventory report

Settings → Lists & racking.

1. **Bin list:** one column of bin codes, or the site's own export; *Load the Front Royal bin list* loads the one that ships with the app. The aisles come from it.
2. **Aisles & racking blocks:** pair the aisles that share a rack. The guided setup marks blocks as wanted; without them two teams can meet on one rack.
3. **Inventory report:** the site's export as it comes, one upload per system, naming the **System**. Read the upload summary: merged rows, duplicates, open bins, zero and negative quantities. Hand it to inventory control; it is theirs to accept. *Replace what is there* re-uploads a fresh report over the old.

Both uploads are per count. The guided setup card says what the count still lacks.

7 — The count session and its settings

Settings → Getting started → Count session.

- **New count:** a name, and *full* or *cycle*. Keep one cycle-count session for the year.
- **Options:** pallet check (*off*, *warn*, *strict*), guided bins, comments, the **map drawing**, auto second counts with **Recount over N units / or over N %** and a **cap**, **Adjustments need approval** with its own threshold, **Show on the scanners**, and the **default** count the guns land on.
- **Trial run:** counts for real on the dashboard, exports nothing to the ERP; **End the trial** wipes it so the real count starts from zero on the same setup.
- **Counting plan:** on Teams & crew. The count supervisor usually owns it.
- **Close session** when inventory control says so. **Delete** is separate, needs the count closed and its name typed, and takes a backup first.

Agree the thresholds and the approval setting with inventory control before the count starts. Their procedure says what they will ask for.

8 — Count day: what the admin does

Usually little. Be reachable for:

- a scanner that needs its link reset or re-registered;
- a setting that turns out wrong: thresholds at 0 flooding the second-count list, approvals that should have been on, a job that should be hidden on the guns;
- a login that needs a function it was not given;
- the Teams channel, if cards stop arriving.

The count supervisor runs the floor; inventory control reads the numbers. Both procedures say when they will come to you.

9 — Closing, the ERP file, backups and the log

Settings → ERP & backups.

- **Send to the ERP:** pick the layout and the system, **Preview**, **Download CSV**. The preview says how many adjustments it held back for approval; inventory control reads it with you. A trial refuses to export.
- **Adjustment reasons:** the list inventory control picks from when approving; match it to the ERP's own codes.
- **ERP layouts:** column names and which rows go in; add a layout rather than editing a file afterwards.
- **Back up now** before and after anything large; the app also keeps a daily backup and the last fourteen on its volume. **Download** one after every count: a volume is not an archive.
- **Export the log** for an auditor: every supervisor action, who and when.

10 — A year of housekeeping

- After each count: close it, export everything with inventory control, download a backup.
- Each quarter: review the logins (leavers off, profiles still right), the SOS reasons and the adjustment reasons, the Teams channel with a test card.
- Before each wall-to-wall: a trial run with the crew, the bin list refreshed, the scanners charged and up to date, *Jobs on the scanners* set to the full count alone.
- The cycle-count session runs all year; do not replace it.
- Keep `docs/SOP.pdf` and the role procedures where the supervisors can find them, and the **User guide** in the sidebar is the same text inside the app.

11 — When something goes wrong

WHAT YOU SEE	WHAT IT MEANS	WHAT TO DO
Nobody can sign in	The admin logins were lost	Set <code>SUPERADMIN_USER</code> to a new name in the server variables and restart
Everyone was signed out	A normal restart does not do this; a lost database volume does	Check the volume on the host
Gun: <i>this scanner is no longer authorised</i>	Its link was reset or it was removed	Reset link, open the new link on it
Gun: <i>this scanner link is not registered</i>	A link that was never created here, or the server was reset	Add the scanner again
A scan does nothing on a handheld	DataWedge is not sending ENTER	DataWedge → Basic data formatting → send ENTER
An SOS did not reach Teams	Address wrong, expired, or Teams down	The dashboard still has it; send a test card; make a Workflows webhook
A pallet system will not show under the move desk	It refuses to be framed	Nothing to fix: the desk offers Open in a new tab
The second-count list is enormous	Thresholds at 0	Count session → Recount over, or over %, and a cap
A gun does not offer a job	It is unticked under Jobs on the scanners	Tick it back on
The app still shows the old name somewhere	A scanner or the board has not refreshed	They pick it up on their next refresh; an installed icon's name updates on reinstall
A count was deleted by mistake	A backup was taken before the delete	Restore it under Backups & log
You do not know what a message means	—	Paste it into User guide → Ask the guide