STANDARD OPERATING PROCEDURE · BY ROLE

Inventory Control

For: Inventory controller · Full Harvest Inventory

This procedure is for the person who owns the numbers: who checks a count before it is trusted, signs off the differences, hands the ERP its file, and keeps the records an auditor will ask for. It covers only what the *Inventory control* login can reach. Setting the count up, registering scanners and running the floor are other roles' procedures; where this one needs something from them it says so.

Everything here is done on **Inventory Control** (`/inventory`) with an *Inventory control* login: the dashboard's **Second counts**, **Adjustments** and **Reports** tabs on a page of their own, with an **Overview** in front — how much of the count is in, what is still being counted again, the positive, negative and net units, how much is in the ERP, and whether the final report can be filed. The same three tabs are on the **Dashboard** (`/admin`), and this procedure names them by tab, so it reads the same on either page. The count to work on is picked in the header; every tab, download and export on the page is about that count.

Printed October 23, 2026

Contents

1 — What you own, and what you do not 3

2 — Before the count: the data going in 4

3 — During the count: reading it as it runs 5

4 — After the count: the reconciliation 6

5 — Approving the adjustments 7

6 — Exporting the data 9

7 — The ERP file 11

8 — Cycle counts and coverage 12

9 — Records to keep, and for how long 13

10 — A count-close checklist 14

11 — When something looks wrong 15

Appendix — Every file this role can produce 16

1 — What you own, and what you do not

You own

- whether the inventory report the count was compared against was the right one;
- the pallet report: every difference between the system and the floor, and what each one is;
- the adjustments: which differences are real, with a reason code against each;
- the file the ERP receives, and that it posts what was approved and nothing else;
- the records: the workbook, the ERP file, the log, kept where the business keeps them.

You do not own (and your login cannot do)

- creating a count, uploading the lists, setting thresholds or approvals on or off: the *admin* or *supervisor* does that under Settings. Ask for it; the checklist in section 10 says what to ask for before the count starts;
- queueing aisles to teams, answering an SOS, messaging the floor: the *count supervisor*;
- closing the count: Settings → Count session, an admin or supervisor. You say when it is ready to close; section 10 is the test.

If the sidebar shows a page or a button grayed out, that is the profile, not a fault.

2 — Before the count: the data going in

A count compares the floor with a report. If the report is wrong, every variance is wrong.

1. **Pull the inventory report** from each of the site's systems as close to the start of the count as the business allows, after the last receipt and shipment that will be in the ERP before the freeze. Give the files to the admin or supervisor to upload under *Settings → Lists & racking → Inventory report*, one upload per system, naming the system.
2. **Read the upload summary** they get back (ask for a screenshot, or look at Settings with them). It says how many pallets loaded, how many rows were **merged** (the same container twice in one bin: two ledger entries for one pallet, quantities added), how many were **duplicates** (the same container in two bins: the first row stands, the rest are listed with both bins), how many **open bins** (a bin with no container: an expected empty) and how many **zero or negative quantities**. Duplicates and negatives are yours to look at in the ERP before the count, not after.
3. **Check the counts on the Dashboard** once it is uploaded: *Progress* shows pallets on the report, and *Reports → Pallet report* with **Hide missing** off lists them all. Pick the **System** filter and confirm each system's pallet count against the file you sent.
4. **Agree the thresholds** with whoever sets the count up (*Settings → Count session*): your team number (a bin your team counted first still goes to another team). When you are swamped, Dashboard → Second counts → **Hand open second counts from … to team …** passes some on; the first count nor the report is counted a third time, by a team that did neither, and the third count stands. Recommended for a wall-to-wall that goes to the ERP;
    - **Recount over N units / or over N %**: a difference smaller than both raises no second count. 2 to 5 units and 5 to 10 % is usual; at 0/0 every difference is recounted and the list becomes unworkable;
    - **a cap** on second counts;
    - **Send them all to team** …: when your team does the second counts, every new one is given to
    - **Third count when the second settles nothing**: a bin whose second count agrees with neither
    - **Adjustments need approval**, and its own threshold under which a difference goes through as **AUTO** without a signature. Decide this before the count: switching it on afterwards is allowed but means signing everything at once.
5. **Agree the reason codes** (*Settings → Integrations → Adjustment reasons*). They are what you will pick for every approval and what the ERP file carries. Match them to the ERP's own list.
6. **Ask for a trial run** if the team is new. A trial counts for real on the dashboard and is wiped by *End the trial*; nothing from it can be exported to the ERP. Practice the close on it: sections 4 to 7, end to end.

3 — During the count: reading it as it runs

You are not running the floor, but the numbers start to tell you things from the first hour.

- **Progress** (Dashboard → Progress): bins counted, lines, pace and the time left at this pace. *Pallets found that are not on the report* climbing fast on one team usually means a mis-scanned label format or a pallet type the report does not carry; walk over and look before three hundred of them exist.
- **Pallet report → Hide matching pallets** is the live exception list. Early in a count most rows are `MISSING` only because nobody has reached the aisle yet; tick **Hide missing** and read the rest: `QTY VARIANCE`, `WRONG BIN`, `NOT IN MASTER`, `COUNTED TWICE`.
- **Second counts** (Dashboard → Second counts) shows what the thresholds are raising. If the list is hundreds deep after one aisle, the thresholds are too tight: ask for them to be raised now, not at the end.
- **Lot / date problems only** on the pallet report catches a wrong lot or an expired date even when the quantity agrees. For frozen product these are variances the ERP never sees unless you act.
- **Find a lot** answers a recall notice during a count: part of a lot code gives every case of it, where it was counted and where the report still expects it.

Do not approve adjustments while teams are still in the aisles the adjustments are in. A second count can change the number, and a changed number clears its approval.

4 — After the count: the reconciliation

When the floor reports every aisle handed back and *Progress* shows every bin with a count:

1. **Second counts to zero.** Dashboard → Second counts must show nothing open. (Practice this first: Testing Suite → What to practice → **Second counts** — another crew's aisle comes back to your gun, and one bin is yours to raise by hand.) A count closed with open second counts has known-wrong numbers in it. You can raise more by hand (**Request second count** on a bin) or **Raise from all variances now**: it skips aisles nobody has reached and says how many it skipped. A finished second count that settled nothing has a **3rd count** button. **Export 2nd & 3rd counts with the 1st (Excel)** gives every bin counted again on one row a pallet — report, 1st, 2nd and 3rd counts with their teams, the final count and which number stands — for one aisle (type it first) or all.
2. **The pallet report, status by status.** Use the **Status** filter and work each list:
   - `QTY VARIANCE`: the real stock differences. Biggest first. Each will become an adjustment;
   - `WRONG BIN`: right pallet, right quantity, wrong place. No stock adjustment, but the bin on the ERP is wrong and a put-away or transfer is needed; the **Found in** column has the bin it is in;
   - `NOT IN MASTER`: pallets on the floor the report did not know. A real pallet (a receipt not yet posted, a pallet from another system's report) or a mistyped id. The adjustments list carries them as additions; rows named `NO-LABEL-F01A001-1` are pallets with no readable label counted under their bin, on the **Fix list** to relabel;
   - `MISSING`: on the report, never found. Until the count is closed these are not adjustments. Once it is closed they are, in full;
   - `COUNTED TWICE`: one pallet scanned by two teams, or a second label; the lines say who and when. Decide which count stands; the supervisor can void a line.
3. **By system.** With three systems in one warehouse, read the report once per **System**. A pallet counted in the wrong system's bin is a `WRONG BIN` to one system and `NOT IN MASTER` to the other; the *System* column on the pallet report and the *Summary* sheet's per-system found counts show it.
4. **Lot and date.** The report compares lot codes where the count asked for them: *Report lot* against *Counted lot*, and *Best before*. A right quantity of the wrong lot is a variance for traceability even when the ERP's quantity is right.
5. **Write down what you decided** on anything you are not adjusting (a `COUNTED TWICE` you resolved, a `NOT IN MASTER` that was a receipt in transit). The approval note on the adjustment is the right place when there is an adjustment; the workbook's **Comments** column otherwise.

5 — Approving the adjustments

Dashboard → Adjustments. Only on a count with *Adjustments need approval* on; with it off the tab says so and every difference goes to the ERP file as it stands.

The **Positive and negative** tiles at the top are the two numbers the business asks first: stock to add and stock to take off, in units and pallets, with **Download this list (CSV)** for either side or both.

Then the list: every pallet that differs, biggest first, with the report quantity, the counted quantity and what the ERP would move.

1. Read a line against the pallet report and, where it matters, against the floor: a 600-case pallet short by 40 is a question for the team that counted it before it is a write-off.
2. Tick the lines you are satisfied with. **Select all shown** takes the screenful.
3. Pick a **reason** from the site's list and add a **note** if the reason does not say enough (*"second count agreed; damaged cases removed 3 Oct"*).
4. **Approve selected**, or **Reject selected** when the count is wrong and the system should keep its number. A rejected line goes nowhere near the ERP.

What the app guarantees, so you can rely on it:

- **Nothing unsigned reaches the ERP.** The Adjustments layout holds back every pending line; the preview says how many it held.
- **Under the threshold is AUTO.** Those go through unsigned and are marked `AUTO` in the list and the workbook. If the business wants everything signed, the threshold is 0.
- **Counted again means signed again.** A second count that changes an approved pallet clears the approval and the line comes back. A variance a second count removes disappears.
- **Every decision is in the log** with your name, the reason and the time: the answer to *"who authorized writing off 400 cases"*.
- **MISSING pallets join the list when the count is closed.** Plan the close so you are at the desk when it happens: that is usually the largest batch of the count.

Keying into the ERP by hand? *Dashboard → Adjustments → Entered in the ERP.* Download the **ERP worksheet**, key from it, fill its **In ERP** column as you go (a *yes*, an *x*, a date or your initials; *no* takes a mark off; blank leaves it) and **upload it back** — or tick lines in the table and **Mark as entered**. Nothing gets keyed twice: the column shows who entered what and when, **Hide lines already in the ERP** leaves only what is still to key, and a line counted again after it was entered is tagged **changed** with the number the ERP was given.

Aisle by aisle? *Dashboard → Adjustments → ERP upload, an aisle at a time.* Each aisle's row says how much of it is counted, how much differs, how much is uploaded and what is still being counted.

⬇ **Excel** gives every pallet in the aisle — the report, the latest count, the adjustment — with an **Uploaded to ERP** column: fill it in as the lines go into the ERP and ⬆ **Upload a filled-in sheet** to mark them here. Same marks as the worksheet; only that column is read back, never the quantities. A line counted again after it went in: put it right in the ERP and write **again** in its cell. Step by step: the ERP upload guide.

6 — Exporting the data

Every download on the Dashboard is a function of your profile (*Downloads and printouts*). Each file is for a different reader.

Filed as the count goes — Dashboard → Reports. Every aisle a team hands back is written to disk at once as CSV files (its count lines, pallets, bins, second counts, fix-list items), one folder per hand-back, listed on the card with download links. A count that stops halfway has every finished aisle on disk. **Final report** files every sheet of Export everything the same way; the button is on only when every bin has a count and no second count is open, and the card says what is still missing until then. File it after the close as the record of the count.

Export everything (Excel) — Dashboard → Reports. One workbook, every table the app keeps for this count, in words a person can read. This is the record: the file for the auditor, the finance team and the shared drive. Its sheets:

SHEET	WHAT IS ON IT
Summary	the count, its type and status, bins on the list / counted / left, pallets on the report and found, per-system found counts, empty bins, lines, flagged lines, teams, scanners, positive and negative adjustments in pallets and units, the net, the time zone, who exported it and when
Count lines	every scan: time, team, clock-in numbers, scanner, aisle, bin, pallet, system, quantity, empty-bin flag, item, description, lot, best before, second-count flag, pallet-not-on-report, bin-not-on-list, outside the team's aisle, counted twice, pallet and rack label state, second-label-of, flag / reason, comments, voided, and when it reached the server
Pallets	the pallet report: pallet, system, item, description, variant, entry no., result, report and counted quantity, difference, report bin, found in, times counted, teams, report and counted lot, best before, second label, last scanned, comments
Adjustments	side (positive / negative), pallet, system, item, bin, why, report and counted quantity, adjustment, approval state, approval reason, approved by
Not on the report	the pallets the report does not have — sold or shipped in the system, found on the floor: where each was found and by whom, its quantity and lot, where its approval and ERP entry stand, and an **Investigation** column to write the finding in before it is adjusted back into stock
Bins	every bin with zone, aisle, level, description, counted, recorded empty, lines, last counted
Bins not counted	the bins with no line at all

SHEET	WHAT IS ON IT
Teams, **Sign-ons**	who was on the count, when, for how long, on which scanner
SOS, **Stopped scanning**	every alert, who answered it, when, the outcome
Second counts	every recount: bin, pallet, why, who raised it, who counted first, who did it, when
Fix list	labels to replace, damage, blocked bins, with who reported and who fixed
Log	every supervisor action on this count

The CSVs — for machines and for your own reconciliation sheet:

- **Pallet report** (Reports): the pallet report as filtered on screen, so a *System* or a *Status* filter gives you that slice;
- **Adjustments** (Adjustments → Download this list): positive, negative or all;
- **Second counts** (Second counts → Export CSV);
- **Fix list CSV** and **Labels only (CSV)** (Reports → Fix list): the walk-round lists;
- **Count lines** (`counts.csv`): every raw scan, for anyone who wants to rebuild the count from first principles.

Printouts — the **count sheet** (paper, per aisle, blind by default) is there for the day a scanner cannot be used; it prints from the Reports tab.

Name files for the count and the date when you save them (`2026-10-03-Q3-physical-everything.xlsx`). The ERP file names itself that way already.

7 — The ERP file

Settings → Integrations → Send to the ERP. This card is on the Settings page, which the *Inventory control* profile does not open. Two ways to work it:

- sit with the admin or supervisor while they produce it, with you reading the preview; or
- ask the admin to give your login the *Settings* page. That makes the login an admin for everything else on that page too, so most sites prefer the first.

Either way the procedure is:

1. **Layout.** Pick the layout that matches the ERP. Column names and which rows are included are configuration, not something to fix in the file afterwards; a new layout is added on the same card. The **Adjustments** layout carries the reason code and the approver's name, so the file tells the same story as the log. *Pallet lines* carries one row per pallet counted; for Dynamics NAV there is a journal layout with a document number per count and day so a re-export cannot post twice.
2. **System.** Where several systems share the warehouse, pick one. The file is named for it and holds only that system's pallets. Produce one file per system.
3. **Preview.** Read the first rows. The preview says how many rows the file has and how many adjustments it **held back** because nobody has signed for them. If that number is not zero, go back to section 5.
4. **Download CSV**, then import it into the ERP. The export is written to the log with the layout, the system, the row count and what was held.
5. **Keep the file** with the workbook (section 9). It is the only proof of exactly what was handed over.

A **trial run** refuses to export: the message says to end the trial and count for real. A **closed** count still exports, for as long as it exists.

8 — Cycle counts and coverage

If the site runs the cycle-count program, the inventory controller reads it the same way, on the **Cycle counts** page (`/cycle`). That page is not in the *Inventory control* profile by default; ask for the *Coverage* tab at least, or the whole page.

- **Coverage** shows how much of the warehouse has been counted in the period and what has not been touched, with **Coverage CSV** for the auditors.
- Each cycle batch is *the* count for its bins: the pallet report, the adjustments and the ERP file work exactly as for a full count, on the cycle-count session.
- Keep one cycle-count session for the year. A new session loses the history of when each bin was last counted, which is what the picker uses.

9 — Records to keep, and for how long

Keep, per count, in the business's document store (not only on the server):

RECORD	WHERE IT COMES FROM	WHY
The inventory report(s) uploaded	the files you pulled from the systems	what the count was compared against
The upload summaries	screenshot or note from the person who uploaded	merges, duplicates and negatives you accepted
Export everything (Excel)	Dashboard → Reports, after the close	the count itself, every sheet
The ERP file(s)	Settings → Integrations → Send to the ERP	exactly what the ERP was given
The log export	Settings → Backups & log → Export the log	who did what, incl. every approval
A database backup	Settings → Backups & log → Back up now, downloaded — or the copy in OneDrive, if the admin connected it	the whole thing, re-loadable

Take the workbook **after** the count is closed and the MISSING pallets have been approved, so it is the final state; take it again if anything is changed later. The app keeps a daily backup and the last fourteen on its own volume; a volume is not an archive, so download one after each count. How long to keep them is the business's retention rule for stock records; the files are small.

10 — A count-close checklist

Before you tell the supervisor the count can be closed:

- [ ] Progress shows every bin with a count, or the bins without one are listed and accepted (**Bins not counted** sheet)
- [ ] Second counts: nothing open
- [ ] Pallet report read status by status and by system; decisions noted
- [ ] Fix list: labels to replace handed to the floor (a relabel is not a stock movement, but the next count depends on it)
- [ ] Adjustments: everything that is going to be approved is approved, with reasons; nothing pending except what you intend to reject

After the close:

- [ ] MISSING pallets have joined the Adjustments list; approve or reject them
- [ ] Preview of the ERP file shows **0 held back**, per system
- [ ] ERP file(s) downloaded and imported; import result checked against the file's row count
- [ ] **Final report** filed from Reports (it needs every bin counted and no second count open), its files downloaded with Export everything, the log export and a backup, and filed
- [ ] The ERP's on-hand after posting agrees with the pallet report's counted quantities on a sample of the largest adjustments

11 — When something looks wrong

WHAT YOU SEE	WHAT IT USUALLY MEANS	WHAT TO DO
Hundreds of second counts after one aisle	Thresholds at 0, or too tight	Ask for *Recount over*, *or over %* and a cap to be set now
The Adjustments tab is empty	Approvals are off for this count, or nothing differs yet	Approvals are a Count session setting; a pallet nobody reached is not an adjustment until the close
The ERP file is shorter than the variance list	Pending approvals are held back	The preview says how many; approve or reject them, export again
A pallet appears as `NOT IN MASTER` in one system and `MISSING` in another	Counted in a bin the other system owns, or on the wrong system's report	Read the pallet report by **System**; it is one pallet, decide which report it belongs to
Many `NOT IN MASTER` rows named `NO-LABEL-…`	Labels that would not scan	They are counted under the bin; relabel from the Fix list; the quantity is safe
An approved line came back as pending	A second count changed its number	Read it again and sign again; the old approval is in the log
Numbers moved after an ERP re-import	The report was re-uploaded with *Replace what is there*	Re-read the pallet report; the log says who re-uploaded and when
A line's time is hours out	That scanner's clock was wrong	Nothing: the server corrected the scan time from the gun's send time; the raw time is in the log
You cannot find a button this procedure names	It is on a page your profile does not open	Settings is admin-only; ask, or have the page added to your login
You do not know what a message means	—	Paste it into **User guide → Ask the guide**

Appendix — Every file this role can produce

FILE	WHERE	FORMAT	READER
Export everything	Dashboard → Reports	Excel workbook, 14 sheets	auditor, finance, archive
Pallet report	Dashboard → Reports	CSV, as filtered	reconciliation
Count lines	Dashboard → Reports	CSV, every scan	rebuild / audit
Adjustments (positive, negative, all)	Dashboard → Adjustments	CSV	finance sign-off
Second counts	Dashboard → Second counts	CSV	floor follow-up
Fix list, Labels only	Dashboard → Reports → Fix list	CSV	floor walk-round
Count sheet	Dashboard → Reports	printable page	paper fallback
Coverage	Cycle counts → Coverage (if given)	CSV	auditors
ERP file, per layout and system	Settings → Integrations (admin)	CSV in the ERP's columns	the ERP
Log	Settings → Backups & log (admin)	CSV	auditor
Database backup	Settings → Backups & log (admin)	`.db` file	disaster recovery